

73-88

## Who are Bosch?



"I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products

and in my word of honour have always had a higher priority to me than a transitory profit."

Robert Bosch, 1921

For over 125 years, the Bosch name has been synonymous with engineering excellence. Our home appliances are renowned for their quality, reliability and performance which derives from our inherent, unflagging commitment and the painstaking thoroughness with which every unit is made. As you would expect from Bosch, there are no gimmicks or frills with our products - just pure, clean lines and beautiful, functional simplicity that will enhance any kitchen.

The values that shaped Robert Bosch's vision for his new company in 1886 are the same principles that guide the business today; never lose the trust of your customers, look after your staff and partners and change things for the better. It's what has kept Bosch at the forefront of the home appliance industry and what will keep it there in the future.

Follow us to learn more on:













## Contents

Customer service	2
Home Connect	3
Home Laundry	4-13
Introducing the Bosch	
home laundry range	4-5
Washing machines	6-9
Tumble dryers	10-12
Washer dryers	12-13

Dishwashers	14-19
Introducing our advanced	
dishwasher range	14-15
60cm dishwashers	16-18
45cm dishwashers	19
Refrigeration	20-44
Introducing the Bosch	
refrigeration range	20-21
Fridge freezers	22-33
American-style fridge freezers	34-37
Fridges & freezers	38-44

mall appliances	45-71
troducing the Bosch	
nall appliance range	45-46
oorcare	47-51
ood preparation	52-59
reakfast & beverage	60-64
ee-standing microwaves	65
arment care	66-71

**Specification guide** 



# Looking for help? You'll find it here.

For help with your home appliance, trust Bosch Customer Service.

### Arrange an engineer visit.

Our appliances are manufactured to the highest standards, but if you do need a visit from an engineer we are here to help. We have teams of locally based engineers around the country – employed and trained by Bosch\*. This gives them unrivalled expertise and knowledge of our appliances. We repair appliances both in and out of guarantee. All repairs are analysed in advance by a technical team so that the parts likely to be needed to complete the repair are sent to the engineer's van the night before the visit.

To arrange an engineer visit to your home please call:

### 0344 892 8979

Lines are open 24 hours.

Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

You can also arrange an engineer visit online: bosch-home.co.uk/ customer-service/repair-service/ book-engineer-online

### Product advice.

If you need help using programmes or features, or need assistance selecting a new Bosch appliance from our current range, our product advice team can help.

You can call us on

### 0344 892 8979

or visit: bosch-home.co.uk for frequently asked questions and helpful videos.

## **Register** ~ my appliance

We advise that you register your appliances so that we can contact you about any product updates. Visit registermyappliance.org.uk for more information.

You can also call Bosch directly to register your appliance on 0344 892 8979 (option 5). Please call us within 28 days of purchase to discuss the full range of options for extending your warranty.

### Visit the Bosch online store.

Find a comprehensive selection of accessories to help you get the most out of your appliance, along with our full range of replacement spare parts and cleaning and care products at the Bosch online store.

You can also purchase Tassimo hot drinks machines, vacuum cleaners, irons, steam stations, kettles, toasters and food preparation appliances directly from us online.



You can call us on

0344 892 8979

or visit: bosch-home.co.uk/store

### Accessories.

Many appliances can be enhanced with optional extras, such as telescopic rails for ovens or special cookware for hobs.

When buying a Bosch home appliance, you know you are purchasing a quality, reliable product. However many appliances are used daily, so need cleaning and maintaining to keep them looking great and operating at peak performance.

Our cleaning and care products have been thoroughly tested and approved for safe and effective use on your Bosch home appliance.

### Replacement spare parts.

We keep in stock a comprehensive range of replacement spare parts for our appliances for up to ten years. All our parts are original spare parts, not copies.

### High quality service.

Bosch home appliances are renowned for their quality and we believe that our customers deserve exceptional customer service. You can contact us seven days a week for assistance.

Calls will be answered

Monday to Friday 8am to 8pm, Saturday 9am to 5pm and Sunday 9am to 4pm.

\*In some areas we may use an approved service partner. The process may vary for repairs carried out by our

# Your life at home just got even easier.

From controlling your Home Connect Serie 8 oven with your voice using Amazon Alexa, to never running out of dishwasher tablets again, thanks to the Amazon Dash Replenishment Service\*. Smart appliances mean less things to think about, more time to spend on something else. With Bosch Home Appliances featuring Home Connect, your home is ready for the future today.

From first installation to regular operation and maintenance, Bosch appliances with Home Connect are designed to save you time and effort. The connected appliances can be monitored and operated remotely via your smart device assisting you in achieving perfect results. Bosch appliances with Home Connect allow you to perceive a new quality of interaction by experiencing a reliable and secure wireless connection to the appliance on all your smart devices.

bosch-home.co.uk/bosch-innovations/homeconnect

Home Connect is a service offered

by Home Connect GmbH

For more information on Home Connect please visi

### Look out for our Home Connect models.

### How you can use your Home Connect App:

- Easy installation and pairing
- · Remote monitoring and control
- Program selection and start
- Run service programs
- · Cameras in the fridge and storage guide
- · Coffee preferences and coffee playlist
- Remote diagnostics
- Cooking and recipe information
- Link to online shop
- · Digital user manual



# Introducing the Bosch laundry range.

Energy- and water-saving technologies across our latest laundry appliances give you peace of mind when washing and drying your clothes. To help you choose the right appliance, we have divided them into three categories.

Too much detergent or too little can

lead to poor washing results. i-DOS

as well as the correct temperature,

whatever your load.

automatically senses exactly the right

amount of detergent and water to use,

### Too much? Too little? Just right with i-DOS.

Once activated, the i-DOS system measures the detergent automatically, to the nearest millilitre. Sensors inside the washing machine detect the type of fabric, the load volume in the drum and the degree of soiling, and adjusts the detergent to the optimum dose accordingly. This way, you'll achieve the best results for your clothes, whilst saving detergent and water.

### Too much.

Everything's just right with i-DOS.

Using too much detergent – even by a little – leads to **significantly higher** water and energy consumption when washing. Visible detergent residues can be left on clothing, which can trigger skin irritation and allergies.

Using too little detergent can lead to **poorer washing** results. Stains won't be completely removed and could be left on clothes permanently. Insufficient detergent can also result in discolouration and unpleasant odours.

# Save energy, quietly and economically.

### Hygienically clean at the touch of a button.

We've developed **ActiveOxygen™** to take special care of your favourite clothes - hygienically. This clever system cleans your most delicate fabrics at low washing temperatures, protecting their colour while eliminating 99.99% of the bacteria and germs found in clothes, without the use of any chemical additives.

And for clothes that are essentially clean but just need a freshen up, choose **ActiveOxygen™ Refresh**. This 45 minute programme is even suitable for highly delicate fabrics, saving you a trip to the dry cleaners.

### Save time. Save energy. With VarioPerfect™ you decide.

The battle against rising average energy and water bills\* starts here with **VarioPerfect™** technology on all our freestanding washing machines.

Get full loads clean in just one hour\*\* by selecting **SpeedPerfect** or select **EcoPerfect** and laundry comes out brilliantly clean using up to 66% less energy.\*\*\*

### Never miss an item again. Reload by Bosch.

For dropped socks, mistaken items with your whites or forgotten clothes, Reload function on all Bosch washing machines allows you to add clothing of any size to your washes.

Simply pause the cycle and the machine will automatically adjust the water level to allow you to open the door. Reload your items and restart the wash.

### Enjoy the quiet life.

Our latest washing machines with **EcoSilence Drive™** generate a noise level of just 47 decibels - that's quieter than the sound of the sea at 55 decibels. We've also created AntiVibration technology that increases stability and reduces vibrations to cut down noise. And our special Night Wash programme reduces the high spin speed so you can do your washing while everyone is sleeping.

- National Audit Offi ce Press Release, 13 November 2013
- \*\* Compared to just over two and a half hours on Easycare 40°C wash programme.
- \*\*\* Compared to an EU label standard cotton 60°C programme



Serie 8

Perfection in every detail, our Serie 8 range of laundry appliances stands out from the crowd with superior quality, results and first-class design. Discover cutting-edge features and extras such as i-DOS automatic dosing in our washing machines and **ActiveOxygen™** for hygienic washing at low temperatures. Monitor and control your wash remotely with our Home Connect models, developed to give you complete control over your laundry.

### Serie 6

Our Serie 6 models strive for sustainability and appreciate the active lifestyle of you and your family. Appliances in this range offer you real benefits and energy-efficient features combined with timeless design. i-DOS doses each load with millilitre precision, which not only delivers outstanding results but a host of savings. While Night Wash allows you to take advantage of evening tariffs and won't disturb you or the neighbors.

## Serie 4

++ 1

Easy to operate with family life in mind, our **Serie 4** range truly understands your requirements. Practical and straightforward to use, these appliances combine easy operation with stylish design. Now experience the same quiet and energy-efficient wash cycles as our premium models with **EcoSilence Drive™** 

# Washing machines

### Serie 8



### WAWH8660GB











### Specifications

i-DOS

EcoSilence Drive™

EcoBar+

ActiveWater™

WaveDrum™

Noise level 47dB/71dB

Explore more at www.bosch-home.co.uk

### i-DOS. The perfect detergent dose, whatever the load.

The i-DOS washing machine from Bosch has an intelligent dosing system that calculates how much detergent to add to each wash for you. Add all the detergent just once, i-DOS automatically measures the precise amount of detergent.



## Washing machines

## Serie 8






WAYH8790GB







EcoBar+ ActiveWater™

WaveDrum™

**Specifications** 

Noise level 47dB/71dB

### Serie 8

+++



### WAW287H0GB









Specifications

EcoSilence Drive™

VarioPerfect™

WaveDrum™

EcoBar+

Noise level 47dB/71dB

Available from September 2018



### Washing machines

### Serie 8



















Specifications

VarioPerfect™

EcoSilence Drive™

reminder function Noise level 47dB/73dB

DrumClean with

### Serie 8

+++


### WAW285H0GB











VarioPerfect™ AutoStain

Specifications

EcoBar+

DrumClean with reminder function

Noise level 47dB/71dB

+++



### Need to know more or get expert advice?

## Washing machines




## Washing machines



## Washing machines



## Washing machines




### Need to know more or get expert advice?

### Heat pump condenser dryers




### Heat pump condenser dryers



## Heat pump condenser dryers



## Heat pump condenser dryers



### Need to know more or get expert advice?


### Condenser dryers



## Washer dryers



## Vented dryer



### Washer dryers



### Need to know more or get expert advice?

# Introducing the Bosch dishwasher range.

All our dishwashers offer a range of advanced technologies as standard and additional options across the range to suit your individual requirements.

To help you choose the right Bosch dishwasher we have divided them into the four ranges below.

### Serie 8

+++

Our Serie 8 range combines cutting-edge design and advanced technologies including our Home Connect feature, for optimum cleaning performance. The A+++ energy efficiency rating of this range is complemented by our **PerfectDry** 

function, where moisture is absorbed before being released as hot air for energy-efficient drying. VarioFlex Pro basket

system offers additional

storage and flexible

loading solutions.

Serie 4

Our Serie 4 models offer great value for money but do not compromise on Bosch build quality. They combine advanced energy- and resourcesaving features and in addition offer VarioFlex baskets with foldable racks in the lower basket.

### Serie 6

Our **Serie 6** range comes packed with technology, from energy- and watersaving modes to quick washes for when time This range contains

a **PerfectDry** model offering excellent drying results and also our quietest model that can

operate as low as 36dB.

### Serie 2

Our Serie 2 dishwasher range offers you classic design with easy operation. This is the optimal solution for anyone who wants a reliable appliance to suit their individual requirements.



Finally, a dishwasher that dries as perfectly as it cleans, even on plastics.

## 

A clever function that saves energy by using less electricity to dry everything

to perfection. And we do mean everything plates, pans, glasses and all plastic items. Your lunchboxes and containers will be completely clean and perfectly dry, so you'll never have to pick up a tea towel to finish the job again.





The technology behind PerfectDry, unique to Bosch, is called Zeolith® – a process applied to most cycles that uses minerals that heat up when they come into contact with water. The warm air is then distributed evenly over the load.

### Technology to save you time.

Our VarioSpeed Plus option reduces programme times without compromising on quality. So you still get hygienically clean and dry dishes but in about a third of the time of the standard programme - ideal for busy households and entertaining.



### DosageAssist.

Get the most out of your detergent with DosageAssist; a small area at the front of the top basket that catches the tablet when it's released during the cycle. It controls how the tablet is dissolved for optimum performance.

### The key to flexibility.

The VarioFlex Pro rack system offers maximum flexibility and allows the dishwasher to be adapted to any load that suits you, while still securing everything in place. The VarioDrawer is an additional loading level, ideal for cutlery and smaller items, freeing up space in the rest of the dishwasher. The adjustable 3-stage **Rackmatic™** system allows the upper basket to be moved up and down to fit more in the top or bottom basket as required.

### Machine Care.

Your dishwasher will help look after itself with this smart self cleaning function. Optimising the water and energy consumption, it works on a short run time of 80-90 minutes at high temperatures. It cleans and eliminates lime and grease deposits inside the tub and waste pipes and works with a standard machine-care detergent. It will even remind you to run the programme every 30 cycles.

### More drying power when you need it.

Want your dishes extra dry? No problem. This function gives you even more drying power when you need it. Just choose the **Extra Dry** option and more heat will be created to enhance your load's drying cycle.

## 60cm dishwashers

### Serie 6



### SMS67MW00G









### Specifications

PerfectDry Zeolith® for excellent drying

VarioDrawer - for cutlery and utensils

VarioFlex baskets for ease of loading

7 programmes, including Auto and 29 min quick wash

Intensive Zone flexible washing

Touch display

VarioSpeed Plus - time saving

44dB - quiet operation

### A dishwasher that dries as perfectly as it cleans.

Our **PerfectDry** dishwasher uses energy-saving minerals that heat up when they come into contact with moisture, creating perfectly dry cupboard-ready results, naturally.





### 60cm dishwashers

### Serie 8 +++ SMS88TW06G Specifications











PerfectDry Zeolith® for excellent drying

Home Connect remote start and monitoring via Wi-Fi

VarioDrawer Pro – for cutlery, utensils and small items

VarioFlex Pro baskets for maximum flexibility

8 programmes, including Auto and 35 min quick wash

Intensive Zone flexible washing

High resolution touch

display "Finish at" timer for

more control VarioSpeed Plus - time

saving option 42dB - very quiet

operation

## 60cm dishwashers

## SMS46IW09G



Serie 4









Need to know more or get expert advice?

## Specifications

Very low water usage: 6.5L per cycle

VarioFlex baskets - for ease of loading

6 programmes, including Auto and 35 min quick wash

VarioSpeed Plus – time saving option

46dB - quiet operation

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk





Serie 6

38dB – extremely quiet operation (36dB in silence programme)

VarioDrawer – for cutlery and utensils

VarioFlex baskets - for ease of loading

7 programmes, including Auto and 29 min quick wash

Intensive Zone flexible washing

Touch display

VarioSpeed Plus - time saving option

### 60cm dishwashers




### 60cm dishwashers



### 45cm dishwashers



### Compact dishwasher



### Need to know more or get expert advice?

# Introducing the Bosch refrigeration range.

All our fridge freezers save you money and ensure optimum freshness thanks to their energy efficiency ratings, clever technology and storage systems.

To help you choose the right Bosch fridge freezer we have divided them into three ranges.

# variöstyle

## Designed to be redesigned.

Introducing the Vario Style fridge freezer with Vitafresh: the world's first fridge with exchangeable coloured fronts. Now you can easily restyle your kitchen to match your home.

Your kitchen is more than just a place to prepare your meals. It's the hub of your home whether you're enjoying a cozy family dinner or hosting a lively party. It's the central point in your home and your freestanding fridge is the highlight.

By combining style, superior quality and simplicity, the Vario Style fridge freezer allows you to make your kitchen unique and an expression of your individual personality and style.

The innovative Vario Style system is equipped with a clever combination of invisible hooks and magnets so you



can easily change the colour of your door. You don't need any specific tools or technical knowledge.

Within just 3 easy steps your kitchen style is transformed.




through innovative technologies

# Lock in the freshness.

## **♥ Vita**Fresh

With VitaFresh, you'll be able to store your fruit and vegetables at exactly 0°C to lock in the freshness. Also, with an adjustable humidity setting on the drawer, you'll be keeping your fresh food in a perfectly controlled environment.

You'll also find two drawers, one for fish and one for meat, with a temperature regulating slider which lets you lower the temperature up to 4°C lower than the rest of the fridge. VitaFresh plus models have the added benefit of a convenient push button for humidity control.





State of the art technology, including our **Home Connect** feature in some models, ensures our Serie 6 range combines energy-efficient performance with adaptable storage and superior food preservation. VitaFresh plus drawers store meat, fish and fruit & vegetables at a lower temperature & humidity, keeping them fresh and nutritious.

Our Serie 4 models combine clever features and technology, including the Bosch build quality that offers flexible storage solutions with enough space for all your family shopping. All models include our VitaFresh freshness system which guarantees ideal storage conditions for your

With energy efficiency an increasing priority in homes, the Serie 2 refrigeration range is just as efficient as it is value for money.

Serie 2

## variostyle door set colour options


## variöstyle

Explore more at www.bosch-home.co.ul

### Discover your VarioStyle.

The innovative Vario Style system is equipped with a clever combination of invisible hooks and magnets so you can easily change the colour of your door.

You don't need any specific tools or technical knowledge. Within just 3 easy



## Serie 6

### KGN36HI32

Height: 187cm





 $[\mathscr{Y}]$ 



### **Specifications**

Noise level dB(A) re 1pW: 42

++

Two interior fridge cameras

Exterior electronic control with LED display

VitaFresh plus – drawer for fish and meat

VitaFresh plus - drawer for fruit and vegetables

MultiAirflow system

Bright interior LED fridge

4 safety-glass fridge shelves

3 transparent freezer drawers

SuperCool and SuperFreezing

187cm H x 60cm W x 65cm D

### Fridge freezers

### Serie 6

KGN49AI30G Height: 203cm



Width (cm) **▼ 70** 





### Specifications

Noise level dB(A) re 1pW: 40

++

Exterior electronic control with LCD display

VitaFresh plus – drawer for fish and meat

VitaFresh plus – drawer for fruit and vegetables

MultiAirflow system

Bright interior LED fridge

5 safety-glass fridge shelves

3 transparent freezer drawers

SuperCool and SuperFreezing

203cm H x 70cm W x 67cm D

## Fridge freezers

### Serie 4

KGE49VI4AG Height: 201cm









### Specifications

Noise level dB(A) re 1pW: 38

Electronic control with LED display

VitaFresh – drawer for fruit and vegetables

VitaFresh - drawer for fish and meat

Bright interior LED fridge light

5 safety-glass fridge shelves

3 transparent freezer drawers, 1 BigBox

SuperCool Function

201cm H x 70cm W x 65cm D

## Fridge freezers

Alternative colour KGE49VW4AG White

### Serie 4

KGN49XL30G Height: 203cm





Alternative colour

KGN49XW30 White

Need to know more or get expert advice?





### Specifications

Noise level dB(A) re 1pW: 40

Electronic control with LED display

2 x VitaFresh - drawer for fish and meat

VitaFresh – drawer for fruit and vegetables

MultiAirflow System

Bright interior LED fridge

5 safety-glass fridge shelves

3 transparent freezer drawers

SuperCool and SuperFreezing

203cm H x 70cm W x 67cm D

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

### Serie 4

### KGN39XL35G









### **Specifications**

Noise level dB(A) re 1pW: 39

Exterior electronic control with LED display

2 x VitaFresh – drawers for fish and meat

VitaFresh – drawer for fruit and vegetables

MultiAirflow system

Bright interior LED fridge

5 safety-glass fridge shelves

3 transparent freezer drawers

SuperCool and SuperFreezing

203cm H x 60cm W x 66cm D

## Fridge freezers

Alternative colour

KGN39XW36G White

## Serie 4

KGN39VL3AG Height: 203cm





Alternative colour

KGN39VW35G White





### Specifications

Noise level dB(A) re 1pW: 39

Electronic control with LED display

2 x VitaFresh - drawers for fish and meat

VitaFresh – drawer for fruit and vegetables

MultiAirflow system

Bright interior LED fridge light

5 safety-glass fridge shelves

3 transparent freezer drawers, including 1 EasyAccess drawer (KGN39VL3AG only)

SuperCool and SuperFreezing

203cm H x 60cm W x 66cm D

## Fridge freezers

### Serie 4

KGV39VL31G Height: 201cm







### Specifications

Noise level dB(A) re 1pW: 39

Electronic control with LED display

VitaFresh – drawer for fruit and vegetables

Bright interior LED fridge light

5 safety-glass fridge shelves

Metal bottle rack

SuperFreezing function

3 transparent freezer drawers, 1 BigBox

201cm H x 60cm W x 65cm D

### Alternative colour KGV39VW32G White

## Fridge freezers

### Serie 6

KGN36AI35G Height: 186cm





Alternative colour

KGN36AW35G White







### Specifications

Noise level dB(A) re 1pW: 39

Electronic control with LCD display

2 x VitaFresh plus – drawer for fish and meat

VitaFresh plus - drawer for fruit and vegetables

MultiAirflow System

Bright interior LED fridge light

4 safety-glass fridge shelves

3 transparent freezer drawers

SuperCool and SuperFreezing

186cm H x 60cm W x 66cm D

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

### Serie 4

### KGN56XL30 Height: 193cm







### **Specifications**

Noise level dB(A) re 1pW: 42

Electronic control with LED display

2 x VitaFresh – drawer for fish and meat

VitaFresh - drawer for fruit and vegetables

MultiAirflow System

Bright interior LED fridge

4 safety-glass fridge shelves

2 transparent freezer drawers, 1 BigBox

SuperCool and SuperFreezing

193cm H x 70cm W x 80cm D

## Fridge freezers

### Serie 4

### KGE36VW4A Height: 186cm







### **Specifications**

Noise level dB(A) re 1pW: 38

Electronic control with LED display

VitaFresh - drawer for fish and meat

VitaFresh - drawer for

fruit and vegetables Bright interior LED fridge

4 safety-glass fridge shelves

3 transparent freezer drawers, 1 BigBox

Metal bottle rack

SuperCool and SuperFreezing

186cm H x 60cm W x 65cm D

## Fridge freezers

### Serie 4

KGN36XI35G Height: 186cm









### Specifications

Noise level dB(A) re 1pW: 39

Exterior electronic control with LED display

2 x VitaFresh – drawers for fish and meat

VitaFresh – drawer for fruit and vegetables

MultiAirflow system

Bright interior LED fridge light

4 safety-glass fridge shelves

3 transparent freezer drawers

SuperCool and SuperFreezing

186cm H x 60cm W x 66cm D

## Fridge freezers

Alternative colour KGN36XW35G White

### Serie 4

KGD36VI30G Height: 186cm









### Specifications

Noise level dB(A) re 1pW: 42

Indoor chilled water

Brita internal water filter

MultiAirflow system

VitaFresh - drawer for fish and meat

VitaFresh – drawer for fruit and vegetables

Bright interior LED fridge light

4 safety-glass fridge shelves

3 transparent freezer drawers

SuperFreezing function

186cm H x 60cm W x 65cm D

Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

### Serie 4

### KGN36VL35G Height: 186cm









### Specifications

Noise level dB(A) re1pW: 39

Electronic control with LED display

2 x VitaFresh – drawer for fish and meat

VitaFresh – drawer for fruit and vegetables

MultiAirflow system

Bright interior LED fridge light

4 safety-glass fridge shelves

3 transparent freezer drawers

SuperCool and SuperFreezing

186cm H x 60cm W x 66cm D

### Fridge freezers

## KGV36VL32G



Serie 4



Alternative colour KGV36VW32G White



### Specifications

Noise level dB(A) re 1pW: 39

Electronic control with LED display

VitaFresh – drawer for your fruit and vegetables

Bright interior LED fridge light

4 safety-glass fridge shelves

Metal bottle rack

SuperFreezing function

3 transparent freezer drawers, 1 BigBox

186cm H x 60cm W x 65cm D

## Fridge freezers

### Serie 4

KGN34XL35G Height: 186cm









### **Specifications**

Noise level dB(A) re 1pW: 39

Electronic control with LED display

2 x VitaFresh – drawer for your fish and meat

VitaFresh – drawer for your fruit and vegetables

Bright interior LED fridge light

4 safety-glass fridge shelves

MultiAiflow System

SuperCool and SuperFreezing

3 transparent freezer drawers, 1 BigBox

186cm H x 60cm W x 66cm D

### Fridge freezers

Alternative colour KGN34XW35G White

### Serie 4

KGN34VB35G Height: 186cm









### Specifications

Noise level dB(A) re 1pW: 39

Electronic control with LED display

2 x VitaFresh - drawers for your meat and fish

VitaFresh - drawer for your fruit and vegetables

Bright interior LED fridge light

4 safety-glass fridge shelves

MultiAirflow system

3 transparent freezer drawers, 1 BigBox

SuperCool and SuperFreezing

186cm H x 60cm W x 66cm D

### Need to know more or get expert advice?



### Serie 4

KGV33VL31G Height: 176cm







### Specifications

Noise level dB(A) re 1pW: 39

Electronic control with LED display

VitaFresh – drawer for your fruit and vegetables

Bright interior LED fridge light

4 safety-glass fridge shelves

Metal bottle rack

SuperFreezing function

3 transparent freezer drawers, 1 BigBox

176cm H x 60cm W x 65cm D

### Fridge freezers

Alternative colour KGV33XW30G White

### Serie 2

### KGN34NL3AG

Height: 186cm









### Specifications

Noise level dB(A) re 1pW: 42

Electronic control with LED display

MultiAirflow system

Bright interior LED fridge light

4 safety-glass fridge shelves

3 transparent freezer drawers, 1 BigBox

SuperFreezing function

186cm H x 60cm W x 66cm D

### Alternative colour KGN34NW3AG White

## Fridge freezers

### Serie 2

### KGN36NW30G

Height: 186cm









### Specifications

Noise level dB(A) re 1pW: 42

Electronic control with LED display

MultiAirflow system

Bright interior LED fridge light

4 safety-glass fridge shelves

3 transparent freezer drawers, including 1 EasyAccess Drawer

SuperFreezing function

186cm H x 60cm W x 66cm D

## Fridge freezers

### KGN33NL3AG

Serie 2

Height: 176cm









### Specifications

Noise level dB(A) re 1pW: 42

Electronic control with LED display

MultiAirflow system

Bright interior LED fridge light

3 safety-glass fridge shelves

3 transparent freezer drawers

SuperFreezing function

176cm H x 60cm W x 66cm D



KGN33NW3AG White

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

Explore more at www.bosch-home.co.uk Making life easy through innovative technologies

## American-style fridge freezers

# Serie 8

### KAN92LB35G







## Specifications

Noise level dB(A) re 1pW: 43

Electronic control with LED display

+++

+++

No plumbing required, internal ice maker

2 VitaFresh plus containers

1 MultiBox container

MultiAirflow system

LED light

4 safety-glass shelves in fridge

2 freezer drawers on telescopic rails and 2 shelves

SuperCool and SuperFreeze

175.6 H x 91.20 W x 73.20cm D

High gloss black glass

### American-style fridge freezers

## Serie 6 KAN92VI35











### Specifications

Noise level dB(A) re 1pW: 43

Electronic control with LED display

No plumbing required, internal ice maker

1 VitaFresh plus containers

1 MultiBox container

1 EasyLift glass shelf

MultiAirflow system

LED light

4 safety-glass shelves in fridge

2 freezer drawers on telescopic rails and 2 shelves

SuperCool and SuperFreeze

175.6cm H x 91.20cm W x 73.20cm D

## American-style fridge freezers

Serie 8















### Specifications

Noise level dB(A) re 1pW: 43

Home Connect

Electronic control with LED display

1 VitaFresh plus container

1 MultiBox container

Ice and water dispenser

MultiAirflow system LED light

4 safety-glass shelves in fridge

2 transparent freezer drawers

3 shelves

SuperCool and SuperFreeze

Ice and water

175.6 H x 91.20 W x 73.20cm D

## American-style fridge freezers

## Serie 6









### Specifications

Noise level dB(A) re 1pW: 43

HomeBar - tap to open

Electronic control with LED display

2 MultiBox containers

1 FreshProtect Box

Ice and water dispenser

MultiAirflow system

LED light

3 safety-glass shelves in fridge

2 transparent freezer drawers

SuperCool and SuperFreeze

177cm H x 91cm W x 72cm D

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

Making life easy through innovative technologies Explore more at www.bosch-home.co.uk

## American-style fridge freezers

# Serie 6

### KAD90VI20G







## ++ Specifications Noise level dB(A) re 1pW: 43 Electronic control with LED display 2 MultiBox containers Ice and water dispenser MultiAirflow system LED light 4 safety-glass shelves in fridge 2 transparent freezer drawers SuperCool and SuperFreeze 177cm H x 91cm W x 72cm D

## American-style fridge freezers

## Serie 6











### Specifications

Noise level dB(A) re 1pW: 43

Electronic control with LED display

2 MultiBox containers

Ice and water dispenser

MultiAirflow system

LED light

4 safety-glass shelves in fridge

2 transparent freezer drawers

SuperCool and SuperFreeze

177cm H x 91cm W x 72cm D

### American-style fridge freezers

### Serie 6











## Specifications

Noise level dB(A) re 1pw: 43

++

Electronic control with LED display

No plumbing required, 4 litre tank in fridge

2 MultiBox containers

Ice and water dispenser (via tank)

MultiAirflow system

LED light

4 safety-glass shelves in fridge

2 transparent freezer drawers

SuperCool and SuperFreeze

177cm H x 91cm W x 72cm D

## American-style fridge freezers

### Serie 4











### Specifications

Noise level dB(A) re 1pW: 44

Electronic control with LED display

No plumbing required

2 MultiBox containers

1 FreshProtect Box

MultiAirflow system

LED light

4 safety-glass shelves in fridge

2 transparent freezer drawers

SuperCool and SuperFreeze

177cm H x 91cm W x 72cm D

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

### Fridges

## Serie 6









### Specifications

Noise level dB(A) re 1pW: 39

++

++

Electronic control with LED display

Active Cooling

Bright interior LED fridge light

VitaFresh plus – drawer for fruit and vegetables

Metal bottle rack

7 removable safety-glass shelves

1 dairy compartment in door

SuperCool function

186cm H x 60cm W x 65cm D

## Fridges

Serie 6

## KSV36AW3PG

Height: 186cm







### **Specifications**

Noise level dB(A) re 1pW: 39

Electronic control with LED display

Active Cooling

Bright interior LED fridge light

VitaFresh plus – drawer for fruit and vegetables

Metal bottle rack

7 removable safety-glass shelves

1 dairy compartment in door

SuperCool function

186cm H x 60cm W x 65cm D

### Freezers

Serie 6

GSN36AW3PG Height: 186cm









### Specifications

Noise level dB(A) re 1pW: 42

LED Electronic control

Bright interior LED freezer light

Easy Twist ice box

4 transparent freezer drawers,

2 BigBox

Easy Access open shelving zone

4 star freezer rating

VarioZone

SuperFreezing function

186cm H x 60cm W x 65cm D

### Freezers

### Serie 6

GSN58AW30G Height: 191cm









### **Specifications**

Noise level dB(A) re 1pW: 42

Electronic control with LED display

MultiAirflow system

Bright interior LED freezer light

Ice cube tray

5 transparent freezer drawers, 1 BigBox

4 star freezer rating

VarioZone

SuperFreezing function

191cm H x 70cm W x 78cm D

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

Explore more at www.bosch-home.co.uk Making life easy through innovative technologies

### Fridges

## Serie 4 KSV36VB3PG Specifications Height: 186cm Noise level dB(A) re 1pw: 39 LED Electronic control Active Cooling Bright interior LED fridge light VitaFresh - drawer for fruit and vegetables Metal bottle rack 7 removable safety-glass shelves 1 dairy compartment in door SuperCool function Alternative colour 186cm H x 60cm W x 65cm D

### Freezers

## Serie 4

GSN36VB3PG Height: 186cm









Alternative colour

GSN36VL3PG Stainless steel look



### Specifications

Noise level dB(A) re 1 pW: 42

LED Electronic control

MultiAirflow system Ice cube tray with lid

4 transparent freezer drawers, 2 BigBox

Easy Access open shelving zone

4 star freezer rating

VarioZone

SuperFreezing function

186cm H x 60cm W x 65cm D

### Fridges

KSV36VL3PG

Stainless steel look



### Freezers

## Serie 4

GSN36VW3VG Height: 186cm







Pair with





Noise level dB(A) re 1 pW: 42

LED Electronic control MultiAirflow system

Ice cube tray with lid 5 transparent freezer drawers,

2 BigBox 4 star freezer rating

VarioZone

SuperFreezing function

186cm H x 60cm W x 65cm D

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

### Fridges

## Serie 4

KSV33VW3PG Height: 176cm









### Specifications

Noise level dB(A) re 1pw: 39

LED Electronic control

Active Cooling

Bright interior LED fridge light

VitaFresh - drawer for fruit and vegetables

Metal bottle rack

7 removable safety-glass shelves

Dairy compartment in door

SuperCool function

176cm H x 60cm W x 65cm D

### Freezers

Serie 4

GSN33VW3PG Height: 176cm







### Specifications

LED Electronic control

Ice cube tray

4 transparent freezer drawers,

1 BigBox

4 star freezer rating

SuperFreezing function

176cm H x 60cm W x 65cm D

## Fridges

## Serie 2

KSV29NW3PG Height: 161cm







### Specifications

Noise level dB(A) re 1pw: 39

LED Electronic control

Active Cooling

Bright interior LED fridge light

5 removable safety-glass

Door trays, 1 large and 3 small

SuperCool function

161cm H x 60cm W x 65cm D

### Freezers

### Serie 4

GSN29VW3VG Height: 161cm









### Specifications

LED Electronic control

Ice cube tray

5 transparent freezer drawers,

4 star freezer rating

VarioZone

1 BigBox

SuperFreezing function

161cm H x 60cm W x 65cm D

### Need to know more or get expert advice?



### Serie 2

KSV36NW3PG Height: 186cm







### Specifications

Noise level dB(A) re 1pw: 39

LED Electronic control

Active Cooling

Bright interior LED fridge light

6 removable safety-glass

Door trays, 2 large and 3 small

SuperCool function

186cm H x 60cm W x 65cm D

Wine cooler

### Serie 4

KSW30V81GB Height: 185cm







### Specifications

Noise level dB(A) re 1pw: 41

UV protected tinted glass door

Electronic LED display

Bright interior LED light

Temperature range from 6-18°C

9 shelves

Fits 120 75cl wine bottles

Interior fridge light (1 x 15 Watt)

185cm H x 59.5cm W x 60cm D


Model shown: BCS122GB vacuum cleaner

MUM9GX5S21 kitchen machine

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

Explore more at www.bosch-home.co.uk



Making life easy through innovative technologies

# Cordless. Charge less.

Introducing the new Bosch Unlimited cordless vacuum. With two batteries and quick charger, you have continuous run-time in the palm of your hand.

Explore more at www.bosch-home.co.uk

## Introducing the multi-use cordless vacuum.

### Continuous runtime\*.

If you want to keep your home clean at all times, you need a device that is always at hand whenever you need it. The Unlimited provides continuous runtime, thanks to exchangeable battery packs and a quick charger (EHZUC181GB). One battery can be charged while the other battery is in use, so the device is always ready to go and never runs out of power. Second battery is included with BCS122GB or additional batteries can be purchased separately (BHZUB1830: 3 Ah battery).

### DigitalSpin Motor.

The Unlimited also contains the latest motor technology: the DigitalSpin Motor with a long lifespan. It's perfectly calibrated aerodynamic blades rotate faster than a Formula One motor. This motor is compact, lightweight and high-performing.

\*Under 60 minutes charge time with quick charger (EHZUC181GB).

Compared to other manufacturers' communicated charge times of



devices to clean different parts of your home. Now, you can effectively clean from floor to ceiling. The Unlimited comes with useful accessories (BCS122GB and BCS111GB only) that allow you to clean all kinds of flooring, such as tiles or hard floors, as well as all kinds of surfaces, such as stairs, tables, upholstery and even the ceiling. It is also perfect for vacuuming your car.

Cleaning on all levels. You no longer need different



### Power4All System.

Bosch battery technology ensures powerful performance across all our products. The exchangeable Power4All **System** only requires a single battery pack, which means complete flexibility when charging. The battery is part of our Power4All system so can be used in compatible power tools and lawn and garden products from Bosch.





### Quick charger accessory.

Although cordless vacuum cleaners are very convenient, their batteries might not always last as long as you wish. The quick charger accessory (EHZUC181GB)\* allows charging the exchangeable batteries of the Power4All System within 60 minutes and therefore extends the Unlimited's runtime.

\*Available separately when not included with pack

### **Unlimited**

### BCS122GB







### Specifications

White model

Lightweight 3.5kg

Combination nozzle

Crevice nozzle

Exchangeable 3Ah battery x2

Quick charger

Docking station

2 power levels

Dustbox 0.4L

Rotation clean







### Floorcare

# Unlimited Specifications Silver model Lightweight 3.5kg Combination nozzle Crevice nozzle Exchangeable 3Ah battery x1 Docking station 2 power levels Dustbox 0.4L Rotation clean Optional accessories available





### Athlet cordless vacuum

### Athlet Runtime Plus cordless vacuum

### BCH65TRPGB





\*Compared to a Bosch standard 25.2V cordless Athlet (BCH62562GB) based on watt power output from battery.

SmartSensor technology to measure air flow

on hard floor & carpets

Specifications

Up to 75 min runtime

Accessory kit for above

ProAnimal nozzle for

additional brush bar

Durable and powerful

rechargeable lithium

Efficient dust pick up

ideal for pet hair

battery

thorough cleaning with

30% more power\*

floor cleaning

Motorised brush bar with quick release easy cleaning

### Athlet ProAnimal cordless vacuum

### **BCH6PETGB**



Battery 25 2V







### Specifications

Up to 60 min runtime

Accessory kit for above floor cleaning

ProAnimal nozzle for thorough cleaning with additional brush bar ideal for pet hair

Durable and powerful rechargeable lithium battery

Efficient dust pick up on hard floor & carpets

SmartSensor technology to measure air flow

Motorised brush bar with quick release easy cleaning

### Athlet cordless vacuum

### Athlet cordless vacuum

### BCH6RE8KGB







### Specifications

Up to 40 min runtime

Accessory kit for above floor cleaning

Durable and powerful rechargeable lithium battery

Efficient dust pick up on hard floor & carpets

SmartSensor technology to measure air flow

Motorised brush bar with quick release easy cleaning

### Athlet accessories kit

Athlet accessory kit includes short handle\*\*, strap attachment, upholstery brush, crevice nozzle and accessory hose. ProAnimal model features a ProAnimal upholstery nozzle and also includes an additional brush bar ideal for pet hair and a spare filter.

"Short handle is colour co-ordinated with the colour of the main vacuum cleaner handle.



### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

### Floorcare

### Bagless vacuum cleaner

### **BGS5AAAAGB**







### Specifications

Superior dust pick up on hard floor & carpets

Quattro power system

Super quiet operation

Extra-long working radius & dust bag size

Four wheels for great manoeuvrability

Hepa filtration

Rotation clean no contact with dust

# With AutoCook you can.

Welcome to a new way of cooking. With AutoCook, you can bake, steam, sauté and roast your way to tasty dishes with one, easy to use appliance.



### Steam

Quick, easy and healthy, steaming conserves the nutrients in fresh food.

### Bake

Create baked delights from crisp pastries to rich moist cakes.

### **Sous Vide**

Bang on trend. Perfectly controlled vacuum cooking that delivers on flavour.

### Fry

Protects food while gently frying.

### Roast

Succulent, tender and drenched in flavour, enjoy a classic roast.



## AutoCook multicooker from Bosch.

### 50 preset programmes

You can preset the perfect temperature and cooking times for your chosen dish, and even store your own recipes.

### Innovative induction technology

Our perfect heat distribution and precise temperature settings guarantee tasty results every time.

### Pressure cooking function with steam pressure

The gentle cooking method retains vitamins and minerals while reducing cooking time by up to 60%.

### **Large 5L stainless** steel bowl

This sizeable stainless steel bowl has a non-stick coating that prevents food from burning and is the perfect size for familysized portions.

### Easy to clean

The bowl and other accessories are all dishwasher-safe.



## Bring tasty back to mealtimes with...

- ✓ Perfectly delicious dishes every time you cook.
- √ 16 different ways to cook with one appliance.
- ✓ No burning or boiling over ever again.
- ✓ Quick pressure cooking and induction technology.
- ✓ A delayed start option so your meals are always freshly cooked.
- ✓ Over 100 recipe ideas with your free book and app.

### **AutoCook**

### MUC88B68GB

### Specifications

1200 W

Precise temperature setting with 5°C temperature steps

Two personal programmes with memory function

Bowl with non-stick Teflon coating

Child lock with shortcut to lock the display

All accessories are dishwasher safe

Included accessories:

- 1 x spatula
- 1 x measuring cup
- 1 x deep fry sieve
- 1 x steaming basket
- 1 x spoon



# Bosch makes it, easy.

Our multi-functional, award winning kitchen machines, food mixers and processors are packed with innovative, labour-saving technology so you can chop, blend, shred, mix and whisk your way more quickly through your food preparation task.

### Make sense of mixing with OptiMUM.

Intuitive sensor technology and incredible versitility mean the OptiMUM easily takes care of all your mixing, weighing, chopping and blending.

Offering everything-in-one kitchen machine, making cooking and baking a whole lot easier for you. Including a huge variety of professional accessories for all your cooking and baking ideas, this is the only kitchen machine you will ever need to bring your recipes to life.

### Perfect results at the touch of a button.

Another smart feature of the OptiMUM are its highly sensitive sensors that measure the consistency of the ingredients and stop automatically at exactly the right time. So, you'll always have perfect results at the touch of a button - whether it's dough, whipped cream or egg whites.

And rather than keeping an eye on the machine, you'll be free to do something else.

### 3D Mixing.

The mixing tool is rotated in three different directions, this ensures all the ingredients are perfectly mixed and nothing remains stuck to the sides of the bowl, eliminating the need to use a spatula as well.

The large stainless steel mixing bowl with 5.5L capacity and two handles further guarantees ease of use.

### Integrated scales.

The OptiMUM makes life even easier thanks to the built-in scales that accurately weigh all your ingredients as you add them to the bowl, saving you cleaning additional bowls.

# Food preparation

### OptiMUM kitchen machine

### MUM9GX5S21





### Specifications

1500 Watt motor

Integrated scale

SensorControl

Timer with display

3D mixing

Blender and chopping attachments

10 accessories included

Stainless steel bowl with handles

### Perfectly mixed ingredients.

Your ingredients will be perfectly mixed thanks to the 3D mixing system. Simply add your ingredients to the bowl and let the mixer do the work for you. The unique stirring movement is designed to ensure that all of your ingredients are thoroughly mixed, and nothing is left stuck to the side of the bowl.



### Food preparation

### OptiMUM kitchen machine

### MUM9GT4S00





### Specifications

1400 Watt motor

SensorControl

Timer with display

3D mixing

5 accessories included

Stainless steel bowl with handles

### OptiMUM kitchen machine

### MUM9G32S00



### Specifications 1200 Watt motor

3D mixing

Beating whisk and dough hook

4 accessories included

Stainless steel bowl with handles

### Food preparation

### Food processor

### MCM68861GB



### Specifications

1250 Watt motor

Multi-functional use with more than 50 functions for chopping, slicing, kneading dough, extracting juice and more

3.9L bowl capacity

Supercut blade

13 accessories included

### Food processor

### MCM62020GB



### Specifications

1000 Watt motor

Multi-functional use with more than 50 functions for chopping, slicing, kneading dough, extracting juice and more

3.9L bowl capacity

Supercut blade

11 accessories included

### Food preparation

### Kitchen machine

### MUM59340GB



### 1000 Watt motor

Specifications

3.9L stainless steel bowl

7 settings plus pulse setting

Professional flexi stirring whisk, professional beating whisk, kneading hook, continuous shredder with 3 disks, blender c1.25L, citrus press, meat mincer

Rubber suction feet for extra stability

Gentle start up to prevent splashes and flour dust

5 accessories included

### Kitchen machine

### MUM58200GB







### Specifications

1000 Watt motor

3.9L stainless steel bowl

7 settings plus pulse setting

Kneading hook, beating whisk and stirrer

Rubber suction feet for extra stability

Gentle start up to prevent splashes and flour dust

4 accessories included

## Food preparation

### Food processor





MCM3501MGB



### Specifications

800 Watt motor

2 speed settings

13 accessories included and stored in the bowl

Over 50 functions

Dishwasher-safe accessories

Matching food mixer

### Hand blender

### MSM67190GB





## Specifications

750 Watt motor

12 speeds plus turbo button

Food processor attachment for chopping, slicing and shredding

Masher foot attachment

Whisk attachment

5 accessories included

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

Specifications

### Food preparation

### Hand blender

### MSM88160GB





### Hand blender

### MSM67160GB



Specifications

800 Watt motor

button

steel foot

four-winged

motor

QuattroBlade

12 speeds plus turbo

High-quality stainless

Innovative, sharpened

Quiet, low vibration

Detachable blender

Specifications

600 Watt motor

Whisk attachment

4 accessories included

Masher foot

attachment

Turbo speed

foot with eject button 6 accessories included



## Specifications

750 Watt motor

12 speeds plus turbo button

Innovative, sharpened four-winged QuattroBlade

Turbo speed

Masher foot attachment

Whisk attachment

6 accessories included

### Food preparation

### Hand mixer

### MFQ2420BGB





### Specifications

400 Watt motor

4 speed settings plus turbo function

Matching food processor

Two whisks/kneading hooks


Dishwasher-safe attachements

Turbo speed

### Hand mixer

### MFQ36300GB





## Food preparation

### Hand blender

### MSM66135GB





### Hand blender

### MSM2623GGB





### Specifications

600 Watt motor

SlimFoot attachment, ideal for baby food, dips, salad dressings or sauces

Mini Chopper attachment

Innovative, sharpened four-winged QuattroBlade

Ergonomic and lightweight

6 accessories included

## Food preparation

### Hand mixer

### MFQ3030GB



## Specifications

350 Watt motor

Powerful but light and

4 speed settings plus turbo function

Two whisks/kneading hooks

Dishwasher-safe accessories

### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

# Breakfast & beverage

With the elegant design and the latest heating technology that features across our range, the Sky toaster and kettle help start every morning the right way.

### Sky toaster

### **TAT7203GB** Toaster





Alternative colour

TAT7201GB White

### Specifications

Even toasting with automatic bread centring

Toasts two slices with variable browning levels

Automatic safety shut-off

Frozen bread setting

Removable crumb tray for easy

### Sky kettle

### TWK7203GB Kettle



## Specifications

Automatic shut-off

Four temperature settings for brewing a variety of drinks

Auto switch-off when lifted off base

Large opening for easy cleaning

Retains water at the desired temperature for up to 30 mins

360° rotary base

Removable lime scale filter

### Alternative colour TWK7201GB White



## Breakfast & beverage

### Styline kettle

### TWK8633GB







Alternative colour TWK8631GB White TWK86104GB Cranberry TWK8632PGB Mint turquoise

### Specifications

Four temperature settings to select from - optimum temperature for the drink of your choice

One cup boil (250ml)

Double wall CoolTouch

Keep Warm function (up to 30 mins)

Removable limescale filter

Audible boiling alert

Rapid boil for convenience

### Styline toaster

### **TAT8631GB**



## Specifications

Mirror heating and quartz glass elements for even heat distribution

Wide slots with automatic bread centring for a variety of different bread sizes

Digital controls including reheat and defrost

Stylish gloss and stainless steel finish

Built-in bun warmer





TAT8611GB White TAT86104GB Cranberry TAT8612GB Mint turquoise

## Breakfast & beverage

### Styline sensor kettle

### TWK86103GB





### Specifications

Four temperature settings to select from - optimum temperature for the drink of your choice

One cup boil (250ml)

Double wall CoolTouch

Keep Warm function (up to 30 mins)

Removable limescale filter

Audible boiling alert

Rapid boil for convenience





Alternative colour TWK86104GB Cranberry

### Breakfast & beverage

### Anthracite kettle

### TWK7105GB





### Specifications

Removable limescale filter

1.7 litre capacity

Concealed heating element for less limescale build-up

360° base for left and right handed users

Safety locking lid

Illuminated on-off switch

Automatic switch-off

Lift-switch-off – the water kettle automatically switches itself off when removed from its base

Cord storage in base

### Anthracite long slot toaster

### TAT6805GB



### Specifications

Automatic bread centring for even toasting results

Integrated bun warmer

High-lift function for the easy removal of small slices

Defrost and re-heat function

Electronic sensor for even toasting results

Variable browning control

Frozen bread setting

Cancel button

Safety switch off

Removable crumb tray for easy cleaning

## Breakfast & beverage

### Village kettle

### TWK76075GB





Alternative colours TWK76033GB Black TWK7601GB White TWK3A034GB Red

### Specifications

Modern rounded design

Button operated flip-top lid

Large 1.7L capacity

Easily visible cup indicator

360° base

LED switch

Closed handle for comfort

Removable limescale filter

### Village toaster

### TAT3A0175G



### Automatic bread centring for even toasting results

Built-in bun warmer

Specifications

High-lift function for the easy removal of small slices

Defrost and re-heat function

Non-slip feet for stability



### City kettle

### TWK7901GB









Automatic shut off and overheat and boil dry protection

Limescale filter in spout

Cord storage in base

1.7 litre capacity

Specifications

Stainless steel interior base with concealed heating element for less limescale build up

360° base for left and right handed users

Double-sided water level indicator

One-touch lid opening for easy

Safety lid with automatic switch-off

Illuminated on-off switch

### City toaster

### TAT6A913GB





# Specifications

Compact design

Automatic bread centring for even toasting results

High-lift function for the easy removal of small slices

Defrost and re-heat function

Electronic sensor for even toasting results

Variable browning control

Cancel button

Frozen bread setting

Removable crumb tray



TAT3A0133G Black TAT3A011GB White TAT3A014GB Red

### Need to know more or get expert advice?

### Tassimo coffee machines

### Tassimo Vivy 2

### TAS1402GB



### **Specifications**

Great variety with over 40 drinks from famous brands

INTELLIBREW. Perfect drink length, temperature and brew time

One-button operation

Removable compact 0.7L water tank

Compact dimensions

Available in 3 colours



Alternative colours TAS1403GB Red TAS1407GB Cream

### Tassimo Suny

### TAS3202GB





Alternative colours TAS3203GB Red TAS3204GB White

### Specifications

Great variety with over 40 drinks from famous brands

INTELLIBREW. Perfect drink length, temperature and brew time

Smart Start: Simply start by pressing the cup against the brewer front

Immediate use due to virtually no heat up time

Removable 0.8L water tank

Automatic cleaning & descaling programme

### Microwaves

### Serie 2

### HMT84M421B







Alternative colours HMT84M461B Black HMT84M451B Stainless steel

### Specifications

Electronic Control

1 retractable control dial

Push buttons

Red LED display

1 memory function

7 automatic programmes

Left-hinged door

1 interior light

5 microwave power levels; max power 900W

Max. 99 minute timer

Serie 2

Capacity 17L

HMT72M450B

### Serie 2

### HMT75M461B







Alternative colours HMT75M451B Brushed steel HMT75M421B White

**Specifications** 

Electronic Control

1 retractable control dial

Push buttons

Red LED display

1 memory function

7 automatic programmes

Left-hinged door

1 interior light

5 microwave power levels; max power 800W

Max. 99 minute timer

### Tassimo coffee machines

### Tassimo My Way

### TAS6002GB





Alternative colour TAS6004GB White TAS6003GB Red

### Specifications

Choose the temperature, volume and intensity of every single drink

Great variety with over 40 drinks from famous brands

INTELLIBREW. Perfect drink length, temperature and brew time

Simple drink preparation thanks to one-button operation

Patented barcode technology identifies the drink selected and adjusts to make the perfect drink everytime

Automatic cleaning & descaling programme

## TAS75SE2GB

Tassimo Caddy Silver Edition





Alternative colours

TAS7002GB Black

TAS7004GB White



### Specifications Great variety with over

40 drinks from famous brands

INTELLIBREW. Perfect drink length, temperature and brew time

One-button operation

BRITA MAXTRA water filter on TAS75SE2GB model only

Removable 1.2L water tank

Immediate use due to no heat up time

### Microwaves

## Serie 2 HMT75G451B

## Capacity 17L



### **Specifications**

Microwave oven with grill

Electronic Control

1 retractable control dial

Push buttons

Red LED display

1 memory function 8 automatic programmes

Left-hinged door

1 interior light

5 microwave power levels; max power 800W

Max. 99 minute timer

Quartz grill

### Serie 2

### HMT72G450B





Microwave oven with grill

2 rotary control dials

### **Specifications**

2 rotary control dials

Left-hinged door

1 interior light

5 microwave power levels; max power 800W

Max. 60 minute timer

Left-hinged door

**Specifications** 

1 interior light

5 microwave power levels; max power 800W

Max. 60 minute timer

Quartz grill

### Need to know more or get expert advice?

## Total Steam Genius.

Introducing the new generation of Bosch steam generators, making it easy to help you choose the right iron for your needs and lifestyle.

### VarioComfort.

Glide your way to perfection. Our VarioComfort system is easy to use and has a programme for all your fabrics. From silk and synthetics to denim and linen – you'll get perfect results every time. It applies a constant high-pressure steam allowing you to achieve precision ironing faster and easier than ever before. With flexible settings to suit all fabrics, a unique hygiene programme on selected models and a smooth-gliding and scratch-resistant soleplate, you'll get perfect results every time. Plus the new SecureLock system makes it safer to carry and store your iron.

### EasyComfort.

Iron all fabrics on one setting. Genius. Our **EasyComfort** sytem with i-Temp allows you to iron all fabrics on one setting making ironing a whole lot easier. There's no need to pre-sort clothes or set the temperature before you begin so you can relax knowing your iron is safe on all fabrics. Also featuring a smooth gliding and scratch-resistant soleplate along with a 1.5 litre water tank means you'll also power through your laundry faster and easier than ever before. All of which gives vou more free time.

### One setting for all your ironing.

**i-Temp** uses one optimum temperature to suit all fabrics so now there's no need to pre-sort the laundry. With i-Temp you can save time and carefully look after your clothes. Available on both the VarioComfort and EasyComfort range.



### Serie 8


+++

Our **Serie 8** range combines premium design and technology to deliver optimum ironing performance. Featuring our VarioComfort system, there is a programme available to choose from whatever the fabric. From platinum finish controls to removable, large capacity water tanks, our irons glide through the ironing, making light work of even the largest laundry loads.

### Serie 6

Our **Serie 6** range comes packed with helpful features. From **SecureLock** making it safer to carry and store your iron to EasyComfort, allowing you the convenience of being able to iron all fabrics on one setting. Perfect for all your everyday ironing requirements.

# Steam generator irons





ceramic soleplate

Up to 7 bar pressure

Ultimate 500g steam shot

120g/min steam output

1.8 litre removable tank

Hygiene programme for

Calc'nClean Perfect is a highly efficient cleaning system – a first for both the steam generator and iron. The fully-automatic cleaning programme for the iron also removes any limescale particles.

### Remove 99.9% of microbes\* from laundry.

The ProHygienic special programme eliminates 99.9% of microbes in fabrics, without chemicals, thanks to its innovative HygienicSteam technology. Deep steam penetration kills germs, even on thicker textiles, whilst the soleplate maintains a constant temperature for microbe-free laundry every time.



### Steam generator irons

### Serie 8 +++



### TDS8030GB

## Specifications

VarioComfort

CeraniumGlissée ceramic soleplate

Calc'nClean Perfect a highly efficient cleaning system

SecureLock

## Steam generator irons

### Serie 6 ++ TDS6080GB











CeraniumGlissée ceramic soleplate

Calc'nClean Perfect a highly efficient cleaning system

SecureLock



## Serie 6

### TDS6030GB







## Specifications CeraniumGlissée

ceramic soleplate

++

Calc'nClean Perfect a highly efficient cleaning system

SecureLock



### Need to know more or get expert advice?

For in-depth appliance details please refer to the Product Specification section at the back of this brochure. To understand more about the innovative features on our appliances visit www.bosch-home.co.uk

### Steam generator irons

### Serie 2

### **TDS2110GB**





### Specifications

### PalladiumGlissée soleplate for smooth gliding

400g steam shot

4.3 bar steam pressure

Calc'nClean Perfect a highly efficient cleaning system

### Serie 2

### **TDS2140GB**





### Specifications

PalladiumGlissée soleplate for smooth gliding

400g steam shot

4.5 bar steam pressure

Calc'nClean Perfect a highly efficient cleaning system





### Steam irons

### TDI9010GB














Steam irons

### Specifications





200g steam shot

Built-in anti-calc system

DripStop function

Precision ironing tip

### TDA70EYGB









### Specifications

Advanced steam system

CeraniumGlissée ceramic soleplate

Built-in anti-calc system

Ergonomic design

Precision ironing tip

200g steam shot

45g/min steam output

## **TDA5070GB**









### **Specifications**

Advanced steam system

CeraniumGlissée ceramic soleplate

Built-in anti-calc system

Ergonomic design

Precision ironing tip

DripStop function

50g/min steam output

### **POWER IV TDA3022GB**









### Specifications

CeraniumGlissée ceramic soleplate

AntiCalc triple cleaning function

150g steam shot




### Steam irons

### TDA2633GB





## Specifications




90g steam shot

DripStop function

### TDA2623GB



## Specifications



80g steam shot

DripStop function

### TDA5080GB





CeraniumGlissée ceramic soleplate

200g steam shot

DripStop function







### TDA1060GB





### Specifications

PalladiumGlissée soleplate for smooth gliding

100g steam shot

DripStop function

### TDA7060GB





CeraniumGlissée ceramic soleplate


Specifications

200g steam shot

DripStop function

### TDI9020GB





200g steam shot

Specifications

DripStop function








### Need to know more or get expert advice?

# Product specification guide

2018



## Washing machine specifications

DESIGN FAMILY	CEDIE 0	SERIE 8	SERIE 8	SERIE 8	SERIE 8	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 4
DESIGN FAMILY MODEL	SERIE 8				WAW285H0GB		WAT28463GB	WAT24463GB	WAT2840SGB	WAN28201GE
PERFORMANCE	WAWHOOOUGD	WATHO! SUUD	WAWZOTHUUD	WAWSZSHUGB	WAWZOSHUGB	WAIZOOHUUD	WAI 20403GB	WAIZ4403UB	WAI 20403GB	WANZOZUIGE
Energy efficiency class	A+++	A+++	A+++	A+++	A+++	A+++	A+++	A+++	A+++	A+++
Capacity cotton (kg)	9	9	9	9	9	9	9	9	9	8
Maximum spin speed (rpm)	1400	1400	1400	1600	1400	1400	1400	1200	1400	1400
Moisture content % on dry load after max. spin	53	53	53	44	53	53	53	53	53	53
Washing performance class	A	A	A	A	A	A	A	A	A	A
Spin drying performance class Energy consumption annual (kWh)	B 152	B 152	B 152	A 152	B 152	B 152	B 152	B 152	B 152	B 176
Ø Energy consumption 40 °C cotton programme – partial load (kWh)	0.42	0.42	0.42	0.42	0.42	0.42	0.41	0.41	0.41	0.56
Ø Energy consumption 60 °C cotton programme – full load (kWh)	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.94
Ø Energy consumption 60 °C cotton programme – partial load (kWh)	0.60	0.60	0.60	0.60	0.60	0.60	0.59	0.59	0.59	0.78
10% more economical than the standard value of 217kWh p.a.	-	-	-	-	-	-	-	-	-	•
30% more economical than the standard value of 196kWh p.a. Water consumption annual (litres)	11220	11220	11220	• 11220	11220	11220	11220	• 11220	11200	9900
Average washing time cotton 40°C – partial load	285	285	285	285	285	285	285	285	270	200
Average washing time cotton 60°C – full load (min)	285	285	285	285	285	285	285	285	275	200
Average washing time cotton 60°C – partial load	285	285	285	285	285	285	285	285	270	200
Power consumption in off-mode (kWh)	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12
Power consumption in left-on mode (kWh)	0.43 65	0.43 65	0.43 65	0.43	0.43 65	0.43 63	0.43 63	0.43 63	0.43 63	0.50
Drum volume (litres) Noise level washing (dB [A] re 1 pW)	47	47	47	65 47	47	47	49	51	49	55 55
Noise level spinning (dB [A] re 1 pW)	71	71	71	73	71	73	75	75	75	76
PROGRAMMES/FUNCTIONS										
Standard Programmes										
Cottons	•	•	•	•	•	•	•	•	•	•
Easycare programme	•	•	•	•	•	•	•	•	•	•
Wool programme Delicates/Silk	•	•	•	•	•	•	•	•	•	•
Rinse		•		•	•	•	•			
Spin	•	•	•	•	•	•	•	•	•	•
Empty	•	•	•	•	•	•	•	•	•	•
Specialist Programmes										
i-DOS detergent dosing system Memory programmes	•	•			-		-	-	-	
Auto programme	•			-	-	•	-		-	
Auto stains removal	-	•	-	•	•	-	-	-	-	-
SuperQuick 15/SuperQuick 15/30	•/-	•/-	•/-	•/-	•/-	-/●	-/●	-/●	-/●	-/●
Sportswear	•	•	•	•	•	-	•	•	•	•
Allergy+ Dark wash	•	•	•	•	•	•	•	•	•	•
Mixed load	•		•		•			•		
Night Wash	•	•	•	•	•	-	•	•	•	•
Jeans	-	-	-	-	-	-	-	-	-	-
Shirts and blouses	-	•	•	•	•	•	•	•	•	•
Duvet Towels	•	-	-	•	•	-	-	-	-	•
Down wear	-	•			-	•	•	•		
Options										
EcoPerfect	•	•	•	•	•	•	•	•	•	•
SpeedPerfect		•	•	•	•	•	•	•	_	
•	•		_						•	•
Reduced Ironing	-	•	•	•	•	•	•	•	-/	•
Reduced Ironing Aqua Plus/Extra rinse	•/-	-	•/-	•/-	•/-	•/-	• •/- -		•/-	•/-
Reduced Ironing		•/-	•/-		•/-			•	•/-	•/-
Reduced Ironing Aqua Plus/Extra rinse Pre-wash	•	•/-	•/-	•/- •	•/- •	•/- •	•/- -	• •/- -	•/- -	•/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean	•	•/-	•/-	•/- •	•/- •	•/- •	•/- -	• •/- -	•/- -	•/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES	•	•/- •/- •	•/- • •	•/- • •	•/- • •	•/- • •	•/- - • •	•/- - •	•/- - • •	• •/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES Home Connect	•	• /- • /- • •	•/-	•/- • •	•/- • •	•/- • •	•/- - •	•/- - •	•/- - •	• •/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES Home Connect ActiveOxygen™	•	•/- •/- •	•/- • •	•/- • •	•/- • •	•/-	•/- - • •	•  - - - •  - - -	•/- - • •	• •/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES Home Connect	•	•/- •/- •	•/- • •	•/- • •	•/- • •	•/- • •	•/- - • •	•/- - •	•/- - • •	• •/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™	•	•/-	• /- • • • •	•/- • • •	•/- • • •	•/-	•/- - • •	•	• f- • • • • • • • • • • • • • • • • • • •	• •/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system	• • • • • • • • • • • • • • • • • • •		• /- • • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	•/ • • • • • • • • • • • • • • • • •	- - - - - - -	•/ • • • • • • • • • • • • • • • • •	- - - - - -
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEV FEATURES Home Connect ActiveOxygen <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoBar+/EcoBar <sup>TM</sup> VarioPerfect <sup>TM</sup> VarioPerfect <sup>TM</sup> ActiveWater <sup>TM</sup> system AntiVibration design	• • • • • • • • • • • • • • • • • • •	•	• /- • • • •	•/- • • • • • • • • • • • •	- - - - -	•/- • • • • • •/-	•/- - • • • - -	• • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •	• •/- - •
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design	•	•  - •  - •  - •  - •  -	• [- • • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	•/	•	•/	- - - - -
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-/EcoBar™ VarioPerfect™ ActiveMater™ system AntiVibration design  ADDITIONAL FEATURES  WaveDrum™	• • • • • • • • • • • • • • • • • • •		• /- • • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	•/ • • • • • • • • • • • • • • • • •	- - - - - - -	•/ • • • • • • • • • • • • • • • • •	- - - - - -
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design	•		• [-		•/- • • • • • • • • • • • • • • • • • •		•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-⊮EcoBar-™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility	• • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoBar-vEcoBar-v VarioPerfect™ VarioPerfect™ ActiveMater w system AntiVibration design ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication	• • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •			•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoBar-#CcoBar- VarioPerfect <sup>TM</sup> VarioPerfect <sup>TM</sup> ActiveWater <sup>TM</sup> system AntiVibration design ADDITIONAL FEATURES WaveDrum <sup>TM</sup> Time delay (h) Time remaining Reload facility Overdosage indication Child lock	• • • • • • • • • • • • • • • • • • •		• f- • • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •			•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser	• • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •			•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoBar-#CcoBar- VarioPerfect <sup>TM</sup> VarioPerfect <sup>TM</sup> ActiveWater <sup>TM</sup> system AntiVibration design ADDITIONAL FEATURES WaveDrum <sup>TM</sup> Time delay (h) Time remaining Reload facility Overdosage indication Child lock	• • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •			•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoBar-r/EcoBar-rw VarioPerfect™ VarioPerfect™ ActiveMater wystem AntiVibration design ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light	• • • • • • • • • • • • • • • • • • •	o/	•/- • •/- •/- •/- •/- •/- •/- •/- •/- •/			•/- • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-⊮EcoBar™ VarioPerfect™ ActiveWater™ system AntiVbration design  ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system	• - • - • - • - • - • - • - • • • • • •	o/				•/- • • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSlence Drive™ EcoSlence Drive™ VarioPerfect™ VarioPerfect™ ActiveWater™ system AntiVibration design ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Utype of control	• • • • • • • • • • • • • • • • • • •	o/	•/- • •/- •/- •/- •/- •/- •/- •/- •/- •/			•/- • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Water protection system Type of control  TECHNICAL INFORMATION	• • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	•/	• • • • • • • • • • • • • • • • • • •	•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSlence Drive™ EcoSlence Drive™ VarioPerfect™ VarioPerfect™ ActiveWater™ system AntiVibration design ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Utype of control	• - • - • - • - • - • - • - • • • • • •	o/				•/- • • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-⊮ EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Type of control TECHNICAL INFORMATION Dimensions of the product (cm) exc. door			•/- • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Uppe of control TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height for building under (cm) Depth with door open 90° (cm) Height adjustable by (cm)			•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar-/EcoBar™ VarioPerfect™ ActiveMater™ system AntiVibration design ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Type of control TECHNICAL INFORMATION Dimensions of the product (cm) Depth with door open 90° (cm) Height-adjustable by (cm) Appl depth ind wall distance (cm) Parmond Part of the Pool of the	Multiple water protection Electronic  84.8 x 59.8 x 59 85 106.3 1.2 59	-   -   -   -   -   -   -   -   -   -	•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •	•/	● ●/	•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEV FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoSilence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height to Toulding under (cm) Depth with door open 90° (cm) Height caliusable by (cm) Appl depth incl wall distance (cm) Length electrical supply cord (cm)	Multiple water protection Electronic  84.8 x 59.8 x 59 85 106.3 1.2 59 160	Multiple water protection Electronic 84.8 x 59.8 x 59 85 108.5 1.2 59 160	•/- • • • • • • • • • • • • • • • • • •					●		Multiple water protection Electronic  84.8 x 59.8 x 55 84.8 101.7 1.2 55 210
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBarri/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system  Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height for building under (cm) Depth with door open 90° (cm) Height-adjustable by (cm) Appl depth incl wall distance (cm) Length electrical supply cord (cm)	Multiple water protection Electronic  84.8 x 59.8 x 59 85 106.3 1.2 59 160 150		•/- • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	•/		•/	
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEV FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoSilence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height to Toulding under (cm) Depth with door open 90° (cm) Height caliusable by (cm) Appl depth incl wall distance (cm) Length electrical supply cord (cm)	Multiple water protection Electronic  84.8 x 59.8 x 59 85 106.3 1.2 59 160	Multiple water protection Electronic 84.8 x 59.8 x 59 85 108.5 1.2 59 160	•/- • • • • • • • • • • • • • • • • • •					●		Multiple water protection Electronic  84.8 x 59.8 x 55 84.8 101.7 1.2 55 210
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoBar-vEcoBar-v VarioPerfect™ VarioPerfect™ ActiveWater™ system AntiVibration design ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Type of control TECHNICAL INFORMATION Dimensions of the product (cm) Depth with door open 90° (cm) Height adjustable by (cm) Appl depth incl wall distance (cm) Length of drain hose (cm) Display Display	Multiple water protection Electronic  84.8 x 59.8 x 59 85 106.3 1.2 59 160 150 LED		•/- • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	●/	● •/		
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoBar-vEcoBar-va VarioPerfect™ VarioPerfect™ AntiVibration design ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Uppe of control Technical Information Dimensions of the product (cm) Depth with door open 90° (cm) Length of drain hose (cm) Display Length of drain hose (cm) Display Cabinet colour Door colour Door colour Door clour Door clour Door clour Door linge			•/- • • • • • • • • • • • • • • • • • •			•/- • • • • • • • • • • • • • • • • • •	•/			Multiple water protection Electronic  84.8 x 59.8 x 55 8.4 8 101.7 1.2 55 210 150 LED White
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSlence Drive™ EcoSlence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Type of control TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height for building under (cm) Depth with door open 90° (cm) Height adjustable by (cm) Appl depth inc wall distance (cm) Length of drain hose (cm) Display Cabinet colour Door colour Door colour Door colour Door colour Door colour Door oolinge Removable top	Multiple water protection Electronic  84.8 x 59.8 x 59 166.3 1.2 59 160 150 LED White Chrome/White Left-hand	## A S 1 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2	•/- • • • • • • • • • • • • • • • • • •			Multiple water protection Electronic Electronic S4.8 x 59.8 x 59 84.8 108.3 1.2 59 160 150 Toledo LED touch White Silver/White Left-hand		##  ##  ##  ##  ##  ##  ##  ##  ##  ##		Multiple water protection Electronic  84.8 x 59.8 x 55 8.4 8 101.7 1.2 55 210 150 LED White Silver/White Left-hand
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoBar+/EcoBar <sup>TM</sup> VarioPerfect <sup>TM</sup> ActiveWater <sup>TM</sup> system AntiVibration design  ADITIONAL FEATURES WaveDrum <sup>TM</sup> Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system  Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height adjustable by (cm) Appl depth incl wall distance (cm) Length electrical supply cord (cm) Length of drain hose (cm) Display Cabinete Colour Door colour Door colour Door linge Removable top EAN code	Multiple water protection Electronic  84.8 x 59.8 x 59 85 106.3 1.2 59 160 150 LED White Chrome/White	## A S 1 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2	•/- • • • • • • • • • • • • • • • • • •			Multiple water protection Electronic Electronic S4.8 x 59.8 x 59 84.8 108.3 1.2 59 160 150 Toledo LED touch White Silver/White Left-hand		##  ##  ##  ##  ##  ##  ##  ##  ##  ##	•/	Multiple water protection Electronic  84.8 x 59.8 x 55 84.8 101.7 1.2 55 210 150 LED White Silver/White Left-hand
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Prive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height for building under (cm) Depth with door open 90° (cm) Height-adjustable by (cm) Appl depth incl wall distance (cm) Length electrical supply cord (cm) Elength electrical supply cord (cm) Length of drain hose (cm) Display Cabinet colour Door colour Door linge Removable top EAN code  OPTIONAL ACCESSORIES	Multiple water protection Electronic  84.8 x 59.8 x 59 166.3 1.2 59 160 150 LED White Chrome/White Left-hand	## A S 1 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2 S 2	•/- • • • • • • • • • • • • • • • • • •			Multiple water protection Electronic Electronic S4.8 x 59.8 x 59 84.8 108.3 1.2 59 160 150 Toledo LED touch White Silver/White Left-hand		##  ##  ##  ##  ##  ##  ##  ##  ##  ##		Multiple water protection Electronic  84.8 x 59.8 x 55 8.4 8 101.7 1.2 55 210 150 LED White Silver/White Left-hand
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FEATURES Home Connect ActiveOxygen <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoBar+/EcoBar <sup>TM</sup> VarioPerfect <sup>TM</sup> ActiveWater <sup>TM</sup> system AntiVibration design  ADITIONAL FEATURES WaveDrum <sup>TM</sup> Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system  Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height adjustable by (cm) Appl depth incl wall distance (cm) Length electrical supply cord (cm) Length of drain hose (cm) Display Cabinete Colour Door colour Door colour Door linge Removable top EAN code	Multiple water protection Electronic  84.8 x 59.8 x 59 166.3 1.2 59 160 150 LED White Chrome/White Left-hand	Indicate the content of the conten	•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •		•/- • • • • • • • • • • • • • • • • • •		##  ##  ##  ##  ##  ##  ##  ##  ##  ##	•/	Multiple water protection Electronic  84.8 x 59.8 x 55 84.8 101.7 1.2 55 210 150 LED White Silver/White Left-hand
Reduced Ironing Aqua Plus/Extra rinse Pre-wash Variable temperature Variable spin DrumClean  KEY FATURES Home Connect ActiveOxygen™ EcoSlience Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system  Type of control TECHNICAL INFORMATION Dimensions of the product (cm) exc. door Height adjustable by (cm) Appl depth incl wall distance (cm) Length of drain hose (cm) Display Cabinet colour Door colour Door colour Door colour Door olour Door fling Removable top EAN code DPTIONAL ACCESSORIES Build under kit	Multiple water protection Electronic  84.8 x 59.8 x 59 85 106.3 1.2 59 160 150 LED White Chrome/White Left-hand - 4242002929286	## Professional Pr	•/- • • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •	•/- • • • • • • • • • • • • • • • • • •	●/	● ●/		##  ##  ##  ##  ##  ##  ##  ##  ##  ##

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption.

Cottons 60+ecoPerfect and Cottons 40/60+ecoPerfect are the standard washing programmes to which the information in the label relates. These programmes are suitable to clean normally soiled cotton laundry and are the most efficient programmes in terms of combined energy and water consumption. Annual energy and water consumption based on 220 standard wash cycles.

## Washing machine specifications

	SERIE 4	SERIE 4
MODEL	WAN24108GB	WAN281080
PERFORMANCE		
Energy efficiency class Capacity cotton (kg)	A+++ 8	A+++ 8
Capacity cotton (kg) Maximum spin speed (rpm)	1200	1400
Moisture content % on dry load after max. spin	53	53
Washing performance class	A	A
Spin drying performance class	В	В
Energy consumption annual (kWh)	176	176
Ø Energy consumption 40 °C cotton programme – partial load (kWh)	0.56	0.56
Ø Energy consumption 60 °C cotton programme – full load (kWh)	0.94	0.94
Ø Energy consumption 60 °C cotton programme – partial load (kWh)	0.78	0.78
10% more economical than the standard value of 217kWh p.a.	•	•
30% more economical than the standard value of 196kWh p.a. Water consumption annual (litres)	9900	9900
Average washing time cotton 40°C – partial load	200	200
Average washing time cotton 40 °C – partial load  Average washing time cotton 60 °C – full load (min)	200	200
Average washing time cotton 60°C – partial load	200	200
Power consumption in off-mode (kWh)	0.12	0.12
Power consumption in left-on mode (kWh)	0.50	0.50
Drum volume (litres)	55	55
Noise level washing (dB [A] re 1 pW)	54	54
Noise level spinning (dB [A] re 1 pW)	76	76
PROGRAMMES/FUNCTIONS		
Standard Programmes		
Cottons	•	•
Easycare programme	•	•
Wool programme	•	•
Delicates/Silk	•	•
Rinse	•	•
Spin Empty	•	•
Empty Specialist Programmes		•
i-DOS detergent dosing system	-	-
Memory programmes	-	-
Auto programmme	-	-
Auto stains removal	-	-
SuperQuick 15/SuperQuick 15/30	-/●	-/●
Sportswear	•	•
Allergy+	•	•
Dark wash	•	•
Mixed load	•	•
Night Wash	•	•
Jeans	-	-
Shirts and blouses Duvet	•	•
Towels		
Down wear	-	-
Options		
EcoPerfect	•	•
SpeedPerfect	•	•
Reduced Ironing	-	-
Aqua Plus/Extra rinse	•/-	•/-
Pre-wash	-	-
Variable temperature Variable spin	•	•
DrumClean	•	
	•	•
KEY FEATURES		
KEY FEATURES Home Connect	-	-
KEY FEATURES Home Connect ActiveOxygen™	- -	:
KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™	- - -	
KEY FEATURES Home Connect ActiveOxygen™ EcoSilence Drive™ EcoBar+/EcoBar™	•	
KEY FEATURES  Home Connect  Active Oxygen™  EcoSilence Drive™  EcoBar+/EcoBar™  VarioPerfect™  ActiveWater™ system	•	- - - -
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSlar+/EcoBar™  VarioPerfect™  ActiveWater™ system  AntiVibration design		- - - - -
KEY FEATURES  Home Connect  ActiveOvygen™  EcoSilence Drive™  EcoBar+/EcoBar™  VarioPerfect™  ActiveMater™ system  AntiVibration design  ADDITIONAL FEATURES	•	-
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoBar+/EcoBar™  VarioPerfect™  ActiveWater™ system  AnDITIONAL FEATURES  WaveDrum™		
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  ActiveWater™ ysstem  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)	. 24	. 24
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoBar+/EcoBar™  VarioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining	- 24	24
KEY FEATURES  Home Connect  ActiveCvygen™  EcoSilence Drive™  EcoSilence Drive™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time temaining  Reload facility	. 24	. 24
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSar / EcoBar™  VarioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication	- 24	24
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  ArioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock	- 24	24
KEY FEATURES  Home Connect  ActiveOvygen™  EcoSilence Drive™  EcoBar+/EcoBar™  VarioPerfect™  ActiveMater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser	- 24	24
KEY FEATURES  Home Connect Active/Oxygen <sup>TM</sup> EcoSilence Drive <sup>TM</sup> EcoBar-/EcoBar <sup>TM</sup> VarioPerfect <sup>TM</sup> Active/Hater <sup>TM</sup> system Anti/Vibration design ADDITIONAL FEATURES  WaveDrum <sup>TM</sup> Time delay (n) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system	- 24	24
KEY FEATURES  Home Connect  Active Oxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  Active Water™ system  Antivitation design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light	24	24
KEY FEATURES  Home Connect  Active Coxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  Active Water™ system  Antivibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system	24  Multiple water protection	24  Multiple wate protection
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  ArioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Type of control	24	- 24
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  ArioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Water protection system  Type of control  TECHNICAL INFORMATION	24  Multiple water protection Electronic	24  Multiple wate protection Electronic
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoBar*/EcoBar™  VarioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door	24  Multiple water protection Electronic  84.8 x 59.8 x 55	24  Multiple wate protection Electronic
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  VarioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height for building under (cm)	24  Multiple water protection Electronic  84.8×59.8×55 85	24  Multiple wate protection Electronic  84.8 x 59.8 x 5
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  Antivibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height for building under (cm)  Depth with door open 90° (cm)	24  Multiple water protection Electronic  84.8 x 59.8 x 55 85 101.7	24  • • • Multiple wate protection Electronic 84.8 x 59.8 x 85 101.7
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoBar+/EcoBar™  VarioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (n)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm)  Depth with door open 90° (cm)  Height adjustable by (cm)	24  • • • • Multiple water protection Electronic 84.8×59.8×55 85 101.7 1.2	24  • • • • • • • • • • • • • • • • • •
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (n)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Type of control  TECHNICAL INFORMATION  Dienth with door open 90' (cm)  Height adjustable by (cm)  Appl depth ind wall distance (cm)		24  • • • • • • • • • • • • • • • • • •
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  ArioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height for building under (cm)  Depth with door open 90° (cm)  Height adjustable by (cm)  Appl depth incl wall distance (cm)  Length electrical supply cord (cm)  Length electrical supply cord (cm)  Length electrical supply cord (cm)	24  Multiple water protection Electronic  84.8 x 59.8 x 55  101.7  1.2  55  210	24  • • • • Multiple wate protection Electronic 84.8 x 59.8 x 8 5101.7 1.2 55 210
KEY FEATURES  Home Connect  ActiveOxygen™ EcoSilence Drive™ EcoSilence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system Antivibration design  ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system Water protection system Uppe of control  TECHNICAL INFORMATION Dimensions of the product (cm) excluding door Height for building under (cm) Depth with door open 90° (cm) Height-adjustable by (cm) Appl depth incl wall distance (cm) Length efc trial supply cord (cm) Length of drain hose (cm)		24  • • • • Multiple water protection Electronic  84.8 x 59.8 x 5 85 101.7 1.2 55 210 150
KEY FEATURES  Home Connect  Active Chygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  KarioPerfect™  Active Water™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Water protection system  Uype of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height for building under (cm)  Depth with door open 90° (cm)  Height adjustable by (cm)  Appl depth incl wall distance (cm)  Length electrical supply cord (cm)  Length of drain hose (cm)  Display	24  Multiple water protection Electronic  84.8 x 59.8 x 55 85 101.7 1.2 55 210 150 LED	24  • • • • Multiple water protection Electronic  84.8 x 59.8 x 5 101.7 1.2 55 210 150 LED
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  ActiveOxygen™  ArioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height for building under (cm)  Depth with door open 90° (cm)  Height adjustable by (cm)  Appl depth ind wall distance (cm)  Length of drain hose (cm)  Display  Cabinet colour	24  Multiple water protection Electronic  84.8x59.8x55  85  101.7  1.2  55  210  150  LED  White	24  • • • • • Multiple water protection Electronic  84.8 x 59.8 x 5  101.7 1.2 55 210 150 LED White
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  EcoBar+/EcoBar™  VarioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height adjustable by (cm)  Appl depth incl wall distance (cm)  Length electrical supply cord (cm)  Length of drain hose (cm)  Display  Cabinet Colour  Door colour	24  Multiple water protection in Electronic  84.8 x 59.8 x 55 85 101.7 1.2 55 210 150 LED White Silver/White	Multiple water protection Electronic 84.8 x 59.8 x 5 101.7 1.2 55 210 150 LED White Silver/White
KEY FEATURES  Home Connect  Active Chygen™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  EcoSilence Drive™  KarioPerfect™  Active Water™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Uype of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height for building under (cm)  Depth with door open 90° (cm)  Height adjustable by (cm)  Appl depth incl wall distance (cm)  Length of drain hose (cm)  Display  Cabinet colour  Door colour  Door colour	24  Multiple water protection Electronic  84.8x59.8x55  85  101.7  1.2  55  210  150  LED  White	24  • • • • • Multiple water protection Electronic  84.8 x 59.8 x 5  101.7 1.2 55 210 150 LED White
KEY FEATURES  Home Connect  ActiveChygen™  EcoSlience Drive™  EcoSlience Drive™  EcoSlience Drive™  EcoBar 1 / EcoBar™  VarioPerfect™  ActiveMater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child look  Casy cleaning dispenser  Drum interior light  Safeguard monitoring system  Water protection system  Water protection system  Type of control  TECHNICAL INFORMATION  Dimensions of the product (cm) excluding door  Height for building under (cm)  Depth with door open 90° (cm)  Height adjustable by (cm)  Appl depth ine Vall distance (cm)  Length of drain hose (cm)  Display  Cabinet colour  Door colour  Door colour  Door colour  Door olour  Door olour  Door olour  Door olour  Door olour  Door olinge  Removable top	Multiple water protection Electronic  84.8 x 59.8 x 55  101.7 1.2 55 210 150 LED White Silver/White Left-hand	24  • • • • • Multiple water protection Electronic  84.8 x 59.8 x 5  101.7  1.2 55 210 150 LED White Silver/White Left-hand
KEY FEATURES  Home Connect  ActiveOxygen™ EcoSalence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system AntiVibration design  ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system  Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) excluding door Height adjustable by (cm) Appl depth incl wald listance (cm) Length of drain hose (cm) Display Cabinet Coolur Cabinet Colour Door rhinge Removable top EAN code	24  Multiple water protection in Electronic  84.8 x 59.8 x 55 85 101.7 1.2 55 210 150 LED White Silver/White	24  • • • • • Multiple water protection Electronic  84.8 x 59.8 x 5  101.7 1.2 55 210 150 LED White Silver/White Left-hand
KEY FEATURES  Home Connect  ActiveOxygen™ EcoSilence Drive™ EcoSilence Drive™ EcoBar+/EcoBar™ VarioPerfect™ ActiveWater™ system Antivibration design  ADDITIONAL FEATURES  WaveDrum™ Time delay (h) Time remaining Reload facility Overdosage indication Child lock Easy cleaning dispenser Drum interior light Safeguard monitoring system Water protection system  Water protection system  Type of control  TECHNICAL INFORMATION Dimensions of the product (cm) excluding door Height adjustable by (cm) Appl depth incl wall distance (cm) Length electrical supply cord (cm) Length of drain hose (cm) Display Cabinet Colour Door colour Door olinge Removable top EAN code OPTIONAL ACCESSORIES		24  • • • Multiple water protection Electronic  84.8 x 59.8 x 5  85 101.7 1.2 55 210 150 LED White Silver/White Left-hand 42420050787
KEY FEATURES  Home Connect  ActiveOxygen™  EcoSilence Drive™  EcoSilence Drive™  EcoBar*/EcoBar™  VarioPerfect™  ActiveWater™ system  AntiVibration design  ADDITIONAL FEATURES  WaveDrum™  Time delay (h)  Time remaining  Reload facility  Overdosage indication  Child lock  Easy cleaning dispenser  Drum interior light  Safeguard monitoring system	Multiple water protection Electronic  84.8 x 59.8 x 55  101.7 1.2 55 210 150 LED White Silver/White Left-hand	24  • • • • • Multiple water protection Electronic  84.8 x 59.8 x 5  101.7 1.2 55 210 150 LED White Silver/White Left-hand

## Washer dryer specifications

DESIGN FAMILY MODEL	SERIE 6 WVH28424GR	SERIE 6 WVG30462GB	SERIE 6 WVG3047SGR	SERIE 6 WDIJ28560GB	SERIE WDU2856
PERFORMANCE	MVII204246B	WG50402GB	TVG50475GB	MP020300GB	WD02030
	A	Α	Α	Α	A
Energy efficiency class Capacity cotton washing (kg)	7	A 7	7	A 10	10
Capacity cotton washing (kg)  Capacity cotton drying (kg)	4	4	4	6	6
Capacity cotton drying (kg) Maximum spin speed (rpm)	1400	1500	1500	1400	1400
Washing performance class	Α	Α	Α	Α	Α
Energy consumption – wash and dry of full wash load (kWh)	4.76	4.76	4.76	6.82	6.82
Energy consumption – wash only (kWh)	0.66	0.73	0.73	-	-
Total annual energy consumption – washing and drying 200					
full loads (kWh)	952	1088	1088	1364	1364
Total annual energy consumption – washing only 200 full	132	166		_	
loads (kWh)					
Water consumption – wash and dry full wash load (litres)	57	103	103	125	125
Total annual water consumption – washing and drying 200 full loads (litres)	11400	23600	23600	25000	25000
Total annual water consumption – washing only 200 full					
loads (litres)	10000	14200	14200	13800	13800
Average washing time cotton 60°C -full load (min)	300	420	420	315	315
Drum volume (litres)	56	56	56	70	70
Noise level washing (dB [A] re 1 pW)	46	47	47	47	47
Noise level spinning (dB [A] re 1 pW)	74	74	74	71	71
Noise level drying 93.5% (dB)	61	59	59	61	61
PROGRAMMES	01	00	00	01	01
Standard programmes					
Cottons					
Cottoris Easycare programme					
Easycare programme Wool programme	•	•	•	•	•
wooi programme Delicates/Silk					•
	•		•		•
Intensive dry	•	•	•	•	•
Gentle dry	•	•	•	•	•
Rinse	•	•	•	•	•
Spin Empty	•	•	•	•	•
Specialist programmes	•	•	•	•	•
Automatic drying programme		•		•	•
SuperQuick 15			-		
Wash and Dry 60 mins	•				
*	•		•		•
HygieneCare	•	•	•	•	•
DrumClean	•	•	•	•	•
Sportswear	-	-	-	•	•
Allergy+	•	•	•	•	•
Mixed load Options	•	•	•	•	•
Reduced Ironing					
	_	-/	•/-	-	1-
Aqua Plus/Rinse Plus Pre-wash	•/-	•/-	•/-	-/•	-/•
	-	•	•	•	
Variable Temperature Variable Spin	•	•	•	•	•
	•	•	•	•	•
KEY FEATURES					
AirCondensation technology	•	-		-	-
EcoSilence Drive™	•	•	•	•	•
VarioPerfect™	•	•	•	•	•
AutoDry function	•	•	•	•	•
SelfCleaning Condenser™	•	-	-	-	-
ADDITIONAL FEATURES					
SoftSurge Drum	•	•	•	-	-
Time delay (h)	24	24	24	24	24
Time remaining	•	•	•	•	•
Reload facility	•	•	•	•	•
Ovedosage indication	•	•	•	•	•
Safeguard monitoring system	•	•	•	•	•
Noise insulation	•	•	•	•	•
Child safety lock	•	•	•	•	•
Water protection system	AquaSecure	Multiple water	Multiple water	Multiple water	Multiple w
•		protection	protection	protection	protection
Type of control	Electronic	Electronic	Electronic	Electronic	Electron
TECHNICAL INFORMATION					
Dimensions of the product (cm) excluding door	84.8 x 59.8 x 59	85 x 60 x 59	85 x 60 x 59	84.8 x 59.8 x 62	84.8 x 59.8
					84.8 x 59.8
	108.5	108	108	114.2	
Depth with open door 90° (cm)	1.2	1.2	1.2	1.2	1.2
Depth with open door 90° (cm) Maximum adjustability feet (cm)	0.10	210	210	210	210
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm)	210		LED	LED	LED
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display	LED	LED	0.11		Silver
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour	LED White	White	Silver	White	
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour Door colour	LED White Silver Black	White Silver Black	Silver Black	Silver Black	Silver Bla
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour Door colour Door hinge	LED White Silver Black Left-hand	White Silver Black Left-hand	Silver Black Left-hand	Silver Black Left-hand	Silver Bla Left-har
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour Door colour Door hinge EAN code	LED White Silver Black Left-hand	White Silver Black	Silver Black Left-hand	Silver Black Left-hand	Silver Bla Left-har
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour Door colour Door hinge	LED White Silver Black Left-hand	White Silver Black Left-hand	Silver Black Left-hand	Silver Black Left-hand	Silver Bla Left-han
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour Door colour Door hinge EAN code	LED White Silver Black Left-hand	White Silver Black Left-hand	Silver Black Left-hand	Silver Black Left-hand	Silver Bla Left-han
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour Door colour Door hinge EAN code OPTIONAL ACCESSORIES	LED White Silver Black Left-hand 4242005090877	White Silver Black Left-hand 4242005064229	Silver Black Left-hand 4242005064236	Silver Black Left-hand 4242005079827	Silver Bla Left-han 424200507
Depth with open door 90° (cm) Maximum adjustability feet (cm) Length electrical supply cord (cm) Display Cabinet colour Door colour Door hinge EAN code OPTIONAL ACCESSORIES Build under cover	LED White Silver Black Left-hand 4242005090877	White Silver Black Left-hand 4242005064229	Silver Black Left-hand 4242005064236	Silver Black Left-hand 4242005079827	Silver Bla Left-han 424200507

DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 8	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	WTYH6791GB	WTWH7561GB	WTWH7561GB	WTWH7660GB	WTW85492GB	WTG86402GB	WTM85230GB	WTH85200GB	WTN85200GB	WTA79200GB
	WITHOTSIGE	WIWIIIJOIGB	WIWIIIJOIGD	WIWIII	W1W034320D	W10004020D	TTINO3230GD	W111032000D	WINOSZOUGE	11 IAI 32000B
PERFORMANCE										
Energy efficiency class	A++ 9	A++ 9	A++ 9	A+++ 9	A++ 8	B 8	A++ 8	A++ 8	B 7	C 7
Capacity cotton (kg) Energy consumption annual (kWh)	259	259	259	243	232	561	224	236	499	504
Energy consumption standard cotton programme – full load (kWh)	2.06	2.06	2.06	197	1.8	4.63	1.8	1.9	4.15	4.1
Energy consumption standard cotton programme – half load (kWh)	1.24	1.24	1.24	1.16	1.04	2.61	1.07	1.12	2.31	2.4
Programme time standard cotton programme – full load (min)	166	166	166	162	203	137	203	203	119	130
Programme time standard cotton programme - half load (min)	108	108	108	104	122	82	126	122	73	80
Condensation efficiency class	A	Α	A	A	В	В	В	В	В	-
Condensation efficiency for standard cotton programme on full and partial load	91%	91%	91%	91%	86%	88%	83%	87%	88%	-
Power consumption in off-mode (kWh)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Duration of left-on mode (min)	30	30	30	30	0	0	0	0	0	0
Drum volume (litres)	112	112	112	112	112	112	112	112	112	112
Noise level (dB[A] re 1 pW)	64	64	64	64	65	65	64	65	65	65
PROGRAMMES/FUNCTIONS										
Standard Programmes										
Cottons	•	•	•	•	•	•	•	•	•	•
Easycare	•	•	•	•	•	•	•	•	•	•
Woollen finish	•	•	•	•	•	•	•	•	•	•
SuperQuick 40	•	•	•	•	•	•	•	•	•	•
Timed programmes	•	•	•	•	•	•	•	•	•	•
Mixed load Sportswear	•	•	•	•	•		•	•	•	•
Shirts 15										
Towels	•	•	•	•	•		•	•	-	•
Delicates	•	•	•	•	-	-	•	-	-	•
Down wear	•	•	•	•	•	•	-	•	•	-
Shirts and blouses	•	•	•	•	•	-	•	•	-	•
Blankets	-	-	-	-	-	-	-	-	-	-
Allergy+	•	•	•	•	-	•	-	-	•	-
Duvet Wool/Trainer basket	•	•	•	•	-	-	-	-	-	-
Options	•									
Memory/My Favourite	•/-	-/-	-/-	-/•	-/-	-/-	-/-	-/-	-/-	-/-
Buzzer	•	•	•	•	•	•	•	•	•	•
Low Heat option	•	•	•	•	•	•	•	•	•	•
Reduced Ironing	•	•	•	•	•	•	•	•	•	•
KEY FEATURES										
Home Connect	•	•	-	-	-	-	-	-	-	-
ActiveAir technology	•	•	•	•	•	-	•	-	-	-
Heat pump	•	•	•	•	•	-	•	•	-	-
SelfCleaning Condenser™	•	•	•	•	•	-	•	-	-	-
EasyClean filter	-	-	-	-	-	-	-	•	-	-
Sensor drying with revolution drying system	•	•	•	•	•	•	•	•	•	•
ADDITIONAL FEATURES										
Drum with soft paddles	•	•	•	•	•	•	•	•	•	•
Anti-crease cycle (min)	120	120	120	120	120	120	120	120	120	120
Time delay (h)	24	24	24	24	24	24	24	24	24	24
Time remaining	•	•	•	•	•	•	•	•	•	•
Drum interior light  Water container full/blocked filter warning indicator	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	•/•	-/•
Child lock	•	•	•	•	•	•	•	•	•	-
TECHNICAL INFORMATION										
Dimensions of the product (cm)	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.7 x 59.9	84.2 x 59.8 x 59.9	84.2 x 59.8 x 59.9	84.2×59.8×59.9	84.2 x 59.8 x 59.9		84.2×59.8×60.10
Depth with open door 90° (cm)	108.6 1.5	109.1	109.1	108.6	109.1	109.1	109.1 1.5	109.1	109.1	104.7
Maximum adjustability feet (cm) Length electrical supply cord (cm)	1.5	1.5 145	1.5 145	1.5 145	1.5 145	1.5 145	1.5	1.5 145	1.5 145	1.5 145
Display	TFT	LED	LED LED	LED	LED LED	LED	LED	LED	LED	LED
Cabinet colour	White	White	White	White	White	White	White	White	White	White
Door colour	Chrome/White	Chrome/White	Chrome/White	Chrome/White	Silver/White	Silver/White	Silver/White	Silver/White	Silver/White	White
Door hinge	Reversible	Right-hand	Right-hand	Right-hand	Right-hand	Right-hand	Right-hand	Right-hand	Right-hand	Right-hand
Removable top	-	-	-	-	-	-		-	-	-
Condensate drainage kit included	•	•	•	•	•	•	•	•	•	•
Location of vent	-	-	-	-	-	-	-	-	-	At rear, left-hand
Vent hose length (cm)	-	-	-	-	-	-		-	-	200
Type of control	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic	Electronic
EAN code	4242005100897	4242005100576	4242005099160	4242005081127	4242005039258	4242002997421	4242005032860	4242002942490	4242002938356	4242002980447
OPTIONAL ACCESSORIES										
Stacking kit with pull-out shelf	WTZ11400	WTZ11400	WTZ11400	WTZ27400	WTZ11400	WTZ11400	WTZ11400	WTZ11400	WTZ11400	-
Stacking kit	WTZ20410	WTZ20410	WTZ20410	WTZ27410	WTZ20410	WTZ20410	WTZ20410	WTZ20410	WTZ20410	WTZ11311
Condenser drain kit	-		-	-	-	-	-	-	-	WT71120
Replacement vent kit	-	-	-	-				-	-	WTZ1130

The programme cotton cupboard dry used at full and partial loads is the standard drying programme to which the information on the energy label refers. This is the most efficient programme in terms of energy consumption for cotton.

Annual consumption is based on 160 drying cycles.

Data valid in this table as of April 2018. Subject to modification without prior notice.

For full specification details, please log onto our website and download a full specification sheet.

Explore more at www.bosch-home.co.uk

Notes Making **life easy** through innovative technologies

## Dishwasher specifications

DISHWASHER TYPE	60CM DISHWASHERS	;						
DESIGN FAMILY	SERIE 8	SERIE 6	SERIE 8	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 2
MODEL	SMS88TW06G	SMS67MW00G	SMS67MW01G	SMS46IW09G	SMS46MW00G	SMS46II00G	SMS46IW04G	SMS25EW000
Colour	White	White	White	White	White	Silver inox	White	White
PERFORMANCE								
Home Connect	•	-	-		-	-	-	-
Reference programme for measurements	Economy 50 A+++ -10%	Economy 50	Economy 50	Economy 50	Economy 50 A++	Economy 50	Economy 50	Economy 50
Energy efficiency class Total annual energy consumption <sup>1</sup> (kWh)	A+++-10% 211	A+++ 237	A+ 299	A++ 262	266	A++ 262	A++ 262	A++ 262
Total annual water consumption <sup>1</sup> (litres)	2100	2660	2660	1820	2660	2660	2660	2660
Energy consumption <sup>2</sup> (kWh)	0.73	0.83	1.05	0.92	0.93	0.92	0.92	0.92
Water consumption <sup>2</sup> (litres)	7.5	9.5	9.5	6.5	9.5	9.5	9.5	9.5
Number of place settings	13	14	14	13	14	13	13	13
Cleaning performance class Drying efficiency class	A A	A A	A A	A A	A A	A A	A A	A A
Noise level (dB[A] re 1 pW)	42	44	38	46	46	46	46	48
Total cycle time of reference programme (min)	225	195	195	235	210	210	210	210
PROGRAMMES / FUNCTIONS								
Number of programmes	8	7	7	6	6	6	6	5
Number of options	6	5	5	4	4	4	4	2
Number of different wash temperatures	6	6	5	5	5	5	5	4
List of programmes	Intensive 70 °C Auto 45-65 °C	Intensive 70 °C Auto 45-65 °C	Intensive 70 °C Auto 45-65 °C	Intensive 70 °C Eco 50 °C				
	Eco 50 °C	Eco 50 °C	Eco 50 °C	Eco 50 °C	Auto 45-65 ℃ Eco 50 ℃	Auto 45-65 °C Eco 50 °C	Eco 50 °C	Glass 40 °C
	Silence 50 °C	Short 60 °C Glass 40 °C	Silence 50 °C Glass 40 °C	Glass 40 °C	Glass 40 °C	Glass 40 °C	Glass 40 °C	Quick 45 °C
	Short 60 °C Glass 40 °C	Quick 45 °C	1 Hour 65 °C	Quick 45 °C Pre-rinse	Quick 45 °C Pre-rinse	Quick 45 °C Pre-rinse	Quick 45 °C Pre-rinse	Pre-rinse
	Quick 45 °C	Pre-rinse	Quick 45 °C	. IC IIIGE	, ic inide	. IC IIIJC	. TO THISC	
	Pre-rinse							
Additional special options	Remote Start	Intensive Zone VarioSpeed Plus	Intensive Zone VarioSpeed Plus	VarioSpeed Plus Hygiene Plus	VarioSpeed Plus	VarioSpeed Plus Hygiene Plus	VarioSpeed Plus	VarioSpeed Plus
	Intensive Zone VarioSpeed Plus	Hygiene Plus	Hygiene Plus	Extra Dry	Hygiene Plus Extra Dry	Extra Dry	Hygiene Plus Extra Dry	Extra Dry
	Hygiene Plus	Extra Dry	Extra Dry					
	Extra Dry							
Machine Care	•	•	•	•	•	•	•	-
FLEXIBLE DESIGN ELEMENTS								
Basket description	VarioFlex Pro	VarioFlex	VarioFlex	VarioFlex	VarioFlex	VarioFlex	VarioFlex	Vario
VarioDrawer (3rd loading level)	VarioDrawer Pro	VarioDrawer	VarioDrawer		VarioDrawer			VarioDrawer
Adjustable upper basket Cup shelves upper/ lower baskets	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™ 2/-	3-stage Rackmatic™	3-stage Rackmatic™ 2/-	3-stage Rackmatic™	3-stage Rackmatic 2/-
Largest loadable dish upper/ lower basket (cm)	2/2 21/31	2/2 21/31	2/2 21/31	27/31	2/2 21/31	27/31	2/- 27/31	21/31
INNOVATIONS AND TECHNOLOGY	22/12	,	,	,		,	2.752	
	D f 1D 7 PHS	D ( 1D 7 PHS	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		II de la la companya de la companya			
Drying system Load sensor	Perfect Dry Zeolith®	Perfect Dry Zeolith®	Heat exchanger/ Eco Dry	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger
AquaSensor	•	•	•	•	•	•	•	•
Detergent aware	•	•	•	•	•	•	•	•
DosageAssist DuoPower spray arm	•	•	•	•	•	•	•	•
		_				_		
DESIGN FEATURES								
Start delay time max. (h)	24	24	24	24	24	24	24	24
Flood protection system Time remaining indicator	Aquastop 24hr	Aquastop 24hr	Aquastop 24h	Internal •	Internal •	Internal •	Internal •	Internal
Emotion light	•							
End of cycle indicator	Acoustic	-	-		-	-	-	-
Salt light indicator	•	•	•	•	•	•	•	•
Rinse aid light indicator	•	•	•	•	•	•	•	•
Safety features	Door lock	Control panel lock	Control panel lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock, door lock	Control panel lock, door lock	Door lock
Self-cleaning filter system	•	•	•	•	•	•	•	•
TECHNICAL SPECIFICATIONS								
Maximum adjustability feet	2	2	2	2	2	2	2	2
Depth with open door 90° (cm)	115.5	115.5	115.5	115.5	115.5	115.5	115.5	115.5
Length electrical supply cord (cm)	175	175	175	175	175	175	175	175
Length inlet hose (cm)	165 190	165 190	165 190	165 190	165 190	165 190	165 190	165 190
Length outlet hose (cm) Removable worktop	190	190	190	190	190	190	190	190
Height of the product with worktop (cm)	84.5	84.5	84.5	84.5	84.5	84.5	84.5	84.5
Height of the product without worktop (cm)	81.5	81.5	81.5	81.5	81.5	81.5	81.5	81.5
Width of the product (cm)	60	60	60	60	60	60	60	60
Depth of the product (cm)	60	60	60	60	60	60	60	60
Net weight (kg) Gross weight (kg)	56 59	53 56	59 62	47 50	49	45 48	49	48 50
Gross weight (kg) Water softener <sup>3</sup>	59	56 •	62	50 •	51	48	51 •	50
Maximum accepted water hardness (°DH)	50	50	50	50	50	50	50	50
Maximum temperature for water intake (°C)	60	60	60	60	60	60	60	60
Included accessories	Large item spray head, wine	Large item spray head	Large item spray head	Large item spray head	Large item spray he			
	glass holder							
Ontional accessories	00740	00710:	0074017	0071010 01177000	0071010 01175000	0071010 01/75000	CC71010 01175000	
Optional accessories	SGZ1010, SMZ5100, SMZ5300	SGZ1010, SMZ5100, SMZ5300	SGZ1010, SMZ5100, SMZ5300	SGZ1010, SMZ5002, SMZ5300	SGZ1010, SMZ5002, SMZ5300	SGZ1010, SMZ5002, SMZ5300	SGZ1010, SMZ5002, SMZ5300	SGZ1010, SMZ53
Optional accessories	SGZ1010, SMZ5100, SMZ5300 4242005035908	SGZ1010, SMZ5100, SMZ5300 4242005030835	SGZ1010, SMZ5100, SMZ5300 4242005030842	SGZ1010, SMZ5002, SMZ5300 4242005091058	SGZ1010, SMZ5002, SMZ5300 4242005041534	SGZ1010, SMZ5002, SMZ5300 4242005027934	SGZ1010, SMZ5002, SMZ5300 4242005027941	SGZ1010, SMZ530 4242005028443

Key to accessories: SGZ1010: AquaStop extension, SMZ5300: Wine glass holder, SMZ5001: Bottle and small parts holders, SMZ5002: Silver polishing cassette, SMZ5100: Adjustable cuttery basket, SPZ5100: Vario cuttery basket, SZ73100: Cuttery basket

## Dishwasher specifications

DISHWASHER TYPE	60CM DISHWASHERS			45CM DISHWASHERS			COMPACT DISHWASHERS
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 6	SERIE 4	SERIE 4	SERIE 4
MODEL	SMS25AW00G	SMS25AI00G	SMS25AB00G	SPS66TW00G	SPS46II00G	SPS46IW00G	SKS62E22E
Colour	White	Silver inox	Black	White	Silver inox	White	White
PERFORMANCE							
Home Connect		-					
Reference programme for measurements	Economy 50	Economy 50	Economy 50	Economy 50	Economy 50	Economy 50	Economy 50
Energy efficiency class	A++	A++	A++	A++	A+	A+	A+
Total annual energy consumption <sup>1</sup> (kWh)	258	258	258	211	220	220	174
Total annual water consumption <sup>1</sup> (litres)	2660	2660	2660	2660	2660	2660	2240
Energy consumption <sup>2</sup> (kWh)	0.90	0.90	0.90	0.75	0.78	0.78	0.61
Nater consumption <sup>2</sup> (litres)	9.5	9.5	9.5	9.5	9.5	9.5	8.0
Number of place settings	12	12	12	10	9	9	6
Cleaning performance class	A	A	A	A	A	А	A
Drying efficiency class	A	A	A	A	A	Α	A
Noise level (dB[A] re 1 pW)	48	48	48	44	46	46	48
Total cycle time of reference programme (min)	210	210	210	195	195	195	225
PROGRAMMES / FUNCTIONS							
Number of programmes	5	5	5	6	6	6	6
Number of options	2	2	2	4	4	4	2
Number of different wash temperatures	4	4	4	5	5	5	5
List of programmes	Intensive 70 °C	Intensive 70 °C	Intensive 70 °C	Intensive 70°C	Intensive 70°C	Intensive 70°C	Intensive 70°C
. •	Eco 50 °C	Eco 50 °C	Eco 50 °C	Auto 45-65°C	Auto 45-65°C	Auto 45-65°C	Auto 45-65°C
	Glass 40 °C Quick 45 °C	Glass 40 ℃ Quick 45 ℃	Glass 40 °C Quick 45 °C	Economy 50°C	Economy 50°C	Economy 50°C	Economy 50°C
	Pre-rinse	Pre-rinse	Pre-rinse	Silence 50°C Glass 40°C	Silence 50°C Glass 40°C	Silence 50°C Glass 40°C	Delicate 40°C Quick 45°C
				Quick 45°C	Quick 45°C	Quick 45°C	Pre-rinse
Additional special options	VarioSpeed Plus	VarioSpeed Plus	VarioSpeed Plus	Intensive Zone	Intensive Zone	Intensive Zone	VarioSpeed
	Extra Dry	Extra Dry	Extra Dry	VarioSpeed Plus	VarioSpeed	VarioSpeed	Extra Dry
				Extra Dry	Extra Dry	Extra Dry	
Machine Care	_			•	•	•	
				•		ů	
FLEXIBLE DESIGN ELEMENTS							
Basket description	Vario	Vario	Vario	VarioFlex Plus	VarioFlex	VarioFlex	Vario
VarioDrawer (3rd loading level)	-	-	-	VarioDrawer Pro	-		-
Adjustable upper basket	Adjustable when empty	Adjustable when empty	Adjustable when empty	3-stage Rackmatic™	3-stage Rackmatic™	3-stage Rackmatic™	-
Cup shelves upper/ lower baskets	2/-	2/-	2/-	1/1	2/-	2/-	-/2
Largest loadable dish upper/ lower basket (cm)	27/31	27/31	27/31	21/31	27/31	27/31	28/-
INNOVATIONS AND TECHNOLOGY							
>i	Heat analyses	Heat and a second	Unatoushanan	Heat analysis of Cas Day	Heat analysis and	Heat and an a	Residual heat
Drying system Load sensor	Heat exchanger	Heat exchanger	Heat exchanger	Heat exchanger/Eco Dry	Heat exchanger	Heat exchanger	nesiduai ileat
AquaSensor							
	•						
•		•		•	-		•
Detergent aware	•	:	•	•	•	-	•
Detergent aware DosageAssist	•	•	•	:	•		•
vetergent aware DosageAssist DuoPower spray arm		-	•			•	•
Detergent aware DosageAssist DuoPower spray arm	•	-	•		•	•	
Detergent aware DosageAssist DuoPower spray arm DESIGN FEATURES		-	24			•	24
Detergent aware DosageAssist DuoPower spray arm DESIGN FEATURES Start delay time max. (h)	•	•	•	•	•	•	- 24
Detergent aware DosageAssist DuePower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system	24	24	24	24	24	24	- 24
Detergent aware DosageAssist DuoPower spray arm DESIGN FEATURES Start delay time max. (h) Time remaining indicator	24	- 24 Internal	- 24 Internal	● 24 Aquastop 24hr	• 24 Internal	24 Internal	24 Aquastop 24hı
Detergent aware DosageAssist DueDower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system Time remaining indicator Emotion light End of cycle indicator	24 Internal  .	- 24 Internal	24 Internal •	● 24 Aquastop 24hr	24 Internal •	24 Internal	24 Aquastop 24hr
Detergent aware DosageAssist DosageAssist DueDower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system Time remaining indicator Femotion light End of cycle indicator Salt light indicator	24 Internal • -	24 Internal •	24 Internal • ·	24 Aquastop 24hr - -	24 Internal • ·	24 Internal  .	24 Aquastop 24hı
Detergent aware DosageAssist DuoPower spray arm DESIGN FEATURES Start delay time max. (h) Clood protection system time remaining indicator canotion light canotic of cycle indicator talt light indicator times aid light indicator	24 Internal  .	24 Internal •	24 Internal •	24 Aquastop 24hr •	24 Internal •	24 Internal  .	24 Aquastop 24hı • -
Detergent aware DosageAssist DuoPower spray arm DESIGN FEATURES Start delay time max. (h) Clood protection system time remaining indicator canotion light canotic of cycle indicator talt light indicator times aid light indicator	24 Internal	24 Internal	24 Internal - -	24 Aquastop 24hr - -	24 Internal	24 Internal  .	24 Aquastop 24hı
Detergent aware DosageAssist DuePower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Temotion light End of cycle indicator Salt light indicator Tinse aid light indicator Tinse aid light indicator Tinse aid light indicator Tinse aid light indicator Tinse for the control of the contro	24 Internal	24 Internal	24 Internal  Door lock	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hı
Detergent aware DosageAssist DuapPower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Cenotion light Cenotion light Cenotion light Cenotion light indicator Cenotic light indicator Cenot	24 Internal	24 Internal	24 Internal - -	24 Aquastop 24hr - -	24 Internal	24 Internal  .	24 Aquastop 24hı
Detergent aware DosageAssist DuapPower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Cenotion light Cenotion light Cenotion light Cenotion light indicator Cenotic light indicator Cenot	24 Internal	24 Internal	24 Internal  Door lock	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hı
Detergent aware DosageAssist DosageAssist DuePower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Cention light Cention of cycle indicator Salt light indicator Timese aid light indicator Safety features Self-cleaning filter system TECHNICAL SPECIFICATIONS	24 Internal	24 Internal	24 Internal  Door lock	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hı
Detergent aware DosageAssist DuePower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system Time remaining indicator Emotion light End of cycle indicator	24 Internal	24 Internal  Door lock	24 Internal  Door lock	24 Aquastop 24hr	24 Internal  Control panel lock, door lock	24 Internal	24 Aquastop 24h
Detergent aware DosageAssist DuoPower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system Time remaining indicator Flood from the condition of the condi	24 Internal	24 Internal  Door lock - 2	24 Internal  Door lock	24 Aquastop 24hr	24 Internal	24 Internal  Control panel lock, door lock	24 Aquastop 24hı
Detergent aware DosageAssist DosageAssist DuePower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Timotion light Timotion Ti	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi
Detergent aware DosageAssist DuoPower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Time indicator Time indicator Time indicator Time aid light indicator Time aid ligh	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24h
vetergent aware losageAssist losageAssist losageAssist lovePower spray arm  DESIGN FEATURES  tart delay time max. (h) lood protection system ime remaining indicator motion light ind of cycle indicator alt light indicator alt light indicator inse aid light indicator afety features  velf-cleaning filter system  TECHNICAL SPECIFICATIONS  laximum adjustability feet lepth with open door 90° (cm) ength inlet hose (cm) ength outlet hose (cm) ength outlet hose (cm) ength inlet hose (cm)	24 Internal	24 Internal • • • • • • • • • • • • • • • • • • •	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal • • • • • • • • • • • • • • • • • • •	24 Aquastop 24hi  84.5 170 150 226
Detergent aware DosageAssist DosageAssist DosageAssist DeSIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Control light indicator Con	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi
Detergent aware DosageAssist DosageAssist DosageAssist DuePower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system ime remaining indicator imotion light ind of cycle indicator salt light indicator salt light indicator safety features Self-cleaning filter system  FECHNICAL SPECIFICATIONS  Maximum adjustability feet Depth with open door 90° (cm) ength electrical supply cord (cm) ength inlet hose (cm) ength outlet hose (cm) ength outlet hose (cm) teleight of the product without worktop (cm) teleight of the product without worktop (cm)	24 Internal	24 Internal  Door lock  2 115.5 175 165 190	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi
Detergent aware DosageAssist DosageAssist DouePower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system ime remaining indicator imotion light and of cycle indicator shalt light indicator shalt lig	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi
Detergent aware DosageAssist DosageAssist DosageAssist DeSIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Timotion light Timotion Timot	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi
Detergent aware DosageAssist DosageAssist DosageAssist DuePower spray arm DESIGN FEATURES Start delay time max. (h) Clood protection system ime remaining indicator imotion light ind of cycle indicator salt light indicator strines aid light indicator safety features Self-cleaning filter system FECHNICAL SPECIFICATIONS Maximum adjustability feet Depth with open door 90° (cm) ength electrical supply cord (cm) ength inlet hose (cm) ength outlet hose (cm) eleight of the product with worktop (cm) vidith of the product (cm) letet weight (kg)	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal • • • • • • • • • • • • • • • • • • •	24 Aquastop 24hi
Detergent aware DosageAssist DovePower spray arm DESIGN FEATURES Start delay time max. (h) Flood protection system Time remaining indicator Temotion light Cond of cycle indicator Stall light indicat	24 Internal  Door lock  2 115.5 175 165 190  84.5 81.5 60 60 60 48	24 Internal  Door lock  15.5 175 165 190 4.5 84.5 81.5 60 60 45 47	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi
Detergent aware DosageAssist DosageAssist DovePower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Timotion light Timotion T	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24h
Detergent aware DosageAssist DosageAssist DovePower spray arm DESIGN FEATURES Start delay time max. (h) Tood protection system Time remaining indicator Canotinn light Canotinn C	24 Internal	24 Internal	24 Internal   Door lock  2 115.5 175 165 190 84.5 81.5 60 60 49 50 50	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hı
letergent aware losageAssist uovePower spray arm  DESIGN FEATURES tart delay time max. (h) lood protection system ime remaining indicator motion light nd of cycle indicator alt light indicator inse aid light indicator afety features  elf-cleaning filter system  FECHNICAL SPECIFICATIONS  laximum adjustability feet epth with open door 90" (cm) ength electrical supply cord (cm) ength electrical supply cord (cm) ength outlet hose (cm) ength outlet hose (cm) eight of the product without worktop (cm) leight of the product (cm) leight of the product (cm) epth of the product (cm) epth of the product (cm) leight of t	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi
Detergent aware losageAssist losageAssist losageAssist lovePower spray arm DESIGN FEATURES  start delay time max. (h) lood protection system ime remaining indicator imotion light and of cycle indicator ailt light melicator ailt light melica	24 Internal	24 Internal	24 Internal  Door lock  115.5 175 165 190  84.5 81.5 60 60 49 50 60	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24h  84.5 170 150 226 45 55.1 50 21 24
etergent aware osageAssist uoePower spray arm  DESIGN FEATURES tart delay time max. (h) lood protection system ime remaining indicator motion light nd of cycle indicator alt light indicator alt light indicator alt light indicator afety features elf-cleaning filter system  ECHNICAL SPECIFICATIONS laximum adjustability feet epth with open door 90" (cm) ength electrical supply cord (cm) ength inlet hose (cm) ength outlet hose (cm) ength outlet hose (cm) eight of the product without worktop (cm) ight of the product (cm) epth of the product (cm)	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24h
etergent aware osageAssist uovePower spray arm  ESIGN FEATURES tart delay time max. (h) lood protection system ime remaining indicator motion light nd of cycle indicator alt light indicator inse aid light indicator inse aid light indicator afety features  elf-cleaning filter system  ECHNICAL SPECIFICATIONS  Laximum adjustability feet epth with open door 90" (cm) ength electrical supply cord (cm) ength electrical supply cord (cm) ength inlet hose (cm) emovable worktop eight of the product without worktop (cm) right of the product (cm) epth of the product (cm) epth of the product (cm) epth of the product (cm) et weight (kg) ross weight (kg) rater softener <sup>2</sup> laximum accepted water hardness ("DH) laximum temperature for water intake ("C)	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24h  Aquastop 24h
etergent aware osageAssist uoePower spray arm  DESIGN FEATURES tart delay time max. (h) lood protection system ime remaining indicator motion light nd of cycle indicator alt light indicator alt light indicator alt light indicator afety features elf-cleaning filter system  ECHNICAL SPECIFICATIONS laximum adjustability feet epth with open door 90" (cm) ength electrical supply cord (cm) ength inlet hose (cm) ength outlet hose (cm) ength outlet hose (cm) eight of the product without worktop (cm) ight of the product (cm) epth of the product (cm)	24 Internal	24 Internal	24 Internal	24 Aquastop 24hr	24 Internal	24 Internal	24 Aquastop 24hi

Key to accessories: SGZ1010: AquaStop extension, SMZ5300: Wine glass holder, SMZ5001: Bottle and small parts holders, SMZ5002: Silver polishing cassette, SMZ5100: Adjustable cutlery basket, SPZ5100: Vario cutlery basket, SZ73100: Cutlery basket

Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode.

The consumption per cleaning cycle of the "Eco 50" programme using cold water fill.

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information.

Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint.

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption.

Data valid in this table as of April 2018. Subject to modification without prior notice.

Based on 280 standard cleaning cycles using cold water fill, including consumption of the standby mode.

The consumption per cleaning cycle of the "Eco 50" programme using cold water fill.

We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmo/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information.

Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to %" screwed joint.

Data valid in this table as of April 2018. Subject to modification without prior notice.

## Fridge and wine cabinet specifications

FRIDGE TYPE	UPRIGHT FRIDGE	S								WINE CABINETS
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 2	SERIE 2	SERIE 4
MODEL	KSV36AW4PG	KSV36AW3PG	KSV36VB3PG	KSV36VL3PG	KSV36VW3PG	KSV33VL3PG	KSV33VW3PG	KSV36NW3PG	KSV29NW3PG	KSW30V81GB
PERFORMANCE AND CONSUMPTION										
Energy efficiency class	A+++	A++	A++	A++	A++	A++	A++	A++	A++	В
Annual energy consumption (kWh)	75	75	112	112	112	110	110	112	107	266
Refrigerator net capacity (litres)	346	346	346	346	346	324	324	346	290	-
Total unit net capacity (litres)	-	-	-	-		-	-	-	-	360
Capacity in 0.75I (bordeaux bottles)	-	-	-	-	-	-	-	-	-	120
Noise level (dB [A] re 1pW)	39	39	39	39	39	39	39	39	39	41
DESIGN FEATURES										
Main colour of product	White	White	Black	Stainless Steel Look	White	Stainless Steel Look	White	White	White	Silver
Colour of sides	White	White	Stainless Steel Look	Stainless Steel Look	White	Stainless Steel Look	White	White	White	· · ·
Type of handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Integrated Handle
Door hinge	Left, reversible	Left, reversible	Left, reversible	Left, reversible	Left, reversible	Left, reversible	Left, reversible	Left, reversible	Left, reversible	
LED light	•	•	•	•	•	•	•	•	•	•
Number of compressors	1	1	1	1	1	1	1	1	1	
Number of cooling circuits	1	1	1	1	1	1	1	1	1	
Number of evaporators	1	1	1	1	1	1	1	1	1	
Number of independent cooling systems	-	-	-	-	-	-	-	-	-	1
Number of temperature zones	-	-	-		-		-		-	1
Range of temperature (°C)		-		-	-	-	-	-	-	6-18
FOOD FRESHNESS SYSTEM	_									
Interior ventilator	•	•	•	•	•	•	•	•	•	-
Humidity control drawer	•	•			•		•		-	
Food preservation containers Antibacterial air filter	VitaFresh Plus Box	VitaFresh Plus Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	MultiBox	MultiBox	-
KEY FEATURES - FRIDGE SECTION	_	•	_	-	•		•			-
Bottle rack in fridge				•	•			•		
Fully extendable glass shelves for easy reach		•	•	•	•	•	•	•	•	
	7	7	7	7	7	7	7	6	5	
Number of glass safety shelves FlexShelf for additional storage			ı	'	I	'	I	0	J	
Number of shelves in door (including EasyLift)	5	• 5	5	5	5	5	5	5	4	
	•		5	0	5	5	3	5	4	
EasyLift flexible shelf in door	_		Digital LED	Digital LED	Digital LED	Di-it-II ED	Digital LED	Digital LED	Digital LED	
Thermometer	Digital LED 4	Digital LED		5	Digital LED	Digital LED		5	Digital LED	
Number of adjustable shelves	5	5 5	5 5	5		5 5	5 5	5	4	-
Number of easy pull-out shelves	3/-			3/-	5	-			3/-	-/-
Included accessories: egg tray, bottle gripper	3/-	1/-	3/-	3/-	3/-	1/-	3/-	3/-	3/-	-/-
KEY FEATURES - WINE COOLER										
Number of shelves	-	-	-	-	-	-	-	-	-	9
Number of adjustable shelves	-	-	-	-	-	-	-	-	-	8
Type of glass door	-	-	-	-	-	-	-	-	-	2 glass panels, UV-filtered
Door hinge	-	-	-	-	-	-	-	-	-	Right
FUNCTIONS										
Defrost process fridge section	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	
Electronic display	LED display	LED display	LED display	LED display	LED display	LED display	LED display	LED display	LED display	
Fast cooling switch	•	•	•	•	•	•	•	•	•	
Warning/malfunction signal	Audible	Audible	-	Audible	-	Audible	-	-	-	-
DIMENSIONS AND INSTALLATION										
Climate class	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	ST
Connection Rating (W)	90	90	90	90	90	90	90	90	90	120
Current (A)	10	10	10	10	10	10	10	10	10	10
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-230
Frequency (Hz)	50	50	50	50	50	50	50	50	50	50
Length electrical supply cord (cm)	230	230	230	230	230	230	230	230	230	-
Height of the product (cm)	186	186	186	186	186	176	176	186	161	185
Width of the product (cm)	60	60	60	60	186	60	60	60	60	59.5
Depth of the product (cm)	65	65	65	65	65	65	65	65	65	60
Depth with open door 90° (cm)	120	120	120	120	120	120	120	120	120	-
EAN code	4242005061396		4242005065967		4242005051830		4242005049103	4242005051458	4242005040063	4242002977218
LAIN COUC	4242003001390	42420000013/2	42420000000001	4242000001023	4242000001030	+242000001033	4242000043103	4242000001430	4242000040003	4242002311210

## Freezer specifications

FREEZER TYPE	UPRIGHT FREEZERS						
DESIGN FAMILY	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	GSN58AW30G	GSN36AW3PG	GSN36VB3PG	GSN36VW3VG	GSN36VL3PG	GSN33VW3PG	GSN29VW3VG
PERFORMANCE AND CONSUMP	TION						
Energy efficiency class	A++	A++	A++	A++	A++	A++	A++
Annual energy consumption (kWh)	301	237	237	237	237	220	214
Freezer net capacity (litres)	360	242	242	242	242	225	200
Noise level (dB [A] re 1pW)	42	42	42	42	42	42	42
DESIGN FEATURES							
Main colour of product	White	White	Black	White	Stainless Steel Look	White	White
Colour of sides	White	White	Black	White	Stainless Steel Look	White	White
Type of handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle	Vertical Bar Handle
Door hinge	Right, reversible	Right, reversible	Right, reversible				
LED light	•	•	•		•	•	-
Defrost process	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Number of compressors	1	1	1	1	1	1	1
Number of cooling circuits	1	1	1	1	1	1	1
Number of evaporators	1	1	1	1	1	1	-
FOOD FRESHNESS SYSTEMS							
Temperature adjustable	•	•	•	•	•	•	•
KEY FEATURES							
Number of Freezer Compartments	9	7	7	7	7	7	6
Number of drawers (including BigBox)	5	4	4	5	4	4	5
Number of Freezer Safety Glass Shelves	8	6	6	6	6	6	5
Number of freezing flaps	3	-	-	2	-		1
Shelf material	Glass	Glass	Glass	Glass	Glass	Glass	Glass
ncluded accessories: ice packs/ice cube tray	2/1	3/-	2/1	2/1	2/1	2/1	2/1
Optional accessories	KSZ39AW00	KSZ39AW00	KSZ39AW00	KSZ39AW00	KSZ39AL00	KSZ39AW00	KSZ39AW00
FUNCTIONS							
Warning signal / malfunction	Visual and audible	Visual and audible	Visual and audible				
Fast freezing switch	•	•	•	•	•	•	•
Thermometer	Digital LED	Digital LED	Digital LED				
DIMENSIONS AND INSTALLATIO	N						
Climate class	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	90	90	90	90	90	90	90
Height of the product (cm)	191	186	186	186	186	176	161
Width of the product (cm)	70	60	60	60	60	60	60
Depth of the product (cm)	78	65	65	65	65	65	65
Depth with open door 90° (cm)	142	120	120	120	120	120	120
Included accessories	-			-	-	-	-
EAN code	4242002693927	4242005067251	424200506770	4242005097876	4242005055227	4242005063826	4242005051960

● = Yes -= No

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption.

For full specification details, please log onto our website and download a full specification sheet.

## Fridge freezer specifications

FRIDGE FREEZER TYPE	FRIDGE FREEZER 203 & 201CM HIGH 70CM WIDE FRIDGE FREEZERS 203 & 201CM HIGH 60CM WIDE											
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 4	SERIE 4							
MODEL	KGN49AI30G	KGE49VI4AG	KGE49VW4AG	KGN49XL30G	KGN49XW30	KGN39XL35G	KGN39XW36G	KGN39IJ3AG	KGN39VL3AG	KGN39VW35G	KGV39VL31G	KGV39VW32G
PERFORMANCE AND CONSUM	PTION											
Energy efficiency class	A++	A+++	A+++	A++	A++							
Energy consumption annual (kWh)	303	190	190	303	303	273	273	273	273	273	238	238
Total unit net capacity (litres)	435	412	412	435	435	366	366	366	366	366	343	343
Refrigerator net capacity (litres) Including Refrigerator 0° chiller boxes	330 25	302	302	330 28	330 28	279 24	279 24	279 24	279 24	279 24	249	249
Freezer net capacity (litres)	105	111	111	105	105	87	87	87	87	87	94	94
Noise level (dB[A] re 1 pW)	40	38	38	40	40	39	39	39	39	39	39	39
DESIGN FEATURES												
	Stainless	Stainless	White	Stainless	White	Stainless Steel-		Vario Style	Stainless Steel-		Stainless Steel-	
Main colour of product	Steel-easyclean	Steel-easyclean		Steel-easyclean		easyclean	White	interchangeable doors	easyclean	White	easyclean	White
Deschardle torre	Vertical bar	Integrated vertical	Integrated vertical	Integrated vertical	Integrated vertical	\/ti  b b	Integrated vertical	Integrated vertical				
Door handle type	handles	handle	handle	handle	handle	Vertical bar handle	handle	handle	handle	handle	handle	handle
Colour/material body	Chrome Metallic	Chrome Metallic	White	Chrome Metallic	White	Chrome Metallic	White	Chrome Metallic	Chrome Metallic	White	Chrome Metallic	White
Colour/material door	Stainless Steel easyclean	Stainless Steel easyclean	White	Stainless Steel look-easyclean	White	Stainless Steel look-easyclean	White	-	Stainless Steel look-easyclean	White	Stainless Steel look-easyclean	White
Placement of temperature control	Exterior	Interior	Interior	Exterior	Exterior	Exterior	Exterior	Interior	Interior	Interior	Interior	Interior
Door hinge position	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible
Cooling circuits	2	2	2	2	2	2	2	2	2	2	1	1
Compressors	1	1	1	1	1	1	1	1	1	1	1	1
Temperature zones fridge	2	1	1	2	2	2	2	2	2	2	1	1
Temperature display fridge Electronic display	Exterior digital 2 x LCD	Interior digital LED	Interior digital LED	Exterior digital LED	Exterior digital LED	Exterior digital LED	Exterior digital LED	Interior digital LED				
	2 X LCD	LED	LED	LEU	LED	LED	LED	LED	LED	LED	LEU	LED
FOOD FRESHNESS SYSTEM												
Food preservation containers :	2 x VitaFresh Plus Chiller Boxes /	1 x VitaFresh Chiller Box /	1 x VitaFresh Chiller Box /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	VitaFresh Box	VitaFresh Box
rood preservation containers:	VitaFresh Plus Box		VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VILAFIESII DUX	VILAFIESII DUX
MultAirflow system	•		-	•	•	•	•	•	•	•	-	
KEY FEATURES - FRIDGE SECT	ION											
Thermometer		Digital	Digital	Digital	Digital	Divini.	D: 2-1	D: 21-1	D: 1-1	Digital	D: 21 I	B1 2 4
Range of temperature (°C)	Digital 0,4-8	Digital 4-8	Digital 4-8	Digital 0,4-8	Digital 4-8	Digital 4-8						
Fast SuperCool switch	•	•	-	•	•	•	•	•	•	•	-	
Shelf for bottles	•	•	•	•	•	•	•	•	•	•	•	•
Glass safety shelves	5	5	5	5	5	5	5	5	5	5	5	5
Number of easy pull-out shelves	4	2	2	4	4	3	3	3	3	3	2	2
FlexShelf for additional storage	-	-	-		-	-	-	-	-	-	-	
Egg racks	3	1	1	3	3	3	3	3	3	3	1	1
Large shelves/small shelves in door	2/2	1/3	1/3	1/3	1/3	1/3	1/3	4	1/3	1/3	1/3	1/3
2.5 litre water tank with Brita filter LED Top light/Side lights	•/•	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-
EasyLift flexible shelf in door	•	-	-	-	-	-	-	-	-	-	-	
Home Connect						-	-	-	-	-	-	
KEY FEATURES - FREEZER SEC	TION											
Freezer drawers/EasyAccess freezer box	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	2/1	3/-	3/-	3/-
Thermometer	Digital	Digital	Digital	Digita I	Digital	Digital	Digital	Digital	Digital	Digital	-	
Storage period in power failure (h)	20	44	44	20	20	16	16	17	16	16	23	23
Door bins	-	-	-	-	-	-	-	-	-	-	-	
NoFrost system	Full	LowFrost	LowFrost	Full	LowFrost	LowFrost						
Defrost process	NoFrost	Manual	Manual	NoFrost	Manual	Manual						
Thaw water drainage system for LowFrost		•	•	-	-	-	-	-	-	-	•	•
Door opened indicator Fast SuperFreeze switch	•	•	•	•	•	•	•	•	•	•	•	
Water dispenser	•	•	•	•	•							
FUNCTIONS												
Warning/malfunction signal	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible		-
DIMENSIONS AND INSTALLATION	ON											
Climate class	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	100	160	90	100	100	100	100	100	100	100	90	90
Current (A)	10	10	10	10	10	10	10	10	10	10	10	10
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50 240	50 240	50	50	50	50	50	50	50	50 240	50	50 240
Length electrical supply cord (cm)	240 203	240 201	240 201	240 203	240 201	240 201						
Height of the product (cm) Width of the product (cm)	70	70	70	70	70	60	60	60	60	60	60	60
Depth of the product (cm)	67	65	65	67	67	66	66	66	66	66	65	65
Depth with open door 90° (cm)	131	130	120	131	131	121	121	121	121	121	120	120
	2 x cold accumulator,	2 x cold accumulater,	2 x cold accumulator,	3 x egg tray,	3 x egg tray, ice							
Included accessories	3 x egg tray, ice cube tray with	3 x egg tray, ice cube tray with	3 x egg tray, ice cube tray with	ice cube tray with anti-spill lid	cube tray with lid							
	anti-spill lid	anti-spill lid	anti-spill lid									
EAN code	4242002942780	4242005101580	4242005101603	4242002942735	4242002923864	4242002953793	4242002953809	4242005060894	4242002954219	4242002881225	4242002798936	4242002798943

 $All \ models \ comply \ with \ COMMISSION \ REGULATION \ (EC) \ No \ 1275/2008 \ with \ regard \ to \ ecodesign \ requirements \ for \ standby \ and \ off \ mode \ electric \ power \ consumption.$ 

## Fridge freezer specifications

FRIDGE FREEZER TYPE	FRIDGE FREEZI	ERS 186CM HIG	H 60CM WIDE									
DESIGN FAMILY	SERIE 6	SERIE 6	SERIE 6	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4	SERIE 4
MODEL	KGN36HI32	KGN36AI35G	KGN36AW35G	KGE36VW4A	KGD36VI30G	KGN36XI35G	KGN36XW35G	KGN36IJ3AG	KGN36VL35G	KGN34XL35G	KGN34XW35G	KGN34VB35
PERFORMANCE AND CONSUMP	TION											
Energy efficiency class	A++	A++	A++	A+++	A++	A++	A++	A++	A++	A++	A++	A++
Energy consumption annual (kWh)	258	260	260	161	239	260	260	260	260	267	267	267
Total unit net capacity (litres)	320	324	324	302	319	324	324	324	324	319	319	319
Refrigerator net capacity (litres) Including Refrigerator 0° chiller boxes	234	237 24	237 24	214	233	237 24	237 24	237 24	237 24	214 24	214 24	214 24
Freezer net capacity (litres)	86	87	87	88	86	87	87	87	87	105	105	105
Noise level (dB[A] re 1 pW)	42	39	39	38	42	39	39	39	39	39	39	39
DESIGN FEATURES												
								Vario Style				
Main colour of product	Stainless Steel- easyclean	Stainless Steel- easyclean	White	White	Stainless Steel- easyclean	Stainless Steel- easyclean	White	interchangeable doors	Stainless Steel- easyclean	Stainless Steel- easyclean	White	Black
				Integrated vertical				Integrated vertical	Integrated vertical			Integrated verti
Door handle type	Vertical bar handle	Vertical bar handle	Vertical bar handle	handle	Vertical bar handle	Vertical bar handle	Vertical bar handle	handle	handle	Vertical bar handle	Vertical bar handle	handle
Colour/material body	Chrome Metallic	Chrome Metallic	White	White	Chrome Metallic	Chrome Metallic	White	Chrome Metallic	Chrome Metallic	Chrome Metallic	White	Black
Colour/material door	Stainless Steel-	Stainless Steel-	White	White	Stainless Steel-	Stainless Steel-	White		Stainless Steel	Stainless Steel	White	Black
	easyclean	easyclean			easyclean	easyclean			look-easyclean	look-easyclean		
Placement of temperature control	Exterior	Exterior	Exterior	Interior	Interior	Exterior	Exterior	Interior	Interior	Exterior	Exterior	Interior
Door hinge position	Right 2	Right, reversible 2	Right, reversible	Right, reversible 2	Right, reversible	Right, reversible	Right, reversible	Right, reversible 2	Right, reversible	Right, reversible	Right, reversible	Right, reversibl
Cooling circuits Compressors	1	1	1	1	1	1	1	1	1	1	1	1
Temperature zones fridge	1	2	2	1	1	2	2	2	2	1	1	2
Temperature display fridge	Exterior digital	Exterior digital	Exterior digital	Interior Digital	-	Exterior digital	Exterior digital	-	Interior digital	Exterior digital	Exterior digital	Interior digita
Electronic display	LED	LCD	LCD	LED	LED	LED	LED	LED	LED	LED	LED	LED
FOOD FRESHNESS SYSTEM												
	V51 F I DI	0. 15: 5 - 1.01	0.151.5		) ( , , , , , , , , , , , , , , , , , ,	0. 151-51	0.151.5	0.10.5.1	0. 15. 5	0. 15: 5: 1	0. 151. 5	0. 15: 5 - 1
Food preservation containers :	VitaFresh Plus Chiller Box /	2 x VitaFresh Plus Chiller Boxes /	2 x VitaFresh Plus Chiller Boxes /	VitaFresh Chiller	VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes /	2 x VitaFresh Chiller Boxes
	VitaFresh Plus Box	VitaFresh Plus Box	VitaFresh Plus Box	Box / VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box	VitaFresh Box
MultAirflow system	•	•	•	-	•	•	•	•	•	•	•	•
KEY FEATURES – FRIDGE SECTI	ON											
Thermometer	Digital	Digital	Digital	Digital	-	Digital	Digital	Digital	Digital	Digital	Digital	Digital
Range of temperature (°C)	4-8	0,4-8	0,4-8	4-8	0,4-8	0,4-8	0,4-8	0,4-8	4-8	0,4-8	0,4-8	0,4-8
Fast SuperCool switch	•	•	•	•	-	•	•	•	•	•	•	•
Shelf for bottles	•	•	•	•	•	•	•	•	•	•	•	•
Glass safety shelves	4	4	4	4	4	4	4	4	4	4	4	4
Number of easy pull-out shelves	2	2	2	2	2	2	2	2	2	2	2	2
FlexShelf for additional storage	1	3	3	1	1	3	3	3	3	3	3	3
Egg racks Large shelves/small shelves in door	1/2	2/1	2/1	1/2	1/2	1/2	1/2	3	1/2	1/2	1/2	1/2
2.5 litre water tank with Brita filter	-		-		•	-	-	-	-	-		
LED Top light/Side lights	-/•	•/•	•/•	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-
EasyLift flexible shelf in door	-	-	-	-	-	-	-	-	-	-	-	-
Home Connect	•	•	•	-	-	-	-	-	-	-	-	-
KEY FEATURES – FREEZER SECT	TION											
Freezer drawers/EasyAccess freezer box	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-
Thermometer	Digital	Digital	Digital	Digital	Digital	-	-	-	Digital	Digital	Digital	Digital
Storage period in power failure (h)	16	16	16	35	16	16	16	16	16	16	16	16
Door bins	-	-	-	-	-	-	-	-	-	-	-	-
NoFrost system	Full	Full	Full	LowFrost	Full	Full	Full	Full	Full	Full	Full	Full
Defrost process	NoFrost -	NoFrost	NoFrost	Manual	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost	NoFrost
Thaw water drainage system for LowFrost Door opened indicator	•		•	•	•		•	•	•		•	
Fast SuperFreeze switch	•	•	•	•	•	•	•	•	•	•	•	•
Water dispenser	-	-	-		-	-	-		-	-	-	
FUNCTIONS												
Warning/malfunction signal	Visual and audible	Vieual and audible	Vieual and audible	Visual and audible	Visual and audible	Visual and audible	Visual and audible	Viewal and audible	Audible	Vieual and audible	Visual and audible	Vieual and audit
		viouai dilu dudible	visuai dilu duulble	visuai dilu dudible	Fisuar dilu dudible	Floudi dilu dudible	Fisuar dilu duulble	viouai dilu duulDle	Audible	viouai dilu düülüle	+ ISUAI AIIU AUUIDIE	TIDUB DIIB IBUCIV
DIMENSIONS AND INSTALLATIO												
Climate class	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Connection rating (W)	160	100	100	90	160	100	100	100	100	100	100	100
-		10	10	10	10	10	10 220-240	10	10 220-240	10	10 220-240	10 220-240
Current (A)	10	220 240	220 240		220-240	220-240	220-240	220-240	220-240	220-240		
Current (A) Voltage (V)	220-240	220-240 50	220-240 50	220-240 50		50	50		50			50
Current (A) Voltage (V) Frequency (Hz)	220-240 50	50	50	50	50	50 240	50 240	50	50 240	50	50	50 240
Current (A) Voltage (V) Frequency (Hz) Length electrical supply cord (cm)	220-240					50 240 186	50 240 186		50 240 186			50 240 186
Current (A)  Voltage (V)  Frequency (Hz)  Length electrical supply cord (cm)  Height of the product (cm)	220-240 50 240	50 240	50 240	50 240	50 240	240	240	50 240	240	50 240	50 240	240
Current (A)  Voltage (V)  Frequency (Hz)  Length electrical supply cord (cm)  Height of the product (cm)  Width of the product (cm)	220-240 50 240 187	50 240 186	50 240 186	50 240 186	50 240 186	240 186	240 186	50 240 186	240 186	50 240 186	50 240 186	240 186
Current (A)  Voltage (V)  Frequency (Hz)  Length electrical supply cord (cm)  Height of the product (cm)  Width of the product (cm)  Depth of the product (cm)	220-240 50 240 187 60	50 240 186 60	50 240 186 60	50 240 186 60	50 240 186 60	240 186 60	240 186 60	50 240 186 60	240 186 60	50 240 186 60	50 240 186 60	240 186 60
Current (A)  Voltage (V)  Frequency (Hz)  Length electrical supply cord (cm)  Height of the product (cm)  Width of the product (cm)  Depth of the product (cm)	220-240 50 240 187 60 65 119.5	50 240 186 60 66 121	50 240 186 60 66 121	50 240 186 60 65 120 2 x cold	50 240 186 60	240 186 60 66	240 186 60 66	50 240 186 60 66	240 186 60 66	50 240 186 60 66 121	50 240 186 60 66 121	240 186 60 66 121
Current (A)  Voltage (V)  Frequency (Hz)  Length electrical supply cord (cm)  Height of the product (cm)  Width of the product (cm)  Depth of the product (cm)  Depth with open door 90° (cm)	220-240 50 240 187 60 65 119.5 3 x egg tray, 2 x cameras in the	50 240 186 60 66 121 2 x cold accumulator,	50 240 186 60 66 121 2 x cold accumulator,	50 240 186 60 65 120	50 240 186 60	240 186 60 66 121	240 186 60 66	50 240 186 60 66 121	240 186 60 66	50 240 186 60 66	50 240 186 60 66	240 186 60 66
Current (A)  Voltage (V)  Frequency (Hz)  Length electrical supply cord (cm)  Height of the product (cm)  Width of the product (cm)  Depth of the product (cm)	220-240 50 240 187 60 65 119.5 3 x egg tray, 2 x	50 240 186 60 66 121 2 x cold	50 240 186 60 66 121 2 x cold	50 240 186 60 65 120 2 x cold accumalator, egg tray, ice cube tray with	50 240 186 60 65	240 186 60 66 121	240 186 60 66 121	50 240 186 60 66 121	240 186 60 66 121	50 240 186 60 66 121 3 x egg tray, wave bottle holder, ice cube tray with	50 240 186 60 66 121 3 x egg tray, wave bottle holder, ice cube tray with	240 186 60 66 121 3 x egg tray, w bottle holder ice cube tray w
Current (A)  foltage (V)  requency (Hz)  ength electrical supply cord (cm)  Height of the product (cm)  Width of the product (cm)  Jepth of the product (cm)  Jepth with open door 90° (cm)	220-240 50 240 187 60 65 119.5 3 x egg tray, 2 x cameras in the fridge, ice cube	50 240 186 60 66 121 2 x cold accumulator, 3 x egg tray, ice	50 240 186 60 66 121 2 x cold accumulator, 3 x egg tray, ice	50 240 186 60 65 120 2 x cold accumalator, egg tray, ice	50 240 186 60 65 -	240 186 60 66 121	240 186 60 66 121	50 240 186 60 66 121 3 x egg tray, ice cube tray with	240 186 60 66 121	50 240 186 60 66 121 3 x egg tray, wave bottle holder, ice	50 240 186 60 66 121 3 x egg tray, wave bottle holder,	240 186 60 66 121 3 x egg tray, w. bottle holder

● = Yes - = No

For full specification details, please log onto our website and download a full specification sheet.

## Fridge freezer specifications

FRIDGE FREEZER TYPE	FRIDGE FREEZERS	S 186CM HIGH 60	CM WIDE			193CM HIGH 70C				
DESIGN FAMILY	SERIE 4	SERIE 4	SERIE 2	SERIE 2	SERIE 2	SERIE 4	SERIE 4	SERIE 4	SERIE 2	SERIE 2
MODEL	KGV36VL32G	KGV36VW32G	KGN34NL3AG	KGN34NW3AG	KGN36NW30G	KGN56XL30	KGV33VL31G	KGV33XW30G	KGN33NL3AG	KGN33NW3AG
PERFORMANCE AND CONSUMPTION	ON									
Energy efficiency class	A++	A++	A++	A++	A++	A++	A++	A++	A++	A++
Energy consumption annual (kWh)	226	226	242	242	235	325	219	219	290	290
Total unit net capacity (litres)	308	308	297	297	302	505	287	287	279	279
Refrigerator net capacity (litres)	214	214	192	192	215	400	193	193	192	192
Including Refrigerator 0° chiller boxes	-	-	-	-		38	-	-	-	-
Freezer net capacity (litres)	94	94	105	105	110	105	94	94	87	87
Noise level (dB [A] re 1 pW)	39	39	42	42	42	42	39	39	42	42
DESIGN FEATURES										
Main colour of product	Stainless Steel-	14/5.7	Stainless Steel-	14/5-71	With the	Stainless Steel-	Stainless	White	Stainless	White
Door handle type	easyclean Integrated vertical	White Integrated vertical	easyclean Integrated horizontal	White Integrated horizontal	White Integrated horizontal	easyclean Integrated vertical	Steel-easyclean Integrated vertical	Integrated vertical	Steel-easyclean Integrated horizontal	Integrated horizontal
	handle	handle	handle	handle	handle	handle	handle	handle	handle	handle
Colour/material body	Chrome Metallic	White	Chrome Metallic	White	White	Chrome Metallic	Chrome Metallic	White	Chrome Metallic	White
Colour/material door	Stainless Steel look- easyclean	White	Stainless Steel look- easyclean	White	White	Stainless Steel look- easyclean				
Placement of temperature control	Interior	Interior	Interior	Interior	Interior	Exterior	Interior	Interior	Interior	Interior
Door hinge position	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible	Right, reversible
Cooling circuits	1	1	1	1	1	2	1	1	1	1
Compressors	1	1	1	1	1	1	1	1	1	1
Temperature zones fridge	1	1	1	1	1	2	1	1	1	1
Temperature display fridge	Interior digital	Interior digital	Interior digital	Interior digital	Interior digital	Exterior digital	Interior digital	Interior digital	Interior digital	Interior digital
Electronic display	LED	LED	LED	LED	LED	LED	LED	LED	LED	LED
FOOD FRESHNESS SYSTEM										
Food preservation containers	VitaFresh Box	VitaFresh Box	MultiBox	MultiBox	MultiBox	2 x VitaFresh Chiller Boxes / VitaFresh Box	VitaFresh Box	VitaFresh Box	MultiBox	MultiBox
MultiAirflow system	-	-	•	•	•	•	-	-	•	•
KEY FEATURES - FRIDGE SECTION	1									
Thermometer	Digital	Digital		_		Digital	-		-	
Range of temperature (°C)	4-8	4-8	4-8	4-8	4-8	0,4-8	4-8	4-8	4-8	4-8
Fast SuperCool switch	-	-	-	-		•	-	-	-	-
Shelf for bottles		•				•		•	-	_
Glass safety shelves	4	4	4	4	2	5	4	4	3	3
Number of easy pull-out shelves	2	2	2	2	3	3	2	2	2	2
FlexShelf for additional storage		-		-		-		-		-
Egg racks	3	3	3	3	3	3	3	3	3	3
Large shelves/small shelves in door	1/2	1/2	1/2	1/2	1/3	1/3	1/2	1/2	1/2	1/2
2.5 litre water tank with Brita filter	-,-	-,-	-,-	-,-	-, -	-,-	-, -	-,-	-,-	-,-
LED Top light/Side lights	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-	•/-
EasyLift flexible shelf in door	-,	- 7	-,	- /	-		-,	-,	-,	- /
Home Connect	-	-	-	-	-	-	-	-	-	-
KEY FEATURES - FREEZER SECTION	ON .									
Freezer drawers/EasyAccess freezer box	3/-	3/-	3/-	3/-	2/1	3/-	3/-	3/-	3/-	3/-
Thermometer	-	-	Digital	Digital	Digital	Digital		-	Interior	Interior
Storage period in power failure (h)	23	23	19	19	19	17	23	23	19	19
Door bins	-	-	-	-	-	-	-	-	-	-
NoFrost system	LowFrost	LowFrost	NoFrost	NoFrost	NoFrost	Full	LowFrost	LowFrost	NoFrost	NoFrost
Defrost process	Manual	Manual	Automatic	Automatic	Automatic	NoFrost	Manual	Manual	Automatic	Automatic
Thaw water drainage system for LowFrost	•	•	-	-	-	-	•	•	-	-
Door opened indicator	-	-	•	•	•	•	-	-	•	•
Fast SuperFreeze switch	•	•	•	•	•	•	•	•	•	•
Water dispenser		-	-	-	-	-				
FUNCTIONS										
Warning/malfunction signal		-	Visual and audible	Visual and audible		Visual and audible	-	-	Visual and audible	Visual and audible
DIMENSIONS AND INSTALLATION										
Climate class	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T	SN-T
Connection Rating (W)	90	90	100	100	100	100	90	90	100	100
Current (A)	10	10	10	10	10	10	10	10	10	10
Voltage (V)	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240	220-240
Frequency (Hz)	50	50	50	50	50	50	50	50	50	50
Length electrical supply cord (cm)	240	240	240	240	240	240	240	240	240	240
Height of the product (cm)	186	186	186	186	186	193	176	176	176	176
Width of the product (cm)	60	60	60	60	60	70	60	60	60	60
Depth of the product (cm)	65	65	66	66	66	80	65	65	66	66
Depth with open door 90° (cm)	120	120	121	121	121	145	120	120	121	121
Included accessories	Egg tray,	Egg tray,	3 x egg tray, ice cube			3 x egg tray, ice cube	3 x egg tray,	3 x egg tray,	3 x egg tray	3 x egg tray
	ice cube tray	ice cube tray	tray with anti-spill lid	tray with anti-spill lid	3 x egg tray	tray with lid	ice cube anti-spill tray	ice cube anti-spill tray		
EAN code	4242002799827	4242002799834	4242005053421	4242005053438	4242002878713	4242002907024	4242002800684	4242002800820	4242005081721	4242005081714


<sup>• =</sup> Yes -= No

All models comply with COMMISSION REGULATION (EC) No 1275/2008 with regard to ecodesign requirements for standby and off mode electric power consumption.


For full specification details, please log onto our website and download a full specification sheet.

## Cooling technical diagrams


### American-style fridge freezer



### KAD90VI20G / KAI90VI20G / KAN90VI20G / KAG90AI20G / KAD90VB20G



KAN92LB35G N.B. Doors need to be able to be opened to a minimum of 160° angle to allow the drawers to be fully accessible



KAN92VI35 / KAD92AI20G N.B. Doors need to be able to be opened to a minimum of 122° angle to allow the drawers to be fully accessible

All diagram measurments are in millimetres (mm)

We try to keep up to date with constant technological improvements, so from time to time we may update installation guidelines. Therefore we strongly recommend that you download the latest installation guidelines from www.bosch-home.co.uk. Line drawings are for guidance only, and we recommend that you refer to the latest installation guidelines. Though every care is taken to ensure instructions are correct at the time of printing, Bosch cannot accept responsibility for incorrect planning or installation as a result of the use of these line drawings.

## American-style fridge freezer specifications

DESIGN FAMILY	SERIE 8	SERIE 8	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 6	SERIE 4
MODEL	KAN92LB35G	KAD92AI20G	KAN92VI35	KAG90AI20G	KAD90VI20G	KAI90VI20G	KAD90VB20G	KAN90VI20G
Stainless Steel look		•	•	•	•	•		•
Black	•	-	•	-	-	-	•	-
PERFORMANCE AND CONSUMPTION								
Energy efficiency class	A++	A+	A++	A+	A+	A+	A÷	A+
Annual energy consumption (kWh)	385 592	443 541	389 604	432 522	436 533	432 523	436 533	475 573
Total unit net capacity (litres) Refrigerator net capacity (litres)	375	368	387	359	370	360	370	373
Freezer net capacity (litres)	202	158	217	157	163	163	163	200
Noise level (dB [A] re 1pW)	43	43	43	43	43	43	43	44
DESIGN FEATURES								
Colour of sides	Chrome Inox-Metallic	Chrome Inox-Metallic	Chrome Inox-Metallic	Grey	Grey	Grey	Black	Grey
Type of handle	Integrated vertical	Vertical bar	Vertical bar	Vertical bar	Vertical bar	Vertical bar	Vertical bar	Vertical bar
Door hinge	Left and right	Left and right	Left and right	Left and right	Left and right	Left and right	Left and right	Left and right
Type of hinge	-	-	-	-	-	-	-	-
Reversible door, hinged on right	-	-	-	-	-	-	-	-
Light wattage - refrigerator	-	-	-	-	-	-	-	-
Light	•	•	•	•	•	•	-	•
LED light		-		-		-	-	-
Number of cooling circuits	1 2	1 2	1 2	1	1	1	1	1
Number of cooling circuits Number of evaporators		2	2	1	1	1	1	1
Number of temperature zones fridge	1	1	1	-	1	1	1	1
		•	1			•		•
FOOD FRESHNESS SYSTEMS								
Range of temperatures (°C)	-	-	-	4-8	-	-	-	-
Interior ventilation through plinth	•		-	-	-	-	-	-
Humidity control drawer	-	•	•	-	-	-	-	-
AntiBacterial	1 x VitaFresh Plus /1 x	2 x VitaFresh Plus /1 x	1 x VitaFresh Plus /1 x	2 x MultiBox /1 x	2 x MultiBox	2 x MultiBox	2 x MultiBox	2 x MultiBox
Food preservation containers	MultiBox	MultiBox	MultiBox	FreshProtect Box	Z X MUILIDUX	2 X MUIUDUX	Z X MUILIDUX	2 X MUILIDUX
MultiAirflow system	•	•	•	•		-	-	-
KEY FEATURES - FRIDGE SECTION								
				<u> </u>				
Number of temperature zones	1	1	1	1	1	1	1	1
Number of vegetable containers with ribbed bottom and humidity control	1	1	1	2	-	-	-	-
Number of shelves	5	4	4	3	3	4	4	4
Number of glass safety shelves		4	3	3	3	4	4	4
Number of adjustable shelves		3	3	1	1	-	-	-
Type of shelves	-	Partial extension	Partial extension	Stationary	-	-	-	-
Drawers with telescopic rails	3	1	1	2	2	1	1	2
Number of door bins	2	5	4	4	4	-	-	-
Tilt-out door bins	•	•	•	•	•	-	-	-
Number of door shelves		4	5	4	4	4	4	4
Number of containers	3	3	2	3	-	-	-	-
EasyLift flexible shelf in door Fast cooling switch	•	•	•	•	•	•	•	•
Included accessories	•	Connection hose,	-	Connection hose,	Connection hose,	Connection hose,	Connection hose,	
Illicituded accessories		egg tray	Egg tray	egg tray	egg tray	egg tray	egg tray	Egg tray
VEVER ATURES. ERESTER SECTION		,		-00-7	430 7			
KEY FEATURES - FREEZER SECTION								
Starrating	4	4	4	4	4	4	4	4
Number of drawers	2	2	2	2	2	2	2	2
NoFrost system	•	•	•	•	•	•	:	•
	•	•		•	•	_		•
Fast freezing switch Shelf adjustability	•	•	•	•	•	•		•
Fast freezing switch Shelf adjustability Automatic motor-driven ice-maker		-	-	-	•	•	-	•
Shelf adjustability		-	-	-	•	•	-	•
Shelf adjustability Automatic motor-driven ice-maker		-	-	-	•	•	-	• • • •
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator		-	-	•	•	•	-	
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank	- - - - - 2 x cold accumulator,	-	-	•	•	•	•	•
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories			-	•	•	•	•	• • • • • • •
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter	- - - - - 2 x cold accumulator,		-	•	•	•	•	• • • • • •
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS Electronic display	- - - - - 2 x cold accumulator,	2 x cold accumulator	-	•	•	•	•	• • • • •
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS Electronic display Temperature display fridge	2 x cold accumulator, egg tray	2 x cold accumulator		•	•	•	•	
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS  Electronic display Temperature display fridge Warning/malfunction signal	2 x cold accumulator, egg tray	2 x cold accumulator	•	•	•	•	•	:
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS  Electronic display Temperature display fridge Warning/malfunction signal Door opened indicator	2 x cold accumulator, egg tray	2 x cold accumulator		•	•	•	•	
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS  Electronic display Temperature display fridge Warning/malfunction signal	2 x cold accumulator, egg tray	2 x cold accumulator	•	•	•	•	•	:
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS  Electronic display Temperature display fridge Warning/malfunction signal Door opened indicator	2 x cold accumulator, egg tray	2 x cold accumulator	•	•	•	•	•	:
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS Electronic display Temperature display fridge Warning/malfunction signal Door opened indicator  DIMENSIONS AND INSTALLATION Climate class Height of the product (cm)	2 x cold accumulator, egg tray	2 x cold accumulator	SN-T 175.6	SN-T 177	SNT 177	SN-T 177	SNT 177	SN-T 177
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS  Electronic display Temperature display fridge Warning/malfunction signal Door opened indicator  DIMENSIONS AND INSTALLATION  Climate class Height of the product (cm) Width of the product (cm)	2 x cold accumulator, egg tray  SN-T 175.6 91.2	2 x cold accumulator  SN-T 175.6 91.2	SN-T 175.6	SN-T 1777 91	SN-T 177 91	SN-T 1777 91	SN-T 177 91	SN-T 177 91
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS Electronic display Temperature display fridge Warning/malfunction signal Door opened indicator  DIMENSIONS AND INSTALLATION  Climate class Height of the product (cm) Width of the product (cm) Depth of the product (cm)	2 x cold accumulator, egg tray  SN-T 175.6 91.2 73.2	2 x cold accumulator  SN-T 175.6 91.2 73.2	SN-T 175.6 91.2 73.2	SN-T 177 91 72	SN-T 177 91 72	SN-T 177 91 72	SNT 177 91 72	SN-T 177 91 72
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS Electronic display Temperature display fridge Warning/malfunction signal Door opened indicator  DIMENSIONS AND INSTALLATION  Climate class Height of the product (cm) Width of the product (cm) Depth of the product (cm) Width with open door 90° (cm)	2 x cold accumulator, egg tray  SN-T 175.6 91.2 73.2 95	SN-T 175.6 91.2 73.2 94.84	SN-T 175.6 91.2 73.2 94.84	SN-T 177 91 72 166	SN-T 177 91 72 166			
Shelf adjustability Automatic motor-driven ice-maker Water filter replacement indicator Water tank Dispenser – crushed ice, ice cubes, quick ice, water, water filter Included accessories  FUNCTIONS Electronic display Temperature display fridge Warning/malfunction signal Door opened indicator  DIMENSIONS AND INSTALLATION  Climate class Height of the product (cm) Width of the product (cm) Depth of the product (cm)	2 x cold accumulator, egg tray  SN-T 175.6 91.2 73.2	2 x cold accumulator  SN-T 175.6 91.2 73.2	SN-T 175.6 91.2 73.2	SN-T 177 91 72	SN-T 177 91 72	SN-T 177 91 72	SNT 177 91 72	SN-T 177 91 72

<sup>● =</sup> Yes -= No

## Freestanding microwave specifications

OVEN TYPE	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVEN	MICROWAVE OVEN WITH GRILL	MICROWAVE OVE	
DESIGN FAMILY	SERIE 2	SERIE 2	SERIE 2	SERIE 2	SERIE 2	
Brushed Steel	HMT84M451B	HMT75G451B	HMT75M451B	HMT72G450B	HMT72M450B	
Black	HMT84M461B		HMT75M461B		-	
White	HMT84M421B		HMT75M421B		-	
DESIGN						
Electronic controls	•	•	•		-	
Control Dial	•	•	•	•	•	
Retractable control dial	1	1	1		-	
Push buttons	•	•	•	•	•	
Left hinged door	•	•	•	•	•	
Door Open Button	•	•	•	•	•	
FEATURES						
Electronic clock timer	Red LED	Red LED	Red LED		-	
Interior lights	1 standard	1 standard	1 standard	1 standard	1 standard	
Max. 99 minute timer	•	•	•		-	
Max. 60 minute timer	-			•	•	
Stainless steel interior		•			-	
Laguered interior	•		•	•	•	
Glass turntable	•	•	•	•	•	
PROGRAMMES / FUNCTIONS						
Microwave	•	•	•	•	•	
Quartz grill	-	•		•		
Microwave and Grill Combination operation	-	•	-	•	-	
Microwave/grill combination programmes		1				
Automatic programmes	7	8	7			
Memory function	•	•	•		-	
PERFORMANCE / TECHNICAL INFORMA	ATION					
Cavity dimensions (HxWxDmm)	215x337x354	194x290x274	194x290x274	194x290x274	194x290x274	
Useable oven capacity (L)	25	17	17	17	17	
Microwave distribution	Turntable	Turntable	Turntable	Turntable	Turntable	
Turntable diameter (mm)	315	245	245	245	245	
Maximum microwave power (W)	900	800	800	800	800	
Number of microwave power levels	5	5	5	5	5	
Grill power (W)		1000		1000	5	
Griii power (W) Voltage (V)	230	230	230	230	230	
			1270		1270	
Total connected loading (W)	1450	1270		1270		
Cable length (cm) GB plug	130	130	130	130	130	
STANDARD ACCESSORIES		•		· ·		
		,		,		
Wire rack Turntable	1	1 1	1	1 1	- 1	

<sup>• =</sup> Yes -= No



Download a copy of our catalogues online at **www.bosch-home.co.uk** or call **0344 892 8979** 

### **Contact Bosch Customer Service**

To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit

www.bosch-home.co.uk or call 0344 892 8979

Republic of Ireland customers should visit **www.bosch-home.ie** to arrange an engineer's visit, or to order spare parts and accessories, or call

(01) 450 2655





Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Disclaimer: This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. We recommend a visit to a Bosch dealer to confirm that specifications and colours are to your satisfaction.

This brochure is printed on environment-friendly chlorine-free bleached paper.

April 2018.

### **BSH Home Appliances Limited**

Grand Union House
Old Wolverton Road, Wolverton
Milton Keynes MK12 5PT
www.bosch-home.co.uk

**BSH Home Appliances Limited** 

M50 Business Park Ballymount, Dublin 12 **Tel: 1890 626 041** 

www.bosch-home.ie



Stock code: 2018BOSCHFS