

# CDA

*Built for your life*



Appliances • Sinks • Taps

March 2019



# Why choose CDA?



## ISO9001 accredited



FS 532687

CDA have achieved ISO9001 accreditation, recognising our commitment to continuous improvement.

## Our assurance of quality

Our on-site testing laboratory ensures that only safe, reliable products are brought to market. We test to the British consumers' exacting standards without compromise.

## Dedicated engineers

We use our own dedicated service engineers, equipped with a large range of CDA spare parts allowing them to achieve an excellent first time fix rate.

## In-house Customer Care Department

Our in-house Customer Care Department, based at our head office in Nottinghamshire, is made up of highly knowledgeable and experienced staff who will support you throughout the lifetime of your product.

## Over 25 years experience

Established for over 25 years, CDA have built a reputation for stylish, innovative and award winning products that consistently deliver outstanding results.

## More deliveries to you

CDA deliver to retailers and kitchen studios daily so your new appliances will arrive quickly. All of our stock is held at our warehousing facilities in Nottinghamshire which are ideally located to ensure efficient and fast distribution across the UK.

## Part of the Amica Group PLC

In December 2015, CDA became part of the Amica Group.

Amica, a kitchen appliance manufacturer based in Poland, operate in 50 countries worldwide and have over 70 years' experience in the industry.

CDA share the same vision of providing the best products possible, as well as our values of good environmental practice, and together we can deliver even more for customers.



## Our guarantee

All CDA appliances are covered by a 5 year parts and 2 year labour guarantee for complete peace of mind.



“Quality is something we respect and strive for in our products, our people and our service. Our reputation is built on delivering genuine quality through those three foundations every single day.”

*Ian*  
Ian Kershaw  
CDA founder and Chairman

COOKING

Freestanding cookers	10
Single ovens	18
Compacts	28
Double ovens	38
Hobs	48
Extractors	72

COOLING

Refrigeration	96
Wine coolers	120

WASHING

Dishwashers	132
Laundry	142

SINKS & TAPS

Sinks	150
Taps	184
Accessories	183, 198-202

Oven functions explained



Oven light

This illuminates the oven cavity for easy viewing of food during cooking.



Defrost

Using the fan only, this oven function circulates the air around the oven cavity, speeding up the natural defrosting process.



Conventional oven/Eco conventional oven

This function uses the top and bottom heating elements only. Natural convection creates a perfect cooking zone in the centre of the oven, ideal for dark fruit cakes and pastries.

The Eco setting on the fan oven or conventional oven uses residual heat to finish cooking your meal, saving energy.



Fan-assisted oven

Using the fan to circulate the heat produced by the top and bottom heating elements, this function distributes the heat around the oven to give an even temperature throughout.



Fan oven/Eco fan oven

Using the circular heating element and the fan, this cooking function circulates heated air around the oven cavity; temperatures are achieved quickly reducing the need for preheating. Both cooking temperature and cooking time can be reduced for a more energy efficient cooking programme. This is perfect for cooking various food types simultaneously as foods are sealed quickly to prevent flavour transfer.

The Eco setting on the fan oven or conventional oven uses residual heat to finish cooking your meal, saving energy.



Fan cooking with lower heat

Using the fan element to enhance the main heat being produced by the lower heating element, this function is perfect for cooking pizzas.



Fan cooking with upper heat

Uses the fan element and the top element to create a gentle heat, ideal for reheating already cooked foods or keeping food warm.



Fan with lower heat

The fan circulates the heat produced by the bottom heating element, ideal for one pot dishes such as casseroles or curries.



Browning oven

The perfect finishing touch, using the top element only this function browns and crisps food with conventional heat. This is ideal for cauliflower or macaroni cheese.



Warming oven

Using heat produced only by the bottom element, this natural heat is perfect for dough proving and blind baking.



Eco clean/Aqualytic clean

The Eco setting creates hot steam from water in the oven tray to loosen dirt and grease.

The Aqualytic cleaning function uses water to steam clean the interior of your oven, loosening grease and dirt from the enamel.



Full grill/Half grill

This fully variable grill is ideal for grilling a full family meal.

Some ovens offer a half grill option, using just the centre section for grilling smaller quantities.



Fanned electric grill/Fanned half electric grill

This uses the grill element and the fan to circulate the heat around the food.

Selected ovens offer a half fanned grill option, using just the centre section for grilling smaller quantities.



Steam oven

Cooking with the power of steam alone locks more nutrients into your food. Steaming is the healthier option for cooking meat, fish, vegetables and fruits.



Pyrolytic cleaning

This function raises the temperature of your oven to 450°C, reducing any food deposits to a fine ash which can then be easily wiped away from the oven interior.

Full pyrolytic clean - 2 hours.



Gas oven

Heat rises from the gas burner at the base of the oven. This method of cooking (hot at the bottom, cooler at the top) is perfect for family meals, as foods can be cooked at different temperatures at the same time.



Gas grill

This variable gas grill is used with the door ajar, giving you perfect results when grilling chops, burgers and sausages.



Fanned gas oven

Heat rises from the gas burner at the base of the oven and is distributed by a fan, creating an even cooking temperature.



Microwave function

Food is cooked from the outside in using microwaves, making this style of cooking quick and convenient.



Microwave and grill

Food is cooked from the outside in using microwaves with the added feature of the grill browning the food.



Microwave and fan oven

Food is cooked using microwaves and browned on the outside by the fan oven.



Microwave, grill and fan oven

This function combines the microwave function and the fan oven to cook food thoroughly and brown the top for a perfect oven finish.

# Freestanding cookers

Our contemporary freestanding cookers are designed to be beautiful in both form and function.



## Fuel types

Whether you prefer to cook with gas, ceramic, induction or a combination, we have a cooker to suit.

Features that we have included to enhance your cooking experience include booster functions to speed up your cooking time and a range of handy safety features including child lock and residual heat indicators to give you peace of mind during and after cooking.

## Gas model

If you are looking for an all-gas cooker, the CFG610 is ideal for your kitchen. Featuring all the standard safety and automatic ignition elements that you would expect from a CDA gas hob this model comes with cast iron pan supports as standard. There is a wok burner to take you from everyday cooking to a theatrical cooking experience.



## Electric models


For practical, easy to clean cooking the ceramic hob and electric oven CFC630 cooker is perfect. It comes with a shatterproof Schott Ceran™ glass hob surface that is easy to wipe clean. It is an extremely stable material that is resistant against abrupt temperature changes. It is also designed to withstand daily wear and tear that can occur in the kitchen whilst cooking. The glass is able to transfer heat quickly and efficiently so that it is transmitted directly to the pots and pans, keeping the rest of the hob relatively cool. This makes it both safe and energy efficient. Ceramic glass is suitable for all kinds of heating technologies - ceramic, induction and gas.

## Induction model

Induction cooking is fast, efficient and clean with an easily wipeable surface made from Schott Ceran™ ceramic glass.

The technology on the CFN670 induction cooker is easy to use with a touch control panel on the hob surface. There are 4 power boosters for rapid boiling and frying and extra features including a key lock for safety and keep warm functions.

Induction cooking requires ferromagnetic pans (a magnet will stick to the base of the pan if it is compatible with induction hobs). High quality, flat based pans work best with induction and new pans will carry this symbol on the packaging to show they can be used.



## Dual fuel model

The CFD650 is our dual fuel model in the freestanding cooker range. The quick and responsive heat from the gas on glass hob will allow you to cook quickly and effectively using the 4 burners available. The electric fan oven provides an even temperature around the cavity ensuring your meals are cooked to perfection.



## Quick guide to freestanding cookers

Our range of freestanding cookers offer powerful and precise cooking technology. We've included extra features throughout the range to enhance the cookers from cast iron pan supports to large cavity ovens and dual zone cooking.

### Gas



#### CFG610

- 60cm freestanding cooker, gas ovens, gas on glass hob
- 2/2 functions
- Touch control programmer

More details on p14

### Ceramic



#### CFC630

- 60cm freestanding cooker, electric ovens, ceramic hob
- 3/5 functions
- Touch control programmer

More details on p16

### Gas



#### CFD650

- 60cm freestanding cooker, electric ovens, gas on glass hob
- 3/5 functions
- Touch control programmer

More details on p15

### Induction



#### CFN670

- 60cm freestanding cooker, electric ovens, induction hob
- 3/5 functions
- Touch control programmer

More details on p17



CFG610  
60cm double cavity freestanding cooker, gas ovens, gas on glass hob

Main oven



Second oven



- Hob features

  - 4 burners
  - Gas on glass
  - Automatic ignition
  - Cast iron pan supports
  - Flame failure included
  - Wok burner
- Oven features

  - Easy clean enamel interior
  - Cooling fan
  - Interior lights
  - Chromed rack sides with integrated anti-tilt shelves
  - Touch control programmable electronic clock/timer
  - Double glazed door with removable inner door glass for easy cleaning
  - Removable doors
  - Main oven door side opening
- Accessories


  - Cast iron wok support
  - 2 flat oven shelves
- 1 spacesaver shelf
  - 1 grill pan with grid
  - 1 grill pan handle
  - LPG conversion kit included

Available in

  - Stainless steel
- Energy efficiency rating

  - Energy rating (main oven): A
  - Energy rating (second oven): A

Power supply required: 3A



CFD650  
60cm double cavity freestanding cooker, electric ovens, gas on glass hob

Main oven



Second oven



- Hob features

  - 4 burners
  - Gas on glass
  - Automatic ignition
  - Cast iron pan supports
  - Flame failure included
  - Wok burner
- Oven features

  - Easy clean enamel interior
  - Cooling fan
  - Interior lights
  - Chromed rack sides with integrated anti-tilt shelves
  - Touch control programmable electronic clock/timer
  - Double glazed door with removable inner door glass for easy cleaning
  - Removable doors
  - Main oven door side opening
- Accessories


  - Cast iron wok support
  - 2 flat oven shelves
- 1 spacesaver shelf
  - 1 grill pan with grid
  - 1 grill pan handle
  - LPG conversion kit included

Available in

  - Stainless steel
- Energy efficiency rating

  - Energy rating (main oven): A
  - Energy rating (second oven): A

Power supply required: 20A





CFC630  
60cm double cavity freestanding cooker, electric ovens, ceramic hob

Main oven

Second oven



- Hob features

  - 4 zones
  - 6 power levels
  - Easy clean surface
  - Ceramic shatterproof safety glass
  - Residual heat indicators
  - Temperature limiter
- Oven features

  - Easy clean enamel interior
  - Cooling fan
  - Interior lights
  - Chromed rack sides with integrated anti-tilt shelves
  - Touch control programmable electronic clock/timer
  - Double glazed door with removable inner door glass for easy cleaning
  - Removable doors
  - Main oven door side opening
- Accessories


  - 2 flat oven shelves
- 1 spacesaver shelf
  - 1 grill pan with grid
  - 1 grill pan handle
- Available in

  - Stainless steel
- Hob specification

  - Front left:
    - 120mm: 0.75kW
    - 120mm: 2.2kW
  - Front right, 145mm: 1.2kW
  - Rear left, 145mm: 1.2kW
  - Rear right, 180mm: 1.8kW
- Technical specification

  - Main oven useable capacity: 67L
  - Second oven useable capacity: 44L
  - Rated electrical power: 10.9kW
  - Power supply required: 45A
- Energy efficiency rating

  - Energy rating (main oven): A
  - Energy rating (second oven): A



CFN670  
60cm double cavity freestanding cooker, electric ovens, induction hob

Main oven

Second oven



- Hob features

  - 4 zones
  - Electronic touch control
  - 9 power levels
  - Booster function on all zones
  - Easy clean surface
  - Ceramic shatterproof safety glass
  - Residual heat indicators
  - 99 minute timer
  - Keep warm function
  - LED display
  - Safety key lock
  - Overflow detection
  - Overheat detection
  - Automatic pan detection
  - Small object detection
  - Auto safety switch off
  - Time limit security system
  - Temperature limiter
- Oven features

  - Easy clean enamel interior
  - Cooling fan
  - Interior lights
- Accessories


  - 2 flat oven shelves
- Chromed rack sides with integrated anti-tilt shelves
  - Touch control programmable electronic clock/timer
  - Double glazed door with removable inner door glass for easy cleaning
  - Removable doors
  - Main oven door side opening
- Available in

  - Stainless steel
- Hob specification

  - Front left, 210mm: 2kW, 2.8kW with booster
  - Front right, 160mm: 1.2kW, 1.4kW with booster
- Technical specification

  - Main oven useable capacity: 67L
  - Second oven useable capacity: 44L
  - Rated electrical power: 11.9kW
  - Power supply required: 32A
- Energy efficiency rating

  - Energy rating (main oven): A
  - Energy rating (second oven): A



# Single ovens

Our expertise in appliance manufacturing means that whichever of our many stylish models you choose, you can be certain of high performance, advanced technology and, of course, reliability.



## Stylish aesthetics

Our range of single ovens offers considered design features that will complete your kitchen perfectly. From ergonomically designed control knobs to brushed steel finish door handles and side strips, whichever model you choose, you can be sure that every detail has been deliberated to bring you the best in function and style.



## More space

CDA's range of single ovens, SK110, SK210, SK310, SK410 and SK511 feature an extra-large cavity with a net capacity of 76L. In real terms, this extra usable cooking space, plus additional shelf positions, will allow you to achieve better cooking results with more food in the oven at the same time.

The range features an energy rating of A and built in safety features, such as anti-tilt shelving to reduce accidents when removing hot food from the oven, as standard.

With extra shelf positions available on the SK110, SK210, SK310, SK410 and SK511 oven models, up to 6 trays of cookies may be baked at once. This extra space means that you will also have no problem roasting a joint of meat, potatoes and vegetables together for a special family meal.





### Door glass

The SG120, SK110 and SK210 come with double glazed doors with removable inner glass for easy cleaning. The SC620, SK310 and SK410 are fitted with triple glazed doors and the SK511 pyrolytic oven is quadruple glazed. This enables the door to remain cool to the touch when cooking at high temperatures.

### Easy clean enamel interior

Our ovens have a smooth, easy clean enamel interior. By using the highest grade of enamel during production, the oven walls are less porous and therefore much less susceptible to absorbing grease and residue from food whilst cooking; this results in an easy to maintain oven with effortless cleaning.



### Lateral halogen lights

The halogen lighting inside the SK310 and SK410 models provides clear illumination whilst cooking, allowing you to easily check the progress of your meal. By removing the need to open the oven door during cooking, an even temperature can be maintained to produce perfect results every time.



### Full touch control

Our SK410 and SK511 touch control models have discrete icons that are illuminated and clearly visible when in use but barely noticeable when not.

For uninterrupted clean lines across your integrated CDA appliances why not choose a matching VK702 steam oven, VK902 compact combination microwave, grill and fan oven, VW152 push-push warming drawer or VC801 automatic coffee maker.

### Self cleaning

Spend less time on chores by choosing the SK511 pyrolytic oven. The self-cleaning programme on the SK511 oven will allow you to get on with other things whilst your oven 'cleans itself'. The programme works by automatically locking the door, for your family's safety and heating the internal oven cavity to over 450°C to incinerate residual cooking fat or spills to a fine ash. All you need to do is simply wipe away the small amount of ash from the bottom of your oven after the cycle has finished. What's more, running a pyrolytic programme costs around 45p; much cheaper than branded oven cleaners.



### Memory function

The SK410 and SK511 ovens have a useful memory function that can be used to save a setting that you frequently use. These models save you time by remembering the oven function and temperature. Simply touch the "memory" key to call up and run the function.



# Quick guide to single ovens

CDA offer a choice of designs and features to meet a broad range of tastes.

*Products with this icon have a huge 76L net capacity providing plenty of room to cook for the whole family.*



**SG120**

- 5 function gas oven
- Capacity: 56L net
- Available in stainless steel or white

More details on p24



**SC620**

- 7 functions
- Reversible side opening
- Capacity: 59L net

More details on p24



**SK410**

- 10 functions
- Full touch control
- Capacity: 76L net

More details on p26



**SK511**

- 11 functions
- Full touch control
- Pyrolytic
- Capacity: 76L net
- Available in stainless steel or black

More details on p27



**SK110**

- 4 functions
- Capacity: 76L net

More details on p25



**SK210**

- 4 functions
- Capacity: 76L net

More details on p25



**SK310**

- 7 functions
- Capacity: 76L net
- Available in stainless steel or black

More details on p26



**SK381**

- 8 functions
- 90cm extra wide capacity
- Capacity: 87L net

More details on p27





Stainless steel



White

### SG120

Five function gas oven



#### Features

- 60 minute minder
- Easy clean enamel interior
- Interior light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable door with removable inner glass for easy cleaning
- Flame failure safety device included

#### Accessories


- 2 flat oven shelves
- 1 grill pan with grid
- LPG conversion kit included

#### Available in

- Stainless steel
- White

#### Technical specification

- Rated gas input: 2.7kW
- Rated electrical power: 60W
- Power supply required: 3A
- Total useable capacity: 56L net



### SC620

Seven function electric side opening oven



#### Features

- Touch control
- programmable clock/timer
- Easy clean enamel interior
- Interior halogen light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- Reversible side opening door

#### Accessories


- 2 flat oven shelves
- 1 grill pan with grid

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 2kW
- Power supply required: 13A
- Total useable capacity: 59L net



### SK110

Four function electric fan oven



#### Features

- Easy clean enamel interior
- Interior halogen light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable door with removable inner glass for easy cleaning
- 6 shelf positions

#### Accessories


- 2 flat oven shelves
- 1 grill pan with grid

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 2.16kW
- Power supply required: 13A
- Total useable capacity: 76L net



### SK210

Four function electric fan oven



#### Features

- Touch control
- programmable clock/timer
- Easy clean enamel interior
- Interior halogen light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable door with removable inner glass for easy cleaning
- 6 shelf positions

#### Accessories


- 2 flat oven shelves
- 1 grill pan with grid

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 2.16kW
- Power supply required: 13A
- Total useable capacity: 76L net





Stainless steel



Black

### SK310

Seven function electric oven



#### Features

- Touch control programmable clock/timer
- Easy clean enamel interior
- Offset lateral halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- 6 shelf positions

#### Accessories


- 2 flat oven shelves
- 1 grill pan with grid

#### Available in

- Stainless steel
- Black

#### Technical specification

- Rated electrical power: 2.16kW
- Power supply required: 13A
- Total useable capacity: 76L net



### SK410

Ten function electric LCD oven



#### Features

- Full touch control
- LCD display
- Easy clean enamel interior
- Offset lateral halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- 6 shelf positions
- Booster function for rapid preheat
- Safety key lock
- Memory function

#### Accessories


- 2 flat oven shelves
- 1 grill pan with grid

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 3.1kW
- Power supply required: 13A
- Total useable capacity: 76L net




Stainless steel



Black

### SK511

Eleven function LCD pyrolytic oven



#### Features

- Full touch control
- LCD display
- Easy clean enamel interior
- Interior halogen light
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Quadruple glazed removable cool door with removable inner glass for easy cleaning
- 6 shelf positions
- Booster function for rapid preheat
- Safety key lock
- Memory function

#### Accessories


- 2 flat oven shelves
- 1 grill pan with grid

#### Available in

- Stainless steel
- Black

#### Technical specification

- Rated electrical power: 3kW
- Power supply required: 13A
- Total useable capacity: 76L net



This 90cm wide oven provides a huge internal net capacity of 87L - ideal for entertaining or large families. Three chickens can cook side by side on one shelf.



### SK381

90cm eight function electric oven



#### Features

- Touch control programmable clock/timer
- Easy clean enamel interior
- Twin interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable door with removable inner glass for easy cleaning
- Extra large cavity

#### Accessories


- 1 flat oven shelf
- 1 space saver oven shelf
- 1 grill pan with grid
- 2 grill pan handles

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 3.05kW
- Power supply required: 13A
- Total useable capacity: 87L net



# Compacts

A range of useful and innovative appliances to add functionality and that special finishing touch to your kitchen.

## Compact ovens

Our compact range offers a steam oven and a compact combination oven and microwave model. The VK902 provides a grill, microwave and a fan oven all in one neat space, making it the perfect choice for kitchens where space is limited.



## Drawers

A warming drawer is ideal for warming plates, proving dough, melting chocolate, making yoghurt or keeping dishes and cooked food warm. These are so useful that once you've had one you'll never want to do without!

Choose between a 'push-push' open and close action, where you press the drawer surface to make it slide open and again to close it, or a traditional ergonomic handle design to finish your kitchen.



## Compact coffee maker

The VC801 automatic coffee maker will make mornings worth waking up for. This built-in 60cm coffee maker brings CDA's sleek styling into your kitchen design whilst offering superb features and functions. It comes with full touch control, multiple grind settings along with adjustable coffee strength and quantity for your perfect hot drink. You can use coffee beans or pre-ground coffee with this machine making it truly flexible to your lifestyle.



## Steam cooking

Now with full touch control, the VK702SS offers healthy, vitamin preserving cooking at home. The refillable reservoir means that there is no need to connect to the mains water supply and the combination grill allows you to brown food for an appetising finish.



# Quick guide to compact cooking and microwaves

These versatile compact appliances look stunning when installed together as a bank. Install warming drawers beneath for ultimate cooking flexibility.

We have a choice of microwaves to suit your requirements - freestanding or built-in options are available.

## Compact refrigeration

Please see our refrigeration section for the following compact refrigeration products:



**FWV452**

- Built-in compact wine cooler - See page 128.



**BVB4**

- Built-in draught beer dispenser - See page 130.

## Microwaves



**VM101**

- Freestanding microwave oven
- LED timer and clock
- Quick start
- More details on p32



**VM201**

- Freestanding microwave oven and grill
- LED timer and clock
- Quick start
- More details on p32

## Microwaves



**VM130**

- Built-in microwave oven
- LED timer and clock
- Quick start
- Available in stainless steel or black
- More details on p33



**VM230**

- Built-in microwave oven and grill
- LED timer and clock
- Quick start
- Available in stainless steel or black
- More details on p33

## Microwaves



**VM451**

- Built-in microwave oven, grill and convection oven
- LED timer and clock
- Auto defrost
- Quick start
- More details on p34



**VM550**

- Wall unit microwave oven
- LED timer and clock
- Auto defrost
- Quick start
- More details on p34

## Compact appliances



**VK702**

- Compact steam oven and grill
- Full touch control
- LED display
- More details on p35



**VK902**

- Compact combination microwave, grill and fan oven
- Full touch control
- LED display
- More details on p35

## Compact appliances



**VC801**

- Compact coffee maker
- 5 coffee strength settings
- Touch control
- More details on p36

## Drawers



**VW142**

- Warming drawer
- 6 place settings
- Variable temperature
- Smooth runners
- More details on p37



**VW152**

- Push-push warming drawer
- 6 place settings
- Variable temperature
- Smooth runners
- More details on p37





VM101  
Freestanding microwave oven

- Features
- Microwave function
  - Auto defrost
  - Quick start
  - LED timer and clock
  - 5 microwave power levels
  - 900W max
  - Interior lateral light
  - Acoustic end of programme signal
  - Left hand hinged door
  - Safety key lock

- Accessories
- Glass turntable - 315mm diameter
  - Turntable ring

- Available in
- Stainless steel

- Technical specification
- Total useable capacity: 25L net
  - Rated electrical power: 1.45kW
  - Power supply required: 13A




VM201  
Freestanding microwave oven and grill

- Features
- Microwave function
  - Grill function
  - Microwave/grill function
  - Auto defrost
  - Quick start
  - LED timer and clock
  - 5 microwave power levels
  - 900W max
  - Grill rating - 1kW
  - Interior lateral light
  - Acoustic end of programme signal
  - Left hand hinged door
  - Safety key lock

- Accessories
- Glass turntable - 315mm diameter
  - Turntable ring
  - Trivet

- Available in
- Stainless steel

- Technical specification
- Total useable capacity: 25L net
  - Rated electrical power: 1.45kW
  - Power supply required: 13A



Stainless steel



Black


VM130  
Built-in microwave oven

- Features
- Microwave function
  - Auto defrost
  - Quick start
  - LED timer and clock
  - 5 microwave power levels
  - 900W max
  - Interior lateral light
  - Acoustic end of programme signal
  - Left hand hinged door
  - Safety key lock

- Accessories
- Glass turntable - 315mm diameter
  - Turntable ring

- Available in
- Stainless steel
  - Black

- Technical specification
- Total useable capacity: 25L net
  - Rated electrical power: 1.45kW
  - Power supply required: 13A



⇨ = airflow



Stainless steel



Black


VM230  
Built-in microwave oven and grill

- Features
- Microwave function
  - Grill function
  - Microwave/grill function
  - Auto defrost
  - Quick start
  - LED timer and clock
  - 5 microwave power levels
  - 900W max
  - Grill rating - 1kW
  - Interior lateral light
  - Acoustic end of programme signal
  - Left hand hinged door
  - Safety key lock

- Accessories
- Glass turntable - 315mm diameter
  - Turntable ring
  - Trivet

- Available in
- Stainless steel
  - Black

- Technical specification
- Total useable capacity: 25L net
  - Rated electrical power: 1.45kW
  - Power supply required: 13A



⇨ = airflow



### VM451

Built-in microwave oven, grill and convection oven

#### Features

- Microwave function
- Grill function
- Convection oven function
- Microwave/grill function
- Microwave/convection oven function
- Grill/convection function
- Combination cooking function
- Auto defrost
- 10 auto cook programmes
- Quick start
- LED timer and clock
- 5 microwave power levels - 900W max
- Grill rating 1.1kW
- Convection oven rating - 2.5kW (maximum temperature on convection programme is 220\_C)
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

#### Accessories

- Glass turntable - 315mm diameter
- Turntable ring
- Trivet

#### Available in


- Stainless steel

#### Technical specification

- Total useable capacity: 25L net
- Rated electrical power: 2.5kW
- Power supply required: 13A

#### Fitting note

- This microwave oven has a convection oven function but is not intended to be used as a substitute for a standard oven.
- Not suitable for built-under worktop fitting.



### VM550

Wall unit microwave oven

#### Features

- Microwave function
- Manual defrost
- Auto defrost
- 8 auto-cook programmes
- Quick start
- LED timer and clock
- 5 microwave power levels - 700W max
- Interior light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

#### Accessories

- Glass turntable - 245mm diameter
- Turntable ring

#### Available in


- Stainless steel

#### Technical specification

- Total useable capacity: 17L net
- Rated electrical power: 1.05kW
- Power supply required: 5A

#### Fitting note

- Not suitable for built-under worktop fitting.



### VK702

Compact steam oven and grill



#### Features

- Full touch control
- LED display
- Interior lateral halogen light
- Stainless steel interior
- Variable temperature
- Variable grill
- Removable 1L water reservoir
- 8 auto-cook programmes
- Programmable clock/timer
- Double glazed removable door with removable inner door glass for easy cleaning
- Safety key lock

#### Accessories


- Stainless steel steam cooking set
- Trivet
- Wire shelf

#### Available in

- Stainless steel

#### Technical specification

- Total useable capacity: 32L net
- Rated electrical power: 1.3kW
- Power supply required: 13A



#### Fitting note

- Should be installed as a built-in appliance.



### VK902

Compact combination microwave, grill and fan oven



#### Features

- Full touch control
- LED display
- 6 microwave power levels - 900W max
- Interior light
- Auto defrost
- Programmable clock/timer
- Cooling fan
- Double glazed removable door
- Safety key lock
- Acoustic end of programme signal

#### Accessories


- Wire shelf
- Glass turntable - 360mm diameter
- Turntable ring
- Trivet and grill pan

#### Available in

- Stainless steel

#### Technical specification

- Total useable capacity: 40L net
- Rated electrical power: 3.1kW
- Power supply required: 13A





## VC801

### Fully automatic coffee maker

#### Features


- Fully automatic
- Full touch control
- Electronic programmer with LCD display
- 5 coffee strength settings
- Steam nozzle
- One or two cups
- Compatible with ground coffee and coffee beans
- Hot water and steam
- Integral water tank: 1.8L
- Integral coffee container: 0.2kg
- Low coffee warning
- Low water warning
- Removable drip tray
- Adjustable grind setting
- Integrated coffee grinder

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 1.35kW
- Power supply required: 13A
- Pump pressure: 15Bar



## VW142

### Warming drawer

#### Features


- Fan heat
- Temperature adjustable from 40°to 80°C
- 6 place settings
- Smooth runners
- Power indicator light

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 440W max
- Power supply required: 3A
- Maximum capacity: 20kg



## VW152

### Push-push warming drawer

#### Features


- Fan heat
- Temperature adjustable from 40°to 80°C
- 6 place settings
- Smooth runners
- Power indicator light
- Push-push opening

#### Available in

- Stainless steel

#### Technical specification

- Rated electrical power: 440W max
- Power supply required: 3A
- Maximum capacity: 20kg





# Double ovens

Available in both built-in and built-under options, CDA A rated double ovens offer a winning combination of extra cooking space and outstanding features.



## DC740 and DC940 double ovens

Choose between the DC740 & DC940 for useful extra cooking space at either an under counter 'built-under' or eye level 'built-in' height and design your cooking space around you.



## DK751, DK951 and DK1151 double ovens

The DK751, DK951 & DK1151 models sharpen up the styling with black glass that is opaque until the internal light is switched on, providing uninterrupted clean lines throughout your kitchen when you are not cooking. With multi-function main ovens on these models you will have more flexibility in cooking style at your fingertips.



## DK1151 double tower oven

Our double tower oven, the DK1151, offers the flexibility of two full size single oven cavities combined into one appliance. What's more, each oven may be individually controlled and comes with full multi-function cooking options.

## Quick guide to double ovens

The CDA range of double ovens includes both built-in and built-under models to suit your kitchen.

All double ovens are A rated in both oven cavities.



### DC740

- Built-under
  - 4/3 functions
  - Touch control programmer
  - Available in stainless steel, white and black
- More details on p42



### DC940

- Built-in
  - 4/3 functions
  - Touch control programmer
  - Available in stainless steel, white and black
- More details on p43

*Choose from either a built-in double oven, to install and cook at eye level, or a built-under model that fits beneath your worktop making the most of low level space.*



### DK751

- Built-under
  - 3/8 functions
  - Touch control programmer
- More details on p44



### DK951

- Built-in
  - 3/8 functions
  - Touch control programmer
- More details on p45



### DK1151

- Built-in tower oven
  - 8/8 functions
  - Touch control programmer
- More details on p46



Stainless steel



Black



White

## DC740

### Built-under electric double oven

Top oven



Main oven



## Features

- Touch control programmable electronic clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner glass for easy cleaning

## Accessories

- Grill pan with grid
- 3 flat oven shelves

## Available in


- Stainless steel
- Black
- White

## Technical specification

- Top oven useable capacity: 35L net
- Main oven useable capacity: 50L net
- Rated electrical power: 4.3kW
- Power supply required: 20A

## Fitting note

- Please ensure you check that there is sufficient clearance above built-under ovens when fitting the relevant hob.



Stainless steel



Black



White

## DC940

### Built-in electric double oven

Top oven



Main oven



## Features

- Touch control programmable electronic clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner glass for easy cleaning

## Accessories


- Grill pan with grid
- 3 flat oven shelves

## Available in

- Stainless steel
- Black
- White

## Technical specification

- Top oven useable capacity: 35L net
- Main oven useable capacity: 59L net
- Rated electrical power: 4.3kW
- Power supply required: 20A






DK751  
Built-under electric double oven

Top oven



Main oven



#### Features

- Touch control programmable electronic clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner glass for easy cleaning

#### Accessories

- 2 flat oven shelves
- 1 space saver oven shelf
- 1 grill pan with grid
- 2 grill pan handles

#### Available in


- Stainless steel

#### Technical specification

- Top oven useable capacity: 37L net
- Main oven useable capacity: 50L net
- Rated electrical power: 4.08kW
- Power supply required: 20A

#### Fitting note

- Please ensure you check that there is sufficient clearance above built-under ovens when fitting the relevant hob.



DK951  
Built-in electric double oven

Top oven



Main oven



#### Features

- Touch control programmable electronic clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Lateral halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner glass for easy cleaning

#### Accessories


- 2 flat oven shelves
- 1 space saver oven shelf
- 1 grill pan with grid
- 2 grill pan handles

#### Available in

- Stainless steel

#### Technical specification

- Top oven useable capacity: 37L net
- Main oven useable capacity: 59L net
- Rated electrical power: 4.4kW
- Power supply required: 20A





This double tower oven has the capacity of two full size ovens, providing plenty of cooking space.

## DK1151 Built-in electric double tower oven

### Top oven



### Main oven



### Features

- Touch control programmable electronic clock/timer
- Easy clean enamel interior
- Interior lateral halogen lights
- Cooling fan
- Chromed rack sides with integrated anti-tilt shelves
- Double glazed removable doors with removable inner door glass for easy cleaning

### Accessories


- 2 flat oven shelves
- 2 space saver oven shelves
- 2 grill pans with grids
- 2 grill pan handles

### Available in

- Stainless steel

### Technical specification

- Top oven useable capacity: 59L net
- Bottom oven useable capacity: 59L net
- Rated electrical power: 4.77kW
- Power supply required: 25A



# Hobs

Everyone has their preference and we offer everything from bridging induction hobs to professional style gas hobs in sizes from domino to extra wide.



## Gas hobs

From a practical four burner model in stainless steel, to a huge six burner design we have every configuration possible to ensure that our gas hob range works for you. We have included wok burners for maximum power when you need it and additional wok supports to allow you to get creative with your cooking.



## Ceramic hobs

Our ceramic hob range is a practical option for those wanting an easy to clean cooking area. The resistant ceramic glass material is ideal for households where a quick wipe over after cooking is all you have time for.

Choose from either touch control or rotary control knobs to suit your preference. We have even included both side and front control options to allow you to choose the exact layout that works best for you.



## Induction hobs

Not only is an induction hob quick to reach temperature by heating the pan directly. It also reduces the energy losses associated with heat escaping. Choose induction for quicker cooking, an easy to clean hob surface and precision control.

The specific requirement for cooking on an induction hob is that only ferromagnetic pans will work (a magnet will stick to the base of the pan if it is compatible with induction hobs). High quality, flat based pans work best with induction and new pans will carry this symbol on the packaging to show they can be used:



## Schott Ceran glass

Some CDA hobs feature Schott Ceran® glass, an extremely stable material that is resistant against abrupt temperature changes. It is designed to withstand daily wear and tear that can occur in the kitchen whilst cooking. The four millimetre thick glass is extremely heat-permeable. The glass is able to transfer heat quickly and efficiently so that it is transmitted directly to the pots and pans, keeping the rest of the hob relatively cool. This makes it both safe and energy efficient. Glass-ceramic is the only material suitable for all kinds of heating technologies - ceramic, induction and gas.



# Quick guide to gas hobs

Our range of gas hobs offers a wide choice. This comprehensive collection includes 1 and 2 burner domino hobs, functional 4 burner hobs and stunning 5 and 6 burner hobs for the most professional kitchen.

We have included beautiful, solid cast iron pan supports as standard with most of our hobs, whilst the HCG301, HG6150 and HG6250 have enamelled pan supports if you prefer a dishwasherable option.



All CDA gas hobs have automatic ignition and a flame failure safety device "Flame Safe" as standard.


Flame Safe is a feature designed to close off the gas supply in the event that a burner is accidentally extinguished.



## HCG301

- 2 burners
- Enamel pan support
- Front control

More details on p52



## HG6150

- 4 burners
- Enamel pan supports
- Side control

More details on p52

## Gas



## HG7500

- 4 burners
- Cast iron pan supports
- 2 wok burners (1 dual control)
- Front control

More details on p55



## HG9350

- 5 burners
- Cast iron pan supports
- Wok burner
- Front control

More details on p55

## Gas on glass



## HG3601

- Single burner gas on glass
- Cast iron pan support
- Wok burner
- Front control

More details on p56



## HG3602

- 2 burner gas on glass
- Cast iron pan supports
- Front control

More details on p57

## Gas on glass



## HVG620

- 4 burner gas on glass
- Cast iron pan supports
- Front control

Available in stainless steel and black  
More details on p57



## HVG720

- 5 burner gas on glass
- Cast iron pan supports
- Wok burner
- Front control

Available in stainless steel and black  
More details on p58



## HG6250

- 4 burners
- Enamel pan supports
- Wok burner
- Front control
- Available in stainless steel and black

More details on p53



## HG6350

- 4 burners
- Cast iron pan supports
- Wok burner
- Front control

More details on p53



## HG7250

- 5 burners
- Cast iron pan supports
- Wok burner
- Front control

More details on p54



## HG7350

- 5 burners
- Cast iron pan supports
- Wok burner
- Front control

More details on p54

## Gas



## HG9320

- 6 burners
- Cast iron pan supports
- Wok burner
- Side control

More details on p56

## Gas on glass



## HVG67

- 4 burner gas on glass
- Cast iron pan supports
- Wok burner
- Front control

More details on p58



## HVG78

- 5 burner gas on glass
- Cast iron pan supports
- Wok burner
- Front control

More details on p59



## HVG97

- 5 burner gas on glass
- Cast iron pan supports
- Wok burner
- Front control

More details on p59

## Electric hobs

See pages 60-71 for all of our electric, ceramic and induction hobs.



HCG301  
Domino two burner gas hob



#### Features

- Front control
- Enamel pan support
- Automatic ignition
- Flame failure safety device

#### Accessories

- LPG conversion kit included

#### Optional accessories

- Domino joint strip, AHJ30



#### Available in

- Stainless steel

#### Technical specification

##### Burners:

- Front, semi-rapid: 1.75kW
- Rear, rapid: 3kW
- Rated gas input: 4.75kW
- Rated electrical power: 1W
- Power supply required: 3A



HG6150  
Four burner gas hob



#### Features

- Side control
- Enamel pan supports
- Automatic ignition
- Flame failure safety device

#### Accessories

- LPG conversion kit included


#### Available in

- Stainless steel

#### Technical specification

##### Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 7.5kW
- Rated electrical power: 1W
- Power supply required: 3A



Stainless steel



Black

HG6250  
Four burner gas hob



#### Features

- Front control
- Enamel pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

#### Accessories

- LPG conversion kit included


#### Available in

- Stainless steel
- Black

#### Technical specification

##### Burners:

- Front left, triple ring/wok: 3.8kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 8.3kW
- Rated electrical power: 1W
- Power supply required: 3A



HG6350  
Four burner gas hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

#### Accessories

- Wok support
- LPG conversion kit included


#### Available in

- Stainless steel
- LPG gas version, HG6350LSS

#### Technical specification

##### Burners:

- Front left, triple ring/wok: 3.8kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 8.3kW



- Rated electrical power: 1W
- Power supply required: 3A



HG7250  
Five burner gas hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

- Rated electrical power: 2W
- Power supply required: 3A

#### Accessories

- Wok support
- LPG conversion kit included


#### Available in

- Black

#### Technical specification

##### Burners:

- Front left, semi-rapid: 1.75kW
- Front right, auxiliary: 1kW
- Centre, triple ring/wok: 3.8kW
- Rear left, semi-rapid: 1.75kW
- Rear right, rapid: 3kW
- Rated gas input: 11.3kW



HG7350  
Five burner gas hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

- Rated electrical power: 2W
- Power supply required: 3A

#### Accessories

- Wok support
- LPG conversion kit included


#### Available in

- Stainless steel

#### Technical specification

##### Burners:

- Front left, semi-rapid: 1.75kW
- Front right, auxiliary: 1kW
- Centre, triple ring/wok: 3.8kW
- Rear left, semi-rapid: 1.75kW
- Rear right, rapid: 3kW
- Rated gas input: 11.3kW



HG7500  
Four burner gas hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- 2 wok burners (1 dual control)

#### Accessories

- Wok support (not shown)
- LPG conversion kit included


#### Available in

- Stainless steel

#### Technical specification

##### Burners:

- Rear central, semi-rapid: 1.75kW
- Right, triple ring/wok: 3.5kW
- Front central, auxiliary: 1kW
- Left, dual burner: 4.2kW
- Rated gas input: 10.45kW
- Rated electrical power: 1W
- Power supply required: 3A



HG9350  
Five burner gas hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

#### Accessories

- Wok support
- LPG conversion kit included


#### Available in

- Stainless steel

#### Technical specification

##### Burners:

- Front central, auxiliary: 1kW
- Front right, semi-rapid burner: 1.75kW
- Left, wok burner: 3.8kW
- Rear centre, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11.3kW
- Rated electrical power: 2W
- Power supply required: 3A





HG9320  
Six burner gas hob



#### Features

- Side control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

#### Accessories

- Wok support
- LPG conversion kit included


#### Available in

- Stainless steel

#### Technical specification

##### Burners:

- Front left, triple ring/wok: 3.8kW
- Front centre, auxiliary: 1kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear centre, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 12.3kW



HG3601  
Domino single burner gas on glass hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

#### Accessories

- Wok support
- LPG conversion kit included


#### Available in

- Black

#### Technical specification

##### Burner:

- Centre, triple ring/wok: 3.5kW
- Rated gas input: 3.5kW
- Rated electrical power: 1W
- Power supply required: 3A



HG3602  
Domino two burner gas on glass hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device

#### Accessories

- LPG conversion kit included


#### Available in

- Black

#### Technical specification

##### Burners:

- Front, semi-rapid: 1.75kW
- Rear, rapid: 3kW
- Rated gas input: 4.75kW
- Rated electrical power: 1W
- Power supply required: 3A



Black



Stainless steel

HVG620  
Four burner gas on glass hob



#### Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Bevelled edges

#### Accessories

- LPG conversion kit included


#### Available in

- Stainless steel
- Black

#### Technical specification

##### Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- Rear left, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 7.5kW
- Rated electrical power: 1.1W
- Power supply required: 3A





Black



Stainless steel

HVG720  
Five burner gas on glass hob



Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Bevelled edges
- Wok burner

- Rated electrical power: 1.1W
- Power supply required: 3A

Accessories

- Wok support (not shown)
- LPG conversion kit included



Available in

- Stainless steel
- Black

Technical specification

Burners:

- Front left, auxiliary: 1kW
- Front right, semi-rapid: 1.75kW
- Centre, wok: 3.8kW
- Rear left, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11.3kW



HVG67  
Four burner gas on glass hob



Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories

- Wok support (not shown)
- LPG conversion kit included


Available in

- Black

Technical specification

Burners:

- Front left, triple ring/wok: 3.5kW
- Front right, auxiliary: 1kW
- Rear left, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 8kW
- Rated electrical power: 1W
- Power supply required: 3A



HVG78  
Five burner gas on glass hob



Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories

- Wok support (not shown)
- LPG conversion kit included



Available in

- Black

Technical specification

Burners:

- Front left, rapid: 3kW
- Front right, auxiliary: 1kW
- Centre, wok: 3.8kW
- Rear left, rapid: 3kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11.3kW
- Rated electrical power: 1W
- Power supply required: 3A



HVG97  
Five burner gas on glass hob



Features

- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories

- Wok support (not shown)
- LPG conversion kit included


Available in

- Black

Technical specification

Burners:

- Front right, rapid: 3kW
- Front centre, auxiliary: 1kW
- Left, triple ring/wok: 3.8kW
- Rear centre, semi-rapid: 1.75kW
- Rear right, semi-rapid: 1.75kW
- Rated gas input: 11.3kW
- Rated electrical power: 1W
- Power supply required: 3A



# Quick guide to electric hobs

Our range of electric hobs include a comprehensive selection of both manual and touch control 2, 4 and 5 zone ceramic hobs, high-tech induction hobs and domino hobs which you can put together in different combinations to suit your requirements.

All CDA ceramic and induction hobs have the following features:

- Easy clean surface
- Shatterproof ceramic safety glass
- Residual heat indicators

## Domino



### HCC310

- Griddle domino hob
- Front rotary control
- Stainless steel
- More details on p62



### HE3140

- 2 plate electric domino hob
- Front rotary control
- Stainless steel
- More details on p62

## Electric



### HE6051


- 4 plate electric hob
- Side rotary control
- Stainless steel
- More details on p63

## Ceramic



### HC3621


- 2 zone ceramic domino hob
- Front touch control
- More details on p63



### HC6211


- 4 zone ceramic hob
- Side rotary control
- More details on p64

## Ceramic




### HC6311

- 4 zone ceramic hob
- Front rotary control
- More details on p64



### HC6621

- 4 zone ceramic hob
- Front touch control
- More details on p65



### HC7621

- 5 zone ceramic hob
- Front touch control
- More details on p65



### HC9621

- 5 zone ceramic hob
- Front touch control
- More details on p66

## Ceramic



### HC9606

- 4 zone ceramic hob
- Front touch control
- More details on p66

## Induction



### HN3621

- 2 zone domino induction hob
- Front touch control
- More details on p67



### HN6111

- 4 zone induction hob
- Front touch control
- More details on p67



### HN6411

- 4 zone induction hob
- Front touch control
- Power management system
- More details on p68



### HN6732

- 4 zone induction hob
- Front touch control
- Bridging function
- More details on p68



### HN6841

- 4 zone induction hob
- Front touch control
- Bridging function
- Illuminated front edge
- More details on p69

## Induction



### HN9611

- 5 zone induction hob
- Front touch control
- Bridging function
- More details on p70



### HN9626

- 4 zone linear induction hob
- Front touch control
- More details on p70

## Indu-Air



### HNE8

- 4 zone induction hob
- Front touch control
- Bridging function
- More details on p71





### HCC310

#### Domino griddle hob

##### Features

- Front control
- Single ceramic griddle - cook directly on glass
- 12 power levels with indicator light
- Easy clean surface

##### Optional accessories


- Domino joining strip, AHJ30

##### Available in

- Stainless steel

##### Hob technical specification

- Rated electrical power: 1.3kW
- Power supply required: 13A



### HE3140

#### Domino two plate electric hob

##### Features

- Front control
- 6 power levels with indicator light
- 1 rapid plates


##### Available in

- Stainless steel

##### Hob technical specification

##### Zones:

- Front, 145mm: 1kW
- Rear, 180mm rapid: 2kW
- Rated electrical power: 3kW
- Power supply required: 13A



### HE6051

#### Four plate electric hob

##### Features

- Side control
- 6 power levels with indicator light
- 2 rapid plates


##### Available in

- Stainless steel

##### Hob technical specification

##### Hot plates:

- Front left, 180mm rapid: 2kW
- Front right, 145mm: 1kW
- Rear left, 145mm rapid: 1.5kW
- Rear right, 180mm rapid: 1.5kW
- Rated electrical power: 6kW
- Power supply required: 30A



### HC3621

#### Domino two zone ceramic hob

##### Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter


##### Available in


- Black

##### Hob technical specification

##### Zones:

- Front, 145mm: 1.2kW
- Rear, 180mm: 1.8kW
- Rated electrical power: 3kW
- Power supply required: 13A





### HC6211 Four zone ceramic hob

#### Features

- Side control
- 6 power levels with indicator light
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Temperature limiter



#### Available in

- Black

#### Hob technical specification

##### Zones:

- Front left, 180mm: 1.8kW
- Front right, 145mm: 1.2kW
- Rear left, 145mm: 1.2kW
- Rear right, 180mm: 1.8kW
- Rated electrical power: 6kW
- Power supply required: 30A



### HC6311 Four zone ceramic hob

#### Features

- Front control
- 6 power levels with indicator light
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Temperature limiter



#### Available in

- Black

#### Hob technical specification

##### Zones:

- Front left, 180mm: 1.8kW
- Front right, 145mm: 1.2kW
- Rear left, 145mm: 1.2kW
- Rear right, 180mm: 1.8kW
- Rated electrical power: 6kW
- Power supply required: 30A



### HC6621 Four zone ceramic hob

#### Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter



#### Available in

- Black

#### Hob technical specification

##### Zones:

- Front left, 210mm: 2.3kW
- Front right, 145mm: 1.2kW
- Rear left, 145mm: 1.2kW
- Rear right, 180mm: 1.8kW
- Rated electrical power: 6.5kW
- Power supply required: 30A



### HC7621 Five zone ceramic hob

#### Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter


#### Available in


- Black

#### Hob technical specification

##### Zones:

- Front left (triple),
  - 120mm: 0.8kW
  - 175mm: 1.6kW
  - 210mm: 2.3kW
- Front right, 145mm: 1.2kW
- Centre (dual):
  - 170mm: 1.5kW
  - 256mm: 2.2kW
- Rear left, 145mm: 1.2kW
- Rear right, 180mm: 1.8kW
- Rated electrical power: 8.7kW
- Power supply required: 40A





HC9621  
Five zone ceramic hob

Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter



Available in

- Black

Hob technical specification

Zones:

- Front left (triple),
  - 120mm: 0.8kW
  - 175mm: 1.6kW
  - 210mm: 2.3kW
- Front right, 145mm: 1.2kW
- Centre (dual):
  - 170mm: 1.5kW
  - 256mm: 2.2kW
- Rear left, 145mm: 1.2kW
- Rear right, 180mm: 1.8kW
- Rated electrical power: 8.7kW
- Power supply required: 40A



HC9606  
Four zone ceramic linear hob

Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter


Available in

- Black

Hob technical specification

Zones:

- Front left (triple),
  - 120mm: 0.8kW
  - 175mm: 1.6kW
  - 210mm: 2.3kW
- Centre left, 145mm: 1.2kW
- Centre right (dual):
  - 120mm: 0.7kW
  - 180mm: 1.7kW
- Front right, 145mm: 1.2kW
- Rated electrical power: 6.4kW
- Power supply required: 30A



HN3621  
Domino two zone induction hob

Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off
- Time limit security system
- Temperature limiter


Available in

- Black

Hob technical specification

Zones:

- Front, 160mm: 1.4kW
- Rear, 160mm: 1.4kW
- Rated electrical power: 2.8kW
- Power supply required: 13A



Fitting note

- Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.



HN6111  
Four zone induction hob

Features

- Front control
- Electronic touch control
- LED display
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off
- Time limit security system
- Temperature limiter


Available in

- Black

Hob technical specification

Zones:

- Front left, 210mm: 2kW, 3kW with booster
- Front right, 160mm: 1.2kW, 1.4kW with booster
- Rear left, 160mm: 1.2kW, 1.4kW with booster
- Rear right, 210mm: 2kW, 3kW with booster
- Rated electrical power: 7.4kW
- Power supply required: 32A



Fitting note

- Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.



HN6411  
Four zone configurable induction hob

- Features
- Front control
  - Electronic touch control
  - LED display
  - 9 power levels
  - Booster function on all zones
  - 99 minute timer
  - Safety key lock
  - Residual heat indicators
  - Power management system
  - Easy clean surface
  - Ceramic shatterproof safety glass
  - Overflow detection
  - Overheat detection
  - Automatic pan detection
  - Small object detection
  - Auto safety switch off
  - Time limit security system
  - Temperature limiter



- Power supply required: 13-32A (configurable)
- If the hob is configured for use with a supply below 32A, the hob will automatically regulate the power consumption so as not to exceed the power available.

- Fitting note
- Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.

- Available in
- Black

Hob technical specification

- Zones:
- Front left, 210mm: 1.5kW, 2kW with booster
  - Front right, 145mm: 1.2kW, 1.6kW with booster
  - Rear left, 145mm: 1.2kW, 1.6kW with booster
  - Rear right, 210mm: 1.5kW, 2kW with booster
  - Rated electrical power: 2.8/3.5/6/7.2kW (configurable)



HN6732  
Four zone induction hob


- Features
- Front control
  - Electronic touch and slide control
  - LED display
  - 9 power levels
  - Booster function on all zones
  - 99 minute timer
  - Safety key lock
  - Residual heat indicators
  - Power management system
  - Pause/restart function
  - Keep warm function
  - Right zones bridging function
  - Easy clean surface
  - Ceramic shatterproof safety glass
  - Overflow detection
  - Overheat detection
  - Automatic pan detection
  - Small object detection
  - Time limit security system
  - Temperature limiter

- Rated electrical power: 7.4kW
  - Power supply required: 32A
- Fitting note
- Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.

- Available in
- Black

Hob technical specification

- Zones:
- Front left, 210mm: 2kW, 2.8kW with booster
  - Front right, 180mm: 1.5kW, 2.5kW with booster
  - Rear left: 160mm, 1.2kW, 1.4kW with booster
  - Rear right: 180mm, 1.5kW, 2.5kW with booster



HN6841  
Four zone induction hob with illuminated front edge

- Features
- Front control
  - Electronic touch and slide control
  - LED display
  - 9 power levels
  - Booster function on all zones
  - 99 minute timer
  - Safety key lock
  - Residual heat indicators
  - Illuminated front edge
  - Pause/restart function
  - Keep warm function
  - Melt function
  - Simmer function
  - Left zones can be bridged
  - Right zones can be bridged
  - Side bevelled edges
  - Easy clean surface
  - Ceramic shatterproof safety glass
  - Overflow detection
  - Overheat detection
  - Automatic pan detection
  - Small object detection
  - Auto safety switch off
  - Time limit security system
  - Temperature limiter


- Rear left: 220mm x 190mm, 2.2kW, 3.7kW with booster
- Rear right: 220 x 190mm, 2.2kW, 3.7kW with booster
- Rated electrical power: 7.4kW
- Power supply required: 32A

- Fitting note
- Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.

- Available in
- Black

Hob technical specification

- Zones:
- Front left, 220mm x 190mm: 2.2kW, 3.7kW with booster
  - Front right, 220 x 190mm, 2.2kW, 3.7kW with booster



**Melt function**  
Use the melt function to slowly warm delicate foods that are prone to burning, such as chocolate or butter.



## HN9611 Five zone induction hob

### Features

- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Keep warm function
- Melt function
- Simmer function
- Left zones bridging function
- Right zones bridging function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

### Available in

- Black

### Hob technical specification


#### Zones:

- Front left, 210mm: 2.1kW, 3.7kW with booster
- Front right, 210mm, 2.1kW, 3.7kW with booster
- Centre: 260mm, 2.6kW, 3.7kW with booster

- Rear left: 210mm, 2.1kW, 3.7kW with booster
- Rear right: 210mm, 2.1kW, 3.7kW with booster
- Rated electrical power: 11.1kW
- Power supply required: 45A

### Fitting note

- Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.



## HN9626 Four zone linear induction hob

### Features

- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off


### Available in

- Black

### Hob technical specification

#### Zones:

- Front left, 220mm: 2.3kW, 3kW with booster
- Centre left, 180mm: 1.2kW, 1.4kW with booster
- Centre right, 180mm: 1.2kW, 1.4kW with booster
- Front right, 220mm: 2.3kW, 3kW with booster
- Rated electrical power: 7.4kW
- Power supply required: 32A



### Fitting note

- Please ensure that you check that there is sufficient clearance when fitting induction hobs over both single and built-under double ovens and that adequate ventilation is provided.

## HNE8 Indu-Air four zone induction hob with built-in extractor

### Features

- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- Booster function on all zones
- 119 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Keep warm function
- Melt function
- Simmer function
- Left zones bridging function
- Right zones bridging function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

### Available in

- Black

### Hob technical specification

#### Zones:

- Front left, 220mm x 184mm: 2.1kW, 3.7kW with booster
- Front right, 220mm x 184mm: 2.1kW, 3.7kW with booster

- Rear left, 220mm x 184mm: 2.1kW, 3.7kW with booster
- Rear right, 220mm x 184mm: 2.1kW, 3.7kW with booster
- Rated electrical power: 7.4kW
- Power supply required: 16A x2

### Extractor features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Aluminium grease filters

### Extractor optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA28

### Extractor technical specification

- Outlet diameter: 150mm with adaptor
- Noise level: 67dBA
- Extraction rate: 457m³/h
- Rated electrical power: 168W
- Power supply required: 3A


### Energy efficiency rating

- Energy rating: B


### Fitting note

- This appliance is not suitable for installation above an oven.

### Inset installation



### Flush installation



# Extractors

As well as keeping your kitchen fresh, a stylish CDA extractor will provide a focal point, adding impact to the overall design.



## LED lighting

For ambient lighting in the kitchen our range of edge-lit extractors give you the option to switch on LED lighting in a range of colours as an extra design feature in your home. The EKP range are in a curved glass design, while EKN models have flat glass, both come with edge lighting detail.

For clear, ceiling height extraction and bright LED lighting take a look at the EVX101 and EVX110. As well as one of the most powerful extraction rates on the market, the EVX110 features low noise levels and user-friendly features for your convenience.



## Ducted/re-circulating

The CDA extractor range allows you to choose between ducting your extractor outside or recirculating filtered, cleaned air back into your kitchen. We provide a comprehensive range of ducting kits and charcoal filters, listed on our accessories pages, to support your preference.



## Design

Whether you are looking for a space-saving angled design or a statement island hood, our range of extractors offer a choice of fitting styles and finishes that will perfectly complement your kitchen. Built using the highest quality steel, glass and aluminium, the extractor collection features sharp lines and elegant curves to bring out the unique elements of your home whilst offering quiet, powerful air filtration in the kitchen.

Choose from discreet ceiling editions that are installed out of view and are controlled remotely, or downdrafts that slip quietly away beneath your work surfaces.



## Clean air function

The clean air function means that your extractor comes on for ten minutes every hour, outside of use during cooking. In these ten minutes the extractor works to purify the air in your kitchen, meaning it is not just a companion for your hob; it even works hard when you are not cooking.

# Quick guide to extractors

Our extensive range of extractors includes integrated and under canopy models, together with a great selection of stylish, contemporary chimney and island extractors for a chic design statement in your kitchen.

Most CDA extractor models have dishwasherable aluminium grease filters.

## Extraction and noise level measurements

The extraction rate and noise level measurements are displayed in accordance with EN61591 for extraction rates and EN60704 for noise levels. These measurements provide an approximation of real world performance when installed with recommended ducting kits.

## Required distance between hob and extractor

Please refer to both your hob and extractor instructions before installation - for legal requirements, the distance between your hob and extractor should be determined by the maximum measurement provided.

## Ducting advice

Using ducting of smaller diameter than that recommended may increase the noise level and can reduce the efficiency of your extractor. Where possible, always use the largest diameter ducting you can.

## Functional



### CST61

- Standard extractor
- Available in stainless steel or white
- More details on p76



### EIN60

- Integrated extractor
- Available with acrylic or aluminium grease filters
- More details on p76



### CCA51/71

- Under canopy extractor
- 50cm and 70cm wide
- More details on p77



### ECP62/72/82/92/102/112

- Curved glass extractor
- 60cm, 70cm, 80cm, 90cm, 100cm and 110cm wide
- Available in stainless steel or black
- More details on p80



### EKP60/70/90

- Curved glass extractor
- 60cm, 70cm and 90cm wide with edge lighting
- Available in stainless steel or black
- More details on p81



### ECPK90

- Curved glass island extractor
- 90cm wide
- More details on p82

## Angled



### ECA60

- Angled extractor
- 60cm wide
- More details on p87



### EVA60/70/90

- Angled extractor
- 60cm, 70cm and 90cm wide
- More details on p87



### EVG6/9

- Angled extractor
- 60cm and 90cm wide
- Available in stainless steel or black
- More details on p88

## Linear



### EVP61/91/101/121

- Linear extractor
- 60cm, 90cm, 100cm and 120cm wide
- More details on p86



### EVPK90

- Linear island extractor
- 90cm wide
- More details on p86

## Ceiling



### EVX101

- Ceiling extractor
- 100cm wide
- More details on p91



### EVX110

- Ceiling extractor
- 110cm wide
- Available in stainless steel or white
- More details on p92



### EVS90

- Ceiling extractor
- 90cm wide
- More details on p93

## Chimney



### CTE61

- Telescopic extractor
- 60cm wide
- More details on p78



### CTE9

- Telescopic extractor
- 90cm wide
- More details on p78



### ECH61/71/91/101

- Chimney extractor
- 60cm, 70cm, 90cm and 100cm wide
- Available in stainless steel or black
- More details on p79



### ECHK90

- Chimney island extractor
- 90cm wide
- More details on p79



### ECR90

- Traditional chimney extractor
- 90cm wide
- Available in cream or black
- More details on p80



### EKP60/70/90

- Curved glass island extractor with edge lighting
- 90cm wide
- Available in stainless steel or black
- More details on p83



### ECN62/72/92

- Flat glass extractor
- 60cm, 70cm and 90cm wide
- Available in stainless steel or black
- More details on p84



### EKN60/70/90

- Flat glass extractor with edge lighting
- 60cm, 70cm and 90cm wide
- Available in stainless steel or black
- More details on p84



### ECNK90

- Flat glass island extractor
- 90cm wide
- More details on p85



### EXA60/80

- Angled extractor
- 60cm and 80cm wide
- Available in silver or black
- More details on p89

## Statement



### EVQ71

- Circular extractor
- More details on p90

## Downdraft



### EDD61/91

- Downdraft extractor
- 60cm and 90cm wide
- More details on p94



### 3D9

- Downdraft extractor
- 90cm wide
- More details on p95



Stainless steel



White

### CST61 Standard extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- 1 x 5.5W LED light
- Glass light diffuser

Optional accessories


- Ducting kit, AED51/53/54
- Charcoal filter for re-circulation, CHA36 (pack of 1)

Available in

- Stainless steel
- White

Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 120mm
- Noise level: 68dBA
- Extraction rate: 193m³/h
- Rated electrical power: 70W
- Power supply required: 3A



Energy efficiency rating

- Energy rating: C



### EIN60 Integrated extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Slider control
- 1 x 4W LED light

Optional accessories


- Ducting kit, AED51/53/54
- Charcoal filter for re-circulation, CHA15 (pack of 1)
- Aluminium grease filter, GRE3M
- Acrylic grease filter, GRE1

Available in

- Silver
- Silver - with aluminium grease filter, EIN60FSI

Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 120mm
- Noise level: 62dBA
- Extraction rate: 193m³/h
- Rated electrical power: 49W



CCA51 - 50cm wide



CCA71 - 70cm wide

### CCA51/71 Canopy extractor

Features

- Ducted/re-circulating installation
- 2 speeds
- Slider control
- Aluminium grease filter
- LED light

Optional accessories


- Ducting kit, AED51/53/54
- Charcoal filter for re-circulation, CHA29 (pack of 2)

Available in

- CCA51 - silver or white
- CCA71 - silver

Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 120mm
- Noise level: 62dBA
- Extraction rate:
  - CCA51: 353m³/h
  - CCA71: 360m³/h
- Rated electrical power: 105.5W
- Power supply required: 3A



Energy efficiency rating

- Energy rating: C



Open



Closed


## CTE61 Telescopic extractor

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Rocker switch
  - Aluminium grease filter
  - 2 x 3W LED lights

- Optional accessories**
- Ducting kit, AED51/53/54
  - Charcoal filter for re-circulation, CHA34 (pack of 2)

- Available in**
- Stainless steel

- Technical specification**
- Required height over gas hob: 750mm (min)
  - Required height over electric hob: 650mm (min)
  - Outlet diameter: 120mm
  - Noise level: 59dBA
  - Extraction rate: 260m³/h
  - Rated electrical power: 131W
  - Power supply required: 3A



- Energy efficiency rating**
- Energy rating: D



Open



Closed


## CTE9 Telescopic extractor

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Rocker switch
  - Aluminium grease filter
  - 2 x 3W LED lights

- Optional accessories**
- Ducting kit, AED51/53/54
  - Charcoal filter for re-circulation, CHA35 (pack of 2)

- Available in**
- Stainless steel

- Technical specification**
- Required height over gas hob: 750mm (min)
  - Required height over electric hob: 650mm (min)
  - Outlet diameter: 120mm
  - Noise level: 63dBA
  - Extraction rate: 367m³/h
  - Rated electrical power: 226W
  - Power supply required: 3A



- Energy efficiency rating**
- Energy rating: D



Stainless steel



Black


## ECH61/71/91/101 Chimney extractor

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Push button control
  - Aluminium grease filters
  - 2 x 3W LED lights
  - Twin fan motor

- Optional accessories**
- Ducting kit, AED61/63/64
  - Charcoal filter for re-circulation, CHA24 (pack of 2)

- Available in**
- Stainless steel
  - Black

- Technical specification**
- Required height over gas hob: 700mm (min)
  - Required height over electric hob: 600mm (min)
  - Outlet diameter: 150mm
  - Noise level: 64dBA
  - Extraction rate: 427m³/h
  - Rated electrical power: 146W
  - Power supply required: 3A



- ECH61 - 60cm wide  
ECH71 - 70cm wide  
ECH91 - 90cm wide  
ECH101 - 100cm wide

- Energy efficiency rating**
- Energy rating: D

- Fitting note**
- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.




## ECHK90 Chimney island extractor

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Push button control
  - Aluminium grease filters
  - 2 x 2W LED lights

- Optional accessories**
- Ducting kits:
    - 120mm, AED51/53/54
    - 150mm, AED61/63/64
  - Charcoal filter for re-circulation, CHA25 (pack of 2)

- Available in**
- Stainless steel

- Technical specification**
- Required height over gas hob: 700mm (min)
  - Required height over electric hob: 600mm (min)
  - Outlet diameter: 120mm/150mm
  - Noise level: 61dBA
  - Extraction rate: 404m³/h
  - Rated electrical power: 104W
  - Power supply required: 3A



- Energy efficiency rating**
- Energy rating: C

- Fitting note**
- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



Cream




Black

## ECR90 Traditional chimney extractor

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Push button control
  - Aluminium grease filters
  - 2 x 2W LED lights
- Optional accessories**
- Ducting kit, AED61/63/64
  - Charcoal filter for re-circulation, CHA25 (pack of 2)
- Available in**
- Black
  - Cream

- Technical specification**
- Required height over gas hob: 700mm (min)
  - Required height over electric hob: 600mm (min)
  - Outlet diameter: 150mm
  - Noise level: 69dBA
  - Extraction rate: 543m³/h
  - Rated electrical power: 164W
  - Power supply required: 3A



- Energy efficiency rating**
- Energy rating: D
- Fitting note**
- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



ECP62 - Stainless steel




ECP92 - Black

## ECP62/72/82/92/102/112 Curved glass extractor

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Push button control
  - Aluminium grease filters
  - 2 x 2W LED lights
- Optional accessories**
- Ducting kits:
    - 120mm, AED51/53/54
    - 150mm, AED61/63/64
  - Charcoal filter for re-circulation, CHA12 (pack of 1)
- Available in**
- Stainless steel
  - Black

- Technical specification**
- Required height over gas hob: 700mm (min)
  - Required height over electric hob: 600mm (min)
  - Outlet diameter: 120mm/150mm
  - Noise level: 60dBA
  - Extraction rate:
    - ECP62/72/82: 391m³/h
    - ECP92/102/112: 377m³/h



- ECP62 - 60cm wide  
ECP72 - 70cm wide  
ECP82 - 80cm wide  
ECP92 - 90cm wide  
ECP102 - 100cm wide  
ECP112 - 110cm wide

The black ECP models have a smoked glass canopy



EKP60 - Stainless steel



EKP90 - Black

## EKP60/70/90 Curved glass extractor with edge lighting


- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Touch control
  - Aluminium grease filters
  - 2 x 2W LED lights
  - 3W of edge lighting
  - 9 minute timer
- Optional accessories**
- Ducting kits:
    - 120mm, AED51/53/54
  - Charcoal filter for re-circulation, CHA17 (pack of 2)
- Available in**
- Stainless steel
  - Black

- Technical specification**
- Required height over gas hob: 700mm (min)
  - Required height over electric hob: 600mm (min)
  - Outlet diameter: 120mm
  - Noise level: 69dBA
  - Extraction rate: 336m³/h
  - Rated electrical power: 127W

- EKP60 - 60cm wide  
EKP70 - 70cm wide  
EKP90 - 90cm wide

Choose from red, blue or green lighting

- Power supply required: 3A**
- Energy efficiency rating**
- Energy rating: D
- Fitting note**
- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





## ECPK90


### Curved glass island extractor

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Push button control
  - Aluminium grease filters
  - 4 x 2W LED lights

- Optional accessories**
- Ducting kits:
    - 120mm, AED51/53/54
    - 150mm, AED61/63/64
  - Charcoal filter for re-circulation, CHA25 (pack of 2)

- Available in**
- Stainless steel

- Technical specification**
- Required height over gas hob: 700mm (min)
  - Required height over electric hob: 600mm (min)
  - Outlet diameter: 120mm/150mm
  - Noise level: 61dBA
  - Extraction rate: 387m³/h
  - Rated electrical power: 108W
  - Power supply required: 3A



Stainless steel



Black

Choose from red, blue or green lighting

## EKPK90

### Curved glass island extractor with edge lighting

- Features**
- Ducted/re-circulating installation
  - 3 speeds
  - Touch control
  - Aluminium grease filters
  - 4 x 2W LED lights
  - 3W of edge lighting
  - Timer function

- Optional accessories**
- Ducting kits:
    - 120mm, AED51/53/54
    - 150mm, AED61/63/64
  - Charcoal filter for re-circulation, CHA12 (pack of 1)


- Available in**
- Stainless steel
  - Black

- Technical specification**
- Required height over gas hob: 700mm (min)
  - Required height over electric hob: 600mm (min)
  - Outlet diameter: 120mm/150mm
  - Noise level: 61dBA
  - Extraction rate: 387m³/h

- Rated electrical power: 111W
- Power supply required: 3A

- Energy efficiency rating**
- Energy rating: D

- Fitting note**
- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





ECN62 - Stainless steel

ECN62 - 60cm wide  
ECN72 - 70cm wide  
ECN92 - 90cm wide



ECN62 - Black

## ECN62/72/92 Flat glass extractor

### Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- 2 x 2W LED lights

### Optional accessories


- Ducting kits:
  - 120mm, AED51/53/54
  - 150mm, AED61/63/64
- Charcoal filter for re-circulation, CHA12 (pack of 1)

### Available in

- Stainless steel
- Black

### Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter 120mm/150mm
- Noise level: 60dBA
- Extraction rate: 391m³/h
- Rated electrical power: 104W



- Power supply required: 3A

### Energy efficiency rating

- Energy rating: D

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



EKN60 - Stainless steel

EKN60 - 60cm wide  
EKN70 - 70cm wide  
EKN90 - 90cm wide



EKN90 - Black

## EKN60/70/90 Flat glass extractor with edge lighting

### Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filter
- 2 x 2W LED lights
- 3W of edge lighting
- Timer function

### Optional accessories


- Ducting kits:
  - 120mm, AED51/53/54
  - 150mm, AED61/63/64
- Charcoal filter for re-circulation, CHA17 (pack of 2)

### Available in

- Stainless steel
- Black

### Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter 120mm/150mm
- Noise level: 69dBA
- Extraction rate: 336m³/h



- Rated electrical power: 127W
- Power supply required: 3A

### Energy efficiency rating

- Energy rating: D

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



## ECNK90 Flat glass island extractor



### Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- 2 x 2W LED lights

### Optional accessories


- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA12 (pack of 1)

### Available in

- Stainless steel

### Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 150mm
- Noise level: 61dBA
- Extraction rate: 627m³/h



- Rated electrical power: 74W
- Power supply required: 3A

### Energy efficiency rating

- Energy rating: A++

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

EVP61



EVP61 - 60cm wide  
EVP91 - 90cm wide  
EVP101 - 100cm wide  
EVP121 - 120cm wide

EVP91



## EVP61/91/101/121 Linear extractor

### Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filters
- 2 x 2W LED lights
- Twin fan motor
- Filter saturation warning light
- Clean air function
- 15 minute timer

### Optional accessories


- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA21 (pack of 2)

### Available in

- Stainless steel

### Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 150mm
- Noise level: 62dBA
- Extraction rate: 503m³/h



## EVPK90 Linear island extractor

### Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filters
- 4 x 4W LED lights
- Twin fan motor
- Filter saturation warning light
- Clean air function
- 15 minute timer

### Optional accessories


- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA21 (pack of 2)

### Available in

- Stainless steel

### Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 150mm
- Noise level: 64dBA
- Extraction rate: 520m³/h



## ECA60 Angled extractor

### Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- 2 x 2W LED lights
- Twin fan motor

### Optional accessories


- Ducting kit, AED51/53/54
- Charcoal filter for re-circulation, CHA15 (pack of 1)

### Available in

- Black

### Technical specification

- Required height over gas hob: 550mm (min)
- Required height over electric hob: 550mm (min)
- Outlet diameter: 120mm
- Noise level: 64dBA
- Extraction rate: 350m³/h
- Rated electrical power: 114W
- Power supply required: 3A



EVA60



EVA90



EVA60 - 60cm wide  
EVA70 - 70cm wide  
EVA90 - 90cm wide

## EVA60/70/90 Angled extractor

### Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filter
- 2 x 2W LED lights
- Twin fan motor
- 15 minute timer

### Optional accessories


- Ducting kit, AED51/53/54
- Charcoal filter for re-circulation, CHA15 (pack of 1)

### Available in

- Black

### Technical specification

- Required height over gas hob: 550mm (min)
- Required height over electric hob: 550mm (min)
- Outlet diameter: 120mm
- Noise level: 64dBA
- Extraction rate: 350m³/h
- Rated electrical power: 114W
- Power supply required: 3A





EVG6 - Black

Black glass panel



EVG9 - Stainless steel

Clear glass panel

## EVG6/9 Angled glass extractor

### Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- 2 x 2W LED lights
- Twin fan motor
- Filter saturation warning light
- Clean air function
- 15 minute timer
- Noise level: 58dBA
- Extraction rate: 422m³/h
- Rated electrical power: 252W
- Power supply required: 3A

### Energy efficiency rating

- Energy rating: C

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

### Optional accessories


- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA21 (pack of 2)

### Available in

- Stainless steel
- Black

### Technical specification

- Required height over CDA gas hob: 450mm (min), otherwise 760mm (min)
- Required height over CDA electric hob: 450mm (min), otherwise 650mm (min)
- Outlet diameter: 150mm



EXA80 - Stainless steel

EXA60 - 60cm wide  
EXA80 - 80cm wide



EXA80 - Black

## EXA60/80 Angled extractor



### Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- 1 x 6.5W LED strip light
- Filter saturation warning light
- Timer function

### Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA14 (pack of 2)
- Re-circulating T piece, RTP01

### Available in

- Silver
- Black

### Technical specification

- Required height over gas hob: 495mm (min)


- Required height over electric hob: 495mm (min)
- Outlet diameter: 150mm
- Noise level:
  - EXA60: 62dBA
  - EXA80: 59dBA
- Extraction rate:
  - EXA60: 610m³/h
  - EXA80: 618m³/h
- Rated electrical power: 282W
- Power supply required: 3A
- Supplied with a UK plug

### Energy efficiency rating

- Energy rating: A

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





## EVQ71 Circular extractor



### Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filter
- 2 x 2W LED lights
- Timer function

### Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA33 (pack of 2)

### Available in

- Stainless steel with black glass fascia

### Technical specification

- Required height over gas hob: 700mm (min)
- Required height over electric hob: 600mm (min)
- Outlet diameter: 150mm
- Noise level: 62dBA


- Extraction rate: 579m³/h
- Rated electrical power: 74W
- Power supply required: 3A

### Energy efficiency rating

- Energy rating: A++

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



## EVX101 Ceiling extractor

### Features

- Ducted/re-circulating installation
- 8 speeds + intensive
- Soft touch buttons
- Stainless steel grease filters
- 4 x 4W LED lights
- Filter saturation warning light
- Clean air function
- 30 minute timer
- Peripheral aspiration

### Accessories

- Remote control

### Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA18 (pack of 2)

### Available in

- Stainless steel

### Technical specification

- Required height over gas hob: 750mm (min)


- Required height over electric hob: 750mm (min)
- Outlet diameter: 150mm
- Noise level: 64dBA
- Extraction rate: 570m³/h
- Rated electrical power: 286W
- Power supply required: 3A

### Energy efficiency rating

- Energy rating: B

### Fitting note

- The extraction outlet can be rotated through 90°, 180° or 270°, allowing for flexible installation.





White



Stainless steel

## EVX110 Ceiling extractor



### Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Aluminium grease filter
- 2 x 10.5W dimmable LED strip lights
- Timer function
- Peripheral aspiration

### Accessories

- Remote control

### Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA20 (pack of 2)

### Available in

- White glass
- Stainless steel

### Technical specification

- Required height over gas hob: 650mm (min)


- Required height over electric hob: 650mm (min)
- Outlet diameter: 150mm
- Noise level: 63dBA
- Extraction rate: 615m³/h
- Rated electrical power: 296W
- Power supply required: 3A

### Energy efficiency rating

- Energy rating: A

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



## EVS90 Ceiling extractor

### Features

- Ducted installation
- 2 speeds + 2 intensive
- Aluminium grease filters
- 20 x 0.95W Micro LED lights
- Timer function
- Peripheral aspiration
- External motor included

### Accessories

- Remote control

### Optional accessories

- Ducting kit, AED61/63/64

### Available in

- Black

### Technical specification


- Required height over gas hob: 650mm (min)
- Required height over electric hob: 650mm (min)
- Outlet diameter: 150mm
- Noise level: 61dBA
- Extraction rate: 706m³/h
- Rated electrical power: 355W
- Power supply required: 3A

### Energy efficiency rating

- Energy rating: C

### Fitting note

- Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.





EDD61



EDD91

### EDD61/91 Downdraft extractor



#### Features

- Ducted/re-circulating installation
- EDD61: 4 speeds
- EDD91: 3 speeds + intensive
- Touch control
- Aluminium grease filters
- 10 minute timer
- Synchronised sliding system
- Glass control panel
- Motor included

#### Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation:
  - EDD61, CHA19 (pack of 2)
  - EDD91, CHA11 (pack of 2)

#### Available in


- Black

#### Technical specification

- Outlet diameter: 150mm
- Noise level:
  - EDD61: 69dBA
  - EDD91: 61dBA
- Extraction rate:
  - 636m³/h (EDD61)
  - 605m³/h (EDD91)
- Rated electrical power: 200W
- Power supply required: 3A

#### Energy efficiency rating

- Energy rating:
  - EDD61: A
  - EDD91: A+



### 3D9 Downdraft extractor



#### Features

- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filters
- 1 x 14W neon light
- 10 minute timer
- Synchronised sliding system
- Glass control panel and side panel
- Motor included

#### Optional accessories

- Ducting kit, AED61/63/64
- Charcoal filter for re-circulation, CHA14 (pack of 2)

#### Available in

- Black


#### Technical specification

- Outlet diameter: 150mm
- Noise level: 61dBA

- Extraction rate: 605m³/h
- Rated electrical power: 289W
- Power supply required: 3A

#### Energy efficiency rating

- Energy rating: A



## Downdraft extractors

Sleek and efficient, downdraft extractors slip effortlessly away below the worktop when not in use - the perfect choice for a minimalist, modern kitchen, or for a room where a low ceiling height limits the use of an overhead extractor.

# Cooling

Our refrigeration range includes everything from American style fridge freezers to under counter fridges, all carefully designed to keep your food under optimum conditions.



## Under counter cooling

Under counter cooling will be a perfect addition to your kitchen if you struggle for space or require additional storage. Our under counter fridges and freezers will fit comfortably underneath your worktop without compromising on style and functionality. Our FW253 is full of handy features to help you store your weekly shop in the most effective way, including an ice box, salad crisper and in-door balconies.



## LED interior lighting

This eye-catching feature will delight you as soon as you open the door. The LED lights emit no heat and run on very little energy. This vivid light will be sure to cast light into every corner of the fridge.



## Complete cooling system

For the ultimate cooling station, combine our FF821 fridge and FF881 freezer with our full height FWC881 wine cooler. Fitting together perfectly, these appliances create a high capacity cooling centre for all types of fresh food and wine. Our full height wine cooler is capable of holding a staggering 125 bottles of wine whilst the FF821 and FF881 combined boast an impressive 660L capacity offering endless storage possibilities. This station will become a focal point in your kitchen and will complement any modern cooking space.

## Frost free technology

Some appliances in our cooling range include useful frost free technology that will prevent the build-up of ice in the freezer compartment. This means that you will never have to defrost your freezer again and can spend more time in your kitchen cooking delicious meals.



## Total nofrost technology

The multi-airflow design on the PC870 & PC900 has been created to improve the cool air circulation in and around food and drink in your fridge. By increasing the airflow, the fridge works more efficiently at cooling your perishables, keeping them fresher for longer.



## A+ energy efficiency

Our entire refrigeration range is at least A+ rated for energy efficiency. A+ rated products use up to 25% less energy than A rated models, meaning lower running costs.

# Quick guide to refrigeration

The CDA refrigeration range includes both integrated and freestanding options.

Integrated models offer a variety of fridge, freezer and combination options to suit your kitchen.

The freestanding range includes the superb American style side-by-sides and a range of wine coolers.

All CDA fridges have an automatic self-defrosting feature so you never have to spend time defrosting your fridge.

## Integrated refrigeration



### FW223

- Under counter larder fridge
- Energy rating: A+
- More details on p100



### FW253

- Under counter fridge with ice box
- Energy rating: A+
- More details on p100



### FW283

- Under counter freezer
- Energy rating: A+
- More details on p101

## Integrated refrigeration



### FW522

- Three-quarter height larder fridge
- Energy rating: A+
- More details on p104



### FW582

- Three-quarter height freezer
- Energy rating: A+
- More details on p104



### FW821

- Full height fridge
- Energy rating: A+
- More details on p105

## Integrated refrigeration



### FW925

- 50/50 fridge/freezer
- Energy rating: A+
- More details on p108



### FW927

- 70/30 fridge/freezer
- Energy rating: A+
- More details on p109

## Freestanding refrigeration



### PC71

- American style side-by-side fridge freezer
- Energy rating: A+
- More details on p115



### PC84

- American style two door fridge with two drawer freezer
- Energy rating: A++
- More details on p116



### PC880

- American style four door fridge freezer
- Energy rating: A+
- More details on p117

## Integrated refrigeration



### FW321

- Under counter larder fridge
- Energy rating: A+
- More details on p101



### FW381

- Under counter freezer
- Energy rating: A+
- More details on p102



### FW422

- In-column larder fridge
- Energy rating: A+
- More details on p102



### FW482

- In-column freezer
- Energy rating: A+
- More details on p103

## Integrated refrigeration



### FW881

- Full height freezer
- Energy rating: A+
- More details on p105



### FW822

- Full height freezer
- Energy rating: A+
- More details on p106



### FW882

- Full height freezer
- Energy rating: A+
- More details on p106



### FW852

- 50/50 fridge/freezer
- Energy rating: A+
- More details on p107



### FW872

- 70/30 fridge/freezer
- Energy rating: A+
- More details on p107

## Integrated refrigeration



### FW951

- 50/50 frost free fridge/freezer
- Energy rating: A+
- More details on p110



### FW971

- 70/30 frost free fridge/freezer
- Energy rating: A+
- More details on p111

## Freestanding refrigeration



### FF821

- Full height larder fridge
- Energy rating: A++
- More details on p112



### FF881

- Full height freezer
- Energy rating: A++
- More details on p113



### PC52

- American style side-by-side fridge freezer
- Energy rating: A+
- More details on p114

## Wine coolers



### Freestanding and integrated

See p120-129

## Beer dispenser



### BVB4

- Professional fully integrated beer dispenser
- More details on p130



FW223  
Integrated/under counter larger fridge



#### Features

- Interior light
- 3 glass shelves
- 1 salad crisper compartment
- 2 in-door balconies
- 1 egg tray

#### Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 133L net
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 115kW.h



FW253  
Integrated/under counter fridge with ice box



#### Features

- Interior light
- 2 glass shelves
- 1 salad crisper compartment
- 2 in-door balconies
- 1 egg tray

#### Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Fridge useable capacity: 98L net
- Ice box useable capacity: 17L net
- Total useable capacity: 115L net
- Freezing capacity: 2kg/24h
- Noise level: 44dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 171kW.h



FW283  
Integrated/under counter freezer



#### Features

- 4 star rating
- 3 storage compartments
- 1 ice cube tray

#### Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 93L net
- Freezing capacity: 9kg/24h
- Noise level: 44dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 177kW.h



FW321  
Integrated/under counter larger fridge



#### Features

- Interior light
- 3 stainless steel edged glass shelves
- 1 salad crisper compartment
- 2 in-door balconies
- 1 egg tray

#### Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 133L net
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 115kW.h





FW381  
Integrated/under counter freezer



#### Features

- 4 star rating
- 3 storage compartments
- 1 ice cube tray

#### Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 93L net
- Freezing capacity: 9kg/24h
- Noise level: 44dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 177kW.h



FW422  
Integrated in-column larder fridge



#### Features

- Interior light
- 4 glass shelves
- 2 salad crisper drawers
- 3 in-door balconies
- 1 egg tray

#### Technical specification


- Reversible door
- Fixed hinges
- Total useable capacity: 134L net
- Noise level: 41dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 121kW.h



FW482  
Integrated in-column freezer



#### Features

- 4 star rating
- 4 storage compartments
- 1 ice cube tray

#### Technical specification


- Reversible door
- Fixed hinges
- Total useable capacity: 99L net
- Freezing capacity: 8kg/24h
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 195kW.h





FW522  
Integrated three-quarter height larder fridge



#### Features

- LED interior light
- 4 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies
- 1 egg tray

#### Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 197L net
- Noise level: 41dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 128kWh



FW582  
Integrated three-quarter height freezer



#### Features

- 4 star rating
- 5 storage compartments
- 1 ice cube tray
- Fast freeze
- Temperature warning light

#### Technical specification


- Height adjustable feet
- Reversible door
- Fixed hinges
- Total useable capacity: 130L net
- Freezing capacity: 6.5kg/24h
- Noise level: 41dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 223kWh



FW821  
Integrated full height larder fridge



#### Features

- LED interior lighting
- 6 glass shelves
- 2 salad crisper drawers
- 5 in-door balconies
- 1 egg tray

#### Technical specification


- Front adjustable feet
- Reversible door
- Sliding furniture fixings
- Total useable capacity: 298L net
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 141kWh



FW881  
Integrated full height freezer



#### Features

- 4 star rating
- Temperature warning light
- Fast freeze
- 9 storage compartments
- 1 ice cube tray

#### Technical specification


- Front adjustable feet
- Reversible door
- Sliding furniture fixings
- Total useable capacity: 198L net
- Freezing capacity: 10.5kg/24h
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 258kWh





FW822  
Integrated full height larder fridge



#### Features

- LED interior lighting
- Electronic temperature control
- 6 glass shelves
- 2 salad crisper drawers
- Chrome bottle rack
- 5 in-door balconies
- 1 egg tray

#### Technical specification


- Front adjustable feet
- Reversible door
- Sliding furniture fixings
- Total useable capacity: 316L net
- Noise level: 41dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 147kW.h



FW882  
Integrated full height freezer



#### Features

- 4 star rating
- Electronic temperature control
- Frost free
- Fast freeze
- 7 storage compartments
- 1 ice cube tray

#### Technical specification


- Front adjustable feet
- Reversible door
- Sliding furniture fixings
- Total useable capacity: 200L net
- Freezing capacity: 10.5kg/24h
- Noise level: 41dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 300kW.h



FW852  
Integrated 50/50 combination fridge freezer



#### Fridge features

- LED interior lighting
- Electronic control
- 3 glass shelves
- 2 salad crisper drawers
- 3 in-door balconies
- 1 egg tray
- Chrome bottle rack

#### Freezer features

- 4 star rating
- Fast freeze
- 4 storage compartments
- 1 ice cube tray

#### Technical specification


- Reversible doors
- Sliding furniture fixings
- Fridge useable capacity: 147L net
- Freezer useable capacity: 81L net
- Total useable capacity: 228L net
- Freezing capacity: 4.5kg/24h
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 263kW.h



FW872  
Integrated 70/30 combination fridge freezer



#### Fridge features

- LED interior lighting
- Electronic control
- 4 glass shelves
- 2 salad crisper drawers
- 4 in-door balconies
- 1 egg tray
- Chrome bottle rack

#### Freezer features

- 4 star rating
- Fast freeze
- 3 storage compartments
- 1 ice cube tray

#### Technical specification


- Reversible doors
- Sliding furniture fixings
- Fridge useable capacity: 182L net
- Freezer useable capacity: 60L net
- Total useable capacity: 242L net
- Freezing capacity: 3.5kg/24h
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 260kW.h





FW925  
Integrated 50/50 combination frost free fridge freezer



#### Fridge features

- LED interior lighting
- Electronic control
- 4 glass shelves
- 2 salad crisper drawers
- 3 in-door balconies
- 1 egg tray
- Chrome bottle rack

#### Freezer features

- 4 star rating
- Frost free
- 4 storage compartments
- 1 ice cube tray

#### Technical specification


- Reversible doors
- Sliding furniture fixings
- Fridge useable capacity: 158L net
- Freezer useable capacity: 77L net
- Total useable capacity: 235L net
- Freezing capacity: 4.5kg/24h
- Noise level: 41dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 280kW.h



FW927  
Integrated 70/30 combination frost free fridge freezer



#### Fridge features

- LED interior lighting
- Electronic control
- 5 glass shelves
- 1 salad crisper drawers
- 3 in-door balconies
- 1 egg tray
- Chrome bottle rack

#### Freezer features

- 4 star rating
- Frost free
- 3 storage compartments
- 1 ice cube tray

#### Technical specification


- Reversible doors
- Sliding furniture fixings
- Fridge useable capacity: 190L net
- Freezer useable capacity: 56L net
- Total useable capacity: 246L net
- Freezing capacity: 3.0kg/24h
- Noise level: 41dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 270kW.h





FW951  
Integrated 50/50 combination frost free fridge freezer



#### Fridge features

- Multi airflow cooling system
- LED interior lighting
- Super cool function
- Door open alarm
- Electronic control
- 4 glass shelves
- 1 variable humidity salad crisper drawer
- 3 in-door balconies
- 2 egg trays

#### Energy consumption

- Energy consumption per annum: 312kW.h

#### Freezer features


- 4 star rating
- Frost free
- Fast freeze
- 4 storage compartments
- 1 ice cube tray

#### Technical specification

- Reversible doors
- Fixed hinges
- Fridge useable capacity: 148L net
- Freezer useable capacity: 84L net
- Total useable capacity: 232L net
- Freezing capacity: 10kg/24h
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+



FW971  
Integrated 70/30 combination frost free fridge freezer



#### Fridge features

- Multi airflow cooling system
- LED interior lighting
- Super cool function
- Door open alarm
- Electronic control
- 5 glass shelves
- 1 variable humidity salad crisper drawer
- 3 in-door balconies
- 2 egg trays

#### Energy consumption

- Energy consumption per annum: 300kW.h

#### Freezer features


- 4 star rating
- Frost free
- Fast freeze
- 3 storage compartments
- 1 ice cube tray

#### Technical specification

- Reversible doors
- Fixed hinges
- Fridge useable capacity: 179L net
- Freezer useable capacity: 62L net
- Total useable capacity: 241L net
- Freezing capacity: 10kg/24h
- Noise level: 39dBA

#### Energy efficiency rating

- Energy rating: A+





FF821  
Freestanding full height larder fridge



#### Features

- Electronic control with LED display
- Temperature rise signal
- LED interior lighting
- 5 adjustable glass shelves
- 2 salad crispers
- 5 in-door balconies
- Super cooling

#### Available in

- Stainless steel effect

#### Technical specification

- Front adjustable feet
- Reversible door
- Total useable capacity: 380L net
- Noise level: 41dBA

#### Energy efficiency rating


- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 169kW.h



Co-ordinate the FF821, FF881 and FWC881 for the ultimate cooling station



FF881  
Freestanding full height frost free freezer



#### Features

- Electronic control with LED display
- Temperature rise signal
- LED interior lighting
- 4 star rating
- Fast freeze
- 7 storage compartments
- Ice cube tray
- Frost free
- Fast freeze

#### Available in

- Stainless steel effect

#### Technical specification


- Front adjustable feet
- Reversible door
- Total useable capacity: 280L net
- Freezing capacity: 21kg/24h
- Noise level: 42dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 328kW.h





Stainless steel effect



Black

## PC52

American style side-by-side frost free fridge freezer



### Features

- Electronic control with LED display
- Door open signal
- Holiday mode
- Temperature rise signal
- Standby function
- Energy saving mode

### Fridge features

- LED interior lighting
- Super cooling
- 5 adjustable glass shelves
- 2 salad crisper drawers
- 3 in-door balconies
- 1 egg tray

### Freezer features

- 4 star rating
- Fast freeze
- 2 storage compartments
- 5 adjustable glass shelves
- 4 in-door storage racks
- Ice cube compartment with twist ice cube maker

### Available in

- Stainless steel effect
- Black

### Technical specification

- Front adjustable feet
- Total no frost
- Fridge useable capacity: 341L net

- Freezer useable capacity: 177L net
- Total useable capacity: 518L net
- Freezing capacity: 12kg/24h
- Noise level: 43dBA

### Energy efficiency rating

- Energy rating: A+

### Energy consumption

- Energy consumption per annum: 435kW.h



Electronic control with LED display



Stainless steel effect



Black

## PC71

American style side-by-side frost free fridge freezer with home bar



### Features

- Electronic control with LED display
- Automatic ice dispenser
- Chilled water dispenser
- Door open signal
- Standby function
- Safety key lock
- Holiday mode

### Fridge features

- LED interior lighting
- Super cooling
- 4 adjustable glass shelves
- 2 salad crispers
- 4 in-door balconies
- Home bar

### Freezer features

- 4 star rating
- Fast freeze
- 2 storage compartments
- 3 adjustable glass shelves
- 2 in-door storage racks
- Ice cube compartment

### Available in

- Stainless steel effect
- Black

### Technical specification

- Front adjustable feet
- Total no frost
- Fridge useable capacity: 375L net

- Freezer useable capacity: 175L net
- Total useable capacity: 550L net
- Freezing capacity: 10kg/24h
- Noise level: 42dBA

### Energy efficiency rating


- Energy rating: A+

### Energy consumption

- Energy consumption per annum: 420kW.h



Automatic ice and water dispenser






PC84  
American style two door fridge with frost free two drawer freezer



- Features**
- Electronic control with LCD display
  - Door open signal
- Energy efficiency rating**
- Energy rating: A++
- Energy consumption**
- Energy consumption per annum: 252kW.h
- Fridge features**
- LED interior lighting
  - 3 adjustable glass shelves
  - 2 humidity controlled salad crisper drawers
  - 7 in-door balconies
  - 1 lidded dairy compartment
  - Meat drawer
- Freezer features**
- 4 star rating
  - Fast freeze
- Available in**
- Stainless steel effect
- Technical specification**
- Front adjustable feet
  - Total no frost
  - Fridge useable capacity: 255L net
  - Freezer useable capacity: 95L
  - Total useable capacity: 350L net
  - Freezing capacity: 10kg/24h
  - Noise level: 42dBA



Stainless steel effect



Black

PC880  
American style frost free four door fridge freezer



- Features**
- Electronic touch control with LED display
  - Door open signal
  - Holiday mode
  - PureFresh
- Freezing capacity:**
- 8kg/24h
- Noise level:** 45dBA
- Energy efficiency rating**
- Energy rating: A+
- Energy consumption**
- Energy consumption per annum: 369kW.h
- Fridge features**
- LED interior lighting
  - 3 adjustable glass shelves
  - 1 salad crisper
  - 4 in-door balconies
  - 2 lidded dairy compartments
- Freezer features**
- 4 star rating
  - Frost free
  - Fast freeze
  - 6 storage compartments
  - 1 ice cube tray
- Available in**
- Stainless steel effect
  - Black
- Technical specification**
- Front adjustable feet
  - Fridge useable capacity: 274L net
  - Freezer useable capacity: 144L net
  - Total useable capacity: 418L net





Stainless steel



Black

### Q drink

Q drink allows you to set a handy timer and chill bottles quickly in the freezer.

PC870  
American style two door fridge with frost free two drawer freezer



#### Features

- Electronic touch control with LED display
- Door open signal
- Holiday mode
- Temperature rise signal
- Standby function
- Energy saving mode
- Safety key lock
- Q drink

#### Fridge features

- LED interior lighting
- Super cooling
- 3 adjustable glass shelves
- 2 humidity controlled fruit/veg compartments
- 6 in-door balconies
- 2 lidded dairy compartments
- Soft close fresh zone drawer
- 1 egg tray

#### Freezer features

- 4 star rating
- Fast freeze
- 2 storage compartments
- 2 ice cube trays

#### Available in

- Stainless steel
- Black

#### Technical specification

- Height adjustable feet
- Total no frost
- Fridge useable capacity: 390L net
- Freezer useable capacity: 167L net
- Total useable capacity: 557L net
- Freezing capacity: 20kg/24h
- Noise level: 45dBA

#### Energy efficiency rating


- Energy rating: A+

#### Energy consumption

- Energy consumption per annum: 473kW.h



LED interior lighting



Stainless steel



Black

### Flexi-cool zone

Our flexi-cool zone found in the PC900 is a fantastic specialised compartment that allows you to choose between fridge or freezer space. Providing you with flexibility when storing your fresh and frozen goods.

PC900  
American style premium frost free four door fridge freezer



#### Features

- Electronic touch control with LED display
- Door open signal
- Holiday mode
- Temperature rise signal
- Standby function
- Energy saving mode
- Safety key lock
- Q drink
- Flexi-cool zone

#### Fridge features

- LED interior lighting
- Super cooling
- 3 adjustable glass shelves
- 2 humidity controlled fruit/veg compartments
- 6 in-door balconies
- 2 lidded dairy compartments
- Soft close fresh zone drawer
- 1 egg tray

#### Freezer features

- 4 star rating
- Fast freeze
- 4 storage compartments
- 2 shelves
- 2 ice cube trays

#### Available in

- Stainless steel
- Black

#### Technical specification

- Height adjustable feet
- Total no frost
- Fridge useable capacity: 390L net
- Freezer useable capacity: 170L net
- Total useable capacity: 560L net
- Freezing capacity: 13kg/24h
- Noise level: 46dBA

#### Energy efficiency rating

- Energy rating: A+

#### Energy consumption


- Energy consumption per annum: 475kW.h



LED strip lighting



LED interior lighting



# Wine coolers

Using anti-vibration technology, UV-protection and temperature control, CDA wine coolers keep your collection in optimum condition.

## UV-protective toughened smoked glass doors

All CDA wine coolers have UV-protective, toughened, smoked glass doors to prevent sunlight spoiling the wine. This also assists thermal efficiency.



## Wine cooler glass shelf optional accessory

Our wine cooler glass shelf is perfect for storing smaller items such as bottles and cans - compatible with the FWC304, FWC604, FWC624 and FWC881 models. Please see our accessory section for details.



## Luxury wooden shelving

All models feature luxury solid wooden shelves as standard (excludes 15cm slimline models). The FWV902 integrated model also has the addition of a luxury wooden display shelf (shown below).



## A rated energy efficiency

As we continually move forward and improve our products in response to new technology, our latest range of wine coolers has improved efficiency ratings to save on energy usage in your home.



## LED lighting

Bright LED interior lighting illuminates the internal cavity beautifully and makes finding the right bottle quick and easy.



## Digital temperature control

All CDA wine coolers are designed with electronic temperature control which is adjustable between 5°C and 20°C. The red digital display is easy to use and has a convenient memory function.



## Improved safety

Variations in temperature, light and movement can all accelerate the ageing process and damage your collection. Installing a wine cooler is a practical and stylish addition to your kitchen. All models come with the latest technology to provide the perfect storage solution. As part of our continued commitment to safety, we have now introduced metal backing to our wine cooler range.





Stainless steel Black

## FWC153 Freestanding/under counter slimline wine cooler

### Features

- Black plinth
- Red digital display
- Single temperature storage zone
- 6 integrated supports
- Electronic temperature control
- UV-protective toughened smoked glass door
- Double glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- Door open alarm

### Available in

- Stainless steel
- Black glass

### Technical specification


- Reversible door
- Rated electrical power: 60W
- Power supply required: 13A
- Noise level: 40dBA
- Temperature range: 5°C to 20°C
- Total bottle storage: 7 (75cL Bordeaux bottles)
- Compressor driven

### Energy efficiency rating

- Energy rating: B

### Energy consumption

- Energy consumption per annum: 185kW.h



Stainless steel Black

## FWC304 Freestanding/under counter slimline wine cooler



### Features

- Black plinth
- Red digital display
- Single temperature storage zone
- 5 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Double glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- Humidifier to maintain 50-80% RH
- Door open alarm

### Optional accessories

- Glass shelves (pack of 3), AFG31

### Available in

- Stainless steel
- Black glass

### Technical specification

- Reversible door
- Rated electrical power: 85W
- Power supply required: 13A
- Noise level: 39dBA
- Temperature range: 5°C to 20°C
- Total bottle storage: 20 (75cL Bordeaux bottles)

- Compressor driven

### Energy efficiency rating


- Energy rating: A

### Energy consumption

- Energy consumption per annum: 138kW.h



Luxury wooden shelving





Stainless steel

Black

## FWC604 Freestanding/under counter wine cooler

### Features

- Black plinth
- Red digital display
- Dual temperature storage zones
- 5 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Double glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- Integral heater
- Humidifier to maintain 50-80% RH
- Door open alarm
- Bottle storage in lower zone: 30 (75cL Bordeaux bottles)
- Total bottle storage: 45 (75cL Bordeaux bottles)
- Compressor driven

### Energy efficiency rating

- Energy rating: B

### Energy consumption

- Energy consumption per annum: 180kW.h

### Optional accessories


- Glass shelves (pack of 3), AFG61

### Available in

- Stainless steel
- Black glass

### Technical specification

- Reversible door
- Rated electrical power: 100W
- Power supply required: 13A
- Noise level: 39dBA
- Temperature range in upper zone: 5°C to 20°C
- Temperature range in lower zone: 5°C to 20°C
- Bottle storage in upper zone: 15 (75cL Bordeaux bottles)



Stainless steel

Black

## FWC624 Freestanding/under counter double door wine cooler

### Features

- Black plinth
- Red digital display
- Dual temperature storage zones
- 11 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- 2 humidifiers to maintain 50-80% RH
- Door open alarm
- Bottle storage in right zone: 18 (75cL Bordeaux bottles)
- Total bottle storage: 38 (75cL Bordeaux bottles)
- Compressor driven

### Energy efficiency rating

- Energy rating: B

### Energy consumption

- Energy consumption per annum: 190kW.h

### Optional accessories


- Glass shelves (pack of 3), AFG31

### Available in

- Stainless steel
- Black glass

### Technical specification

- Rated electrical power: 100W
- Power supply required: 13A
- Noise level: 40dBA
- Temperature range in left zone: 5°C to 20°C
- Temperature range in right zone: 5°C to 20°C
- Bottle storage in left zone: 20 (75cL Bordeaux bottles)





## FWC881

### Full height freestanding wine cooler


- Features**
- Black plinth
  - Red digital display
  - Dual temperature storage zones
  - 14 wooden slide-out shelves
  - Electronic temperature control
  - UV-protective toughened smoked glass door
  - Triple glazed door
  - LED interior lighting
  - Energy saving mode
  - Temperature memory function
  - Over temperature alarm
  - Door open alarm
  - Humidifier in upper zone to maintain 50-80% RH
  - Integral heater
- Bottle storage in lower zone: 62 (75cL Bordeaux bottles)**
- Total bottle storage: 125 (75cL Bordeaux bottles)**
- Compressor driven**
- Energy efficiency rating**
- Energy rating: A**
- Energy consumption**
- Energy consumption per annum: 160kW.h**



- Optional accessories**
- Glass shelves (pack of 3), AFG61

- Available in**
- Black

- Technical specification**
- Height adjustable feet
  - Reversible door
  - Rated electrical power: 160W
  - Power supply required: 13A
  - Noise level: 41dBA
  - Temperature range in upper zone: 5°C to 20°C
  - Temperature range in lower zone: 5°C to 20°C
  - Bottle storage in upper zone: 63 (75cL Bordeaux bottles)



## FWV902


### Integrated wine cooler

- Features**
- Red digital display
  - Dual temperature storage zones
  - 5 wooden slide-out shelves and 1 wooden display shelf
  - Electronic temperature control
  - UV-protective toughened smoked glass door
  - Triple glazed door
  - LED interior lighting
  - Temperature memory function
  - Over temperature alarm
  - Door open alarm
  - Energy saving mode
  - Display light function
  - Humidifier to maintain 50-80% RH
- Bottle storage in lower zone: 35 (75cL Bordeaux bottles) 30 when using display shelf**
- Total bottle storage: 57 or 52 when using display shelf (75cL Bordeaux bottles)**
- Compressor driven**
- Energy efficiency rating**
- Energy rating: B**
- Energy consumption**
- Energy consumption per annum: 195kW.h**

- Accessories**
- 1 wooden display shelf

- Available in**
- Black

- Technical specification**
- Reversible door
  - Rated electrical power: 100W
  - Power supply required: 13A
  - Noise level: 40dBA
  - Temperature range in upper zone: 5°C to 20°C
  - Temperature range in lower zone: 5°C to 20°C
  - Bottle storage in upper zone: 22 (75cL Bordeaux bottles)





FWV452  
Integrated compact wine cooler



#### Features

- Red digital display
- Single temperature storage zone
- 3 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Energy saving mode
- Display light function
- Humidifier to maintain 50-80% RH

#### Energy consumption

- Energy consumption per annum: 140kW.h

#### Available in


- Black

#### Technical specification

- Reversible door
- Rated electrical power: 85W
- Power supply required: 13A
- Noise level: 39dBA
- Temperature range: 5°C to 20°C
- Bottle storage: 24 (75cL Bordeaux bottles)
- Compressor driven

#### Energy efficiency rating

- Energy rating: A



FWV601  
Integrated compact wine cooler



#### Features

- Red digital display
- Single temperature storage zone
- 4 wooden slide-out shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Energy saving mode
- Display light function
- Humidifier to maintain 50-80% RH

#### Energy consumption

- Energy consumption per annum: 140kW.h

#### Available in


- Black

#### Technical specification

- Reversible door
- Rated electrical power: 100W
- Power supply required: 13A
- Noise level: 39dBA
- Temperature range: 5°C to 20°C
- Bottle storage: 40 (75cL Bordeaux bottles)
- Compressor driven

#### Energy efficiency rating

- Energy rating: A



## Integrated compact draught beer dispenser

With an integrated flash chiller, this beer dispenser will have your drink chilled and ready to serve in just 5 minutes.



### BVB4 Integrated compact draught beer dispenser

#### Features

- Professional fully integrated beer dispenser
- Compatible with 10L, 30L and 50L kegs
- Ready to dispense beer within five minutes of installation without chilling the keg in advance
- Supplied with CO<sup>2</sup> canister
- Temperature controlled by thermostat: 4°C to 8°C
- LED lighting
- Easy cleaning process
- Removable drip tray
- Supplied with S-type connector

#### Optional accessories

- Alternative keg connectors, ABC001 (G-type)/ABC005(A-type)
- CO<sup>2</sup> bottle, ABC002
- Cleaning tablets, ABC003
- Alternative cleaning connectors, ABC004/ABC006

#### Available in


- Stainless steel

#### Technical specification

- Rated electrical power: 190W
- Power supply required: 13A
- Draught capacity:
  - 40L/h  $\Delta t$  10k
  - 14.5L/h  $\Delta t$  20k
- Cooling capacity: 465W/400kcal/h



Professional connecting kit fits in a full height unit below the beer dispenser



# Dishwashers

CDA dishwashers have been designed with function and performance in mind. Combining energy saving features and intelligent technology they deliver perfect results, every time.



## Drying

Active Drying on models like the WC680, means that your dishwasher doesn't rely on passive heat to dry the dishes. Instead, it forces air around the cavity using a fan; drying them quickly and efficiently.

## Flood protection

All our dishwashers offer leak detection to help avoid flood damage in your home. For total peace of mind, the Aquastop system in models like the WC680 dishwasher will automatically cut off the water supply in the event of a leak or flood being detected.



## Top level cutlery drawer

The WC680 comes complete with a highly useful top cutlery drawer with easy grip handles - you can simply pull the drawer out with no trouble to retrieve your clean cutlery. Not only this, but the lower compartment comes with folding racks and a height adjustable upper basket to create more space for those larger pots and pans.

## Water consumption

It is a common misconception that dishwashers use more water than hand washing alone. The average household would complete two lots of hand washing per day, using 21 litres of water each time. With CDA dishwashers using between just 9 and 12 litres of water per load, and holding up to 15 place settings, you can take care of the washing up, your energy usage and water consumption all at the same time, whilst being friendly to the environment.



## A++ energy efficiency

Our dishwasher models have all been rated A++ for energy efficiency, ensuring that they use the least amount of water possible to give brilliant wash results while also using the smallest amount of energy possible.

# Quick guide to dishwashers

CDA dishwashers combine state-of-the-art technology with meticulous build quality to give you reliable performance for years to come.

- All our dishwashers feature:
- A++ rating for energy efficiency
  - Cold water fill
  - Counter-balanced door
  - Upper height-adjustable basket to accomodate larger items
  - Concealed heating element to protect the bottom basket
  - Delay timer to take advantage of off-peak electricity

## Slimline integrated dishwashers



- WC432**
- 10 place settings
  - 6 programmes
  - Delay timer
  - Energy rating: A++
- More details on p136



- WC480**
- 10 place settings
  - 8 programmes
  - Delay timer
  - Top level cutlery basket
  - Half load
  - Energy rating: A++
- More details on p137

## Integrated dishwashers



- WC142**
- 13 place settings
  - 5 programmes
  - Delay timer
  - Energy rating: A++
- More details on p138



- WC371**
- 13 place settings
  - 9 programmes
  - Delay timer
  - Half load
  - Energy rating: A++
- More details on p139



- WC680**
- 15 place settings
  - 9 programmes
  - Delay timer
  - Half load
  - Top level cutlery basket
  - Energy rating: A++
- More details on p140



WC432  
Integrated slimline dishwasher



#### Features

- 10 place settings
- Half load
- 3/6/9 hour delay timer
- 3 spray levels
- LED rinse aid indicator
- LED salt indicator
- LED progress indicator
- Acoustic signal for end of programme
- Electronic softener adjustment
- Height adjustable upper basket
- Overflow protection
- Levelling feet with front control
- Grey baskets

#### Programmes

- 6 programmes
  - Prewash (cold)
  - Quick wash 40°C
  - Eco 50°C
  - Express 65°C
  - Intensive 65°C
  - Intensive+ 70°C

#### Technical specification


- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 49dBA

#### Energy efficiency rating

- Energy rating: A++
- Wash rating: A
- Drying rating: A

#### Energy consumption

- Energy consumption per annum: 211kW.h
- Water consumption per annum: 3080L
- Energy consumption per cycle: 0.73kW.h
- Water consumption per cycle: 11L



WC480  
Integrated intelligent slimline dishwasher



#### Features

- 10 place settings
- Half load operates either upper or lower baskets individually or half load of both baskets
- 1-19 hour delay timer
- 3 spray levels
- LED rinse aid indicator
- LED salt indicator
- Acoustic signal for end of programme
- Electronic softener adjustment
- 3-in-1 function
- Levelling feet with front control
- Height adjustable upper basket when loaded
- Overflow protection
- Top level cutlery drawer
- GlassGuard - wine glass supports
- Grey baskets

#### Programmes

- 8 programmes
  - Prewash (cold)
  - Quick wash 40°C
  - Eco 50°C
  - 50 minute express wash 65°C
  - Auto normal 50-60°C
  - Auto intensive 60-70°C
  - Auto delicate 30-50°C
  - Intensive+ 70°C

#### Optional accessories

- Variospace wine glass holder, AWG100

#### Technical specification



- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 45dBA

#### Energy efficiency rating

- Energy rating: A++
- Wash rating: A
- Drying rating: A

#### Energy consumption

- Energy consumption per annum: 211kW.h
- Water consumption per annum: 2520L
- Energy consumption per cycle: 0.73kW.h
- Water consumption per cycle: 9L





## WC142

### Integrated dishwasher



#### Features

- 13 place settings
- 3/6/9 hour delay timer
- 2 spray levels
- LED rinse aid indicator
- LED salt indicator
- Acoustic signal for end of programme
- Electronic softener adjustment
- Levelling feet with front control
- Height adjustable upper basket
- White baskets

#### Programmes

- 5 programmes
  - Prewash (cold)
  - Quick wash 40°C
  - Eco 50°C
  - Super 65°C
  - Intensive 70°C

#### Technical specification

- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 49dBA


#### Energy efficiency rating

- Energy rating: A+++
- Wash rating: A
- Drying rating: A

#### Energy consumption

- Energy consumption per annum: 261kW.h
- Water consumption per annum: 3360L

- Energy consumption per cycle: 0.9kW.h
- Water consumption per cycle: 12L



## WC371

### Integrated intelligent dishwasher



#### Features

- 13 place settings
- Half load operates either upper or lower baskets individually or half load of both baskets
- 1-19 hour delay timer
- 3 spray levels
- LED rinse aid indicator
- LED salt indicator
- Acoustic signal for end of programme
- Electronic softener adjustment
- 3-in-1 function
- Levelling feet with front control
- Height adjustable upper basket when loaded
- GlassGuard - wine glass supports
- Grey baskets

#### Programmes

- 9 programmes
  - Prewash (cold)
  - Quick wash 40°C
  - Eco 50°C
  - 55 minute express wash 60°C
  - Auto normal 50-60°C
  - Auto intensive 60-70°C
  - Auto delicate 30-50°C
  - Intensive 60°C
  - Intensive+ 70°C

#### Optional accessories

- Variospace wine glass holder, AWG100

#### Technical specification


- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 45dBA

#### Energy efficiency rating

- Energy rating: A+++
- Wash rating: A
- Drying rating: A

#### Energy consumption

- Energy consumption per annum: 261kW.h
- Water consumption per annum: 2520L
- Energy consumption per cycle: 0.9kW.h
- Water consumption per cycle: 9L





## WC680 Integrated intelligent dishwasher



### Features

- 15 place settings
- LED interior light
- Half load operates either upper or lower baskets individually or half load of both baskets
- 1-19 hour delay timer
- 3 spray levels with the addition of triple wash
- Direct Wash
- Triple Wash
- LED rinse aid indicator
- LED salt indicator
- Acoustic signal for end of programme
- Electronic softener adjustment
- Active drying system
- 3-in-1 function
- Levelling feet with front control
- Top level cutlery drawer with separate removable sections
- Height adjustable upper basket when loaded
- Grey baskets with easy grip handles
- Lower basket with folding racks
- Aquastop

### Optional accessories

- Variospace wine glass holder, AWG100

### Technical specification

- Rated electrical power: 1.9kW
- Power supply required: 13A
- Noise level: 45dBA

### Energy efficiency rating


- Energy rating: A++
- Wash rating: A
- Drying rating: A

### Energy consumption

- Energy consumption per annum: 267kW.h
- Water consumption per annum: 2520L
- Energy consumption per cycle: 0.94kW.h
- Water consumption per cycle: 9L

### Programmes

- 8 programmes
  - Super quick 30°C
  - Quick 40°C
  - Eco 50°C
  - Super 65°C
  - Hygiene 60°C
  - Auto delicate 30-50°C
  - Auto normal 50-60°C
  - Auto intensive 60-70°C



## Direct wash

Direct wash offers deep precision cleaning, perfect for baby bottles and wine glasses. The spray system uses a smaller nozzle to spray water either upwards directly inside the bottle or glass, cleaning those hard to reach areas, or can be directed downwards to achieve an extra strength wash in the dishes below.

## Triple wash

Two additional spray arms offer an intense, powerful wash, to effectively clean heavily soiled pans and dishes.





# Laundry

All of our washing machines are A rated or better for wash performance. By being equipped with the latest programmes and features, they make efficient use of water and energy.

## Our wide range of products

CDA's range consists of integrated washing machines, tumble dryers and washer dryers. We are constantly testing, improving and developing our technologies to ensure that you benefit from the most energy efficient and effective appliances possible, whichever model you choose.



## Quick wash

We have developed a super quick wash programme that can complete a cycle in just 15 minutes. Whether you have forgotten to wash your favourite garment, or need a helping hand with those tedious laundry tasks, the quick wash is available on all of our washing machines and washer dryers.



## Advanced technology

High energy ratings are important on appliances like washing machines as they are used frequently and can make up a large proportion of your energy bills.

Additional digital sensors on our laundry models work with your spin cycle, water inlet and drying times to adjust the settings to achieve perfect results, every time.



## Save your favourite settings

The CI361, CI381 and CI981 have an additional MyChoice feature which allows you to save the programmes and options you use most often. This saves you time if you have a regular cleaning requirement.

# Quick guide to laundry

The CDA laundry range includes integrated and freestanding washing machines, washer dryers and tumble dryers.

All CDA washing machines and washer dryers have the following features:

- Robust stainless steel drum
- Safety door lock
- Cold water fill
- Integrated machines take a full height furniture door which can be hinged on the right or left

## Integrated washing machines



### CI361

- 1200 spin speed
  - 6kg wash load
  - Energy rating: A++
- More details on p146



### CI326

- 1200 spin speed
  - 7kg wash load
  - Energy rating: A+++
- More details on p147



### CI381

- 1400 spin speed
  - 8kg wash load
  - Energy rating: A+++
- More details on p148

## Integrated washer dryers



### CI926

- 1200 spin speed
  - 7 + 4kg wash/dry load
  - Energy rating: B
- More details on p148



### CI981

- 1400 spin speed
  - 8 + 6kg wash/dry load
  - Energy rating: A
- More details on p149

## Integrated tumble dryers



### CI921

- 7kg dry load
  - 8 programmes
  - Sensor drying
  - Energy rating: C
- More details on p149




## CI361 Integrated washing machine



- Features
- 1200rpm spin speed
  - 16 programmes
  - 6kg wash load
  - Delay timer
  - Variable spin speed
  - Variable wash temperature
  - 15 minute quick wash
  - Delicates wash
  - Wool wash
  - LED display
  - Safety key lock
  - MyChoice
  - Sport wash
  - Extra rinse function
  - Acoustic signal for end of programme
- Water consumption per annum: 9240L
- Available in
- White
- Technical specification
- Rated electrical power: 2.1kW
  - Power supply required: 13A
  - Noise level: wash 57 / spin 74dBA

- Energy efficiency rating
- Energy rating: A++
  - Wash rating: A

- Energy consumption
- Energy consumption per cycle: 0.88kW.h
  - Water consumption per cycle: 48L
  - Energy consumption per annum: 173kW.h




## CI326 Integrated washing machine



- Features
- 1200rpm spin speed
  - 11 programmes
  - 7kg wash load
  - Delay timer
  - Variable spin speed
  - Variable wash temperature
  - 15 minute quick wash
  - Delicates wash function
  - Cold wash
  - Wool wash
  - LED display
  - Safety key lock
  - Anti-crease function
  - Extra rinse function
  - Intensive wash function
  - Acoustic signal for end of programme
- Energy consumption per annum: 108kW.h
- Water consumption per annum: 9900L
- Available in
- White
- Technical specification
- Rated electrical power: 1.9kW
  - Power supply required: 13A
  - Noise level: wash 56 / spin 78dBA

- Energy efficiency rating
- Energy rating: A+++
  - Wash rating: A
  - Spin rating: B

- Energy consumption
- Energy consumption per cycle: 0.495kW.h
  - Water consumption per cycle: 49L





CI381  
Integrated washing machine




- Features
- 1400rpm spin speed
  - 16 programmes
  - 8kg wash load
  - Delay timer
  - Variable spin speed
  - Variable wash temperature
  - 15 minute quick wash
  - Delicates wash
  - Wool wash
  - LED display
  - Safety key lock
  - MyChoice
  - Sport wash
  - Extra rinse function
  - Acoustic signal for end of programme
- Water consumption per annum: 11000L
- Available in
- White

- Technical specification
- Rated electrical power: 2kW
  - Power supply required: 13A
  - Noise level: wash 57 / spin 76dBA

- Energy efficiency rating
- Energy rating: A+++
  - Wash rating: A

- Energy consumption
- Energy consumption per cycle: 0.94kW.h
  - Water consumption per cycle: 54L
  - Energy consumption per annum: 196kW.h



CI926  
Integrated washer dryer




- Features
- 1200rpm spin speed
  - 11 programmes
  - 7kg wash load
  - 4kg dry load
  - Delay timer
  - Variable spin speed
  - Variable wash temperature
  - 15 minute quick wash function
  - Intensive wash function
  - Extra rinse function
  - Drum clean programme
  - Condensing dryer
  - Acoustic signal for end of programme
  - LED display
  - Safety key lock
- Water consumption per annum: 22000L
- Available in
- White

- Technical specification
- Rated electrical power: 1.9kW
  - Power supply required: 13A
  - Noise level: wash 55 / spin 76 / dry 58dBA

- Energy efficiency rating
- Energy rating: B
  - Wash rating: A

- Energy consumption
- Energy consumption per cycle: 5.67kW.h
  - Water consumption per cycle: 110L
  - Energy consumption per annum: 1136kW.h



CI981  
Integrated washer dryer




- Features
- 1400rpm spin speed
  - 16 programmes
  - 8kg wash load
  - 6kg dry load
  - Delay timer
  - Variable spin speed
  - Variable wash temperature
  - 15 minute quick wash
  - Delicates setting
  - MyChoice
  - LED display
  - Extra rinse function
  - Acoustic signal for end of programme
  - Condensing dryer
  - Safety key lock
  - Balance control
  - Over-flow protection
- Energy consumption per annum: 1088kW.h  
Water consumption per annum: 30400L
- Available in
- White

- Technical specification
- Rated electrical power: 1.9kW
  - Power supply required: 13A
  - Noise level: wash 54 / spin 78 / dry 62dBA

- Energy efficiency rating
- Energy rating: A
  - Wash rating: A

- Energy consumption
- Energy consumption per cycle: 5.44kW.h
  - Water consumption per cycle: 152L



CI921  
Integrated tumble dryer




- Features
- 7kg dry load
  - Sensor dryer
  - Vented dryer
  - 2 heat settings
  - Reversible door
  - 8 programmes
  - Safety key lock
  - Timed drying programme
  - Airing programme

- Available in
- White

- Technical specification
- Rated electrical power: 2kW
  - Power supply required: 13A
  - Noise level: 62dBA

- Energy efficiency rating
- Energy rating: C

- Energy consumption
- Energy consumption per cycle: 4.39kW.h
  - Energy consumption per annum: 519kW.h



# Sinks

The CDA sink range includes stainless steel, composite and ceramic in either contemporary or traditional designs to suit any kitchen.

## Stainless steel

All CDA sinks are constructed from premium 304 grade stainless steel for superb quality. Stainless steel is resistant to heat and household chemicals, and is easy to clean. It has a smooth, non-porous surface making it very practical and hygienic.



## Ceramic

Made from incredibly robust, fine fireclay with a hard, glossy finish, these sinks are easy to clean and extremely durable. Our choice of styles includes contemporary single or one and a half bowl sinks, traditional Belfast styles and even ceramic undermount sinks.



## Composite

Made from a mixture of quartz or granite blended with acrylic resin for durability, our composite sinks are hard wearing and combine the natural look of stone with the benefits of a modern material.



## Undermount sinks

If you are looking for something a little more streamlined, then an undermount sink is the way to go. The sink is designed to fit with the worktops, overlapping the edges, for a seamless finish. You can still have the option of steel, ceramic or composite and you needn't compromise on size either, with one and a half bowl sizes available.

# Quick guide to sinks

The CDA range of sinks includes stainless steel, ceramic and composite models. Undermount sinks are also available in stainless steel, composite or ceramic materials.

Most CDA sinks are supplied with pipework included and have large 3.5" strainer wastes.

## Stainless steel



**KR20**  
• 1 bowl round drainer  
More details on p154



**KR21**  
• 1 bowl round sink  
More details on p154



**KA30**  
• Compact 1 bowl sink  
• Reversible  
More details on p157



**KA32**  
• 1.5 bowl sink  
• Reversible  
More details on p157



**KA71**  
• Large 1 bowl sink  
• Reversible  
More details on p160



**KA72**  
• 1.5 bowl sink  
• Reversible  
More details on p160



**AS1**  
• Composite 1 bowl sink  
• Composite granite construction  
• Reversible  
• Available in white or cream  
More details on p163



**AS2**  
• Composite 1.5 bowl sink  
• Composite granite construction  
• Reversible  
• Available in white or cream  
More details on p163



**KG81**  
• Composite 1 bowl sink with steel drainer bars  
• Granite/quartz construction  
• Reversible  
• Available in anthracite or graphite  
More details on p166



**KG82**  
• Composite 1.5 bowl sink with steel drainer bars  
• Granite/quartz construction  
• Reversible  
• Available in anthracite or graphite  
More details on p166



**KC23**  
• Ceramic 1 bowl sink  
• Heavy duty  
• Reversible  
More details on p170



**KC24**  
• Ceramic 1.5 bowl sink  
• Heavy duty  
• Reversible  
More details on p170



**CCP3**  
• 2 bowl corner sink  
• Polished finish  
More details on p155



**KA55**  
• 1 bowl sink with mini drainer  
• Reversible  
More details on p158



**KA80**  
• 1 bowl sink  
• Reversible  
More details on p161



**KG43**  
• Composite 1 bowl sink  
• Granite/quartz construction  
• Reversible  
More details on p164

## Ceramic



**KC10**  
• Ceramic Belfast 1 bowl sink with weir overflow  
• Fireclay construction  
More details on p168



**KC73**  
• Ceramic classic design 1 bowl sink  
• Heavy duty  
• Reversible  
More details on p171



**KA20**  
• Compact 1 bowl sink  
• Reversible  
More details on p155



**KA50**  
• Compact 1 bowl sink  
• Reversible  
More details on p158



**KA82**  
• 1.5 bowl sink  
• Reversible  
More details on p161



**KG44**  
• Composite 1.5 bowl sink  
• Granite/quartz construction  
• Reversible  
More details on p164



**KC11**  
• Ceramic Belfast 1 bowl sink  
• Fireclay construction  
More details on p168



**KC74**  
• Ceramic classic design 1.5 bowl sink  
• Heavy duty  
• Reversible  
More details on p171



**KA21**  
• 1 bowl sink  
• Reversible  
More details on p156



**KA52**  
• 1.5 bowl sink  
• Reversible  
More details on p159



**KVF21R/KVF21L**  
• 1 bowl flush-fit sink  
• Slim top profile  
More details on p162



**KG73**  
• Composite 1 bowl sink  
• Granite/quartz construction  
• Reversible  
• Available in anthracite or graphite  
More details on p165



**KA22**  
• 1.5 bowl sink  
• Reversible  
More details on p156



**KVF22R/KVF22L**  
• 1.5 bowl flush-fit sink  
• Slim top profile  
More details on p162



**KG74**  
• Composite 1.5 bowl sink  
• Granite/quartz construction  
• Reversible  
• Available in anthracite or graphite  
More details on p165

## Undermount sinks

Also available but not shown in detail here:




**undermount sink range**  
See p172-182




KR20  
Stainless steel round drainer

- Features
- Polished finish
- Accessories
- Waste kit
  - Plumbing pack
- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP1
- Available in
- Stainless steel




KR21  
Stainless steel round single bowl sink

- Features
- Polished finish
  - Fits in 450mm base unit
- Accessories
- Waste kit
  - Plumbing pack
- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP1
- Available in
- Stainless steel




CCP3  
Stainless steel corner double bowl sink

- Features
- Polished finish
  - 1mm heavy gauge stainless steel construction
- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP2
- Available in
- Stainless steel



KA20  
Stainless steel compact single bowl sink

- Features
- Polished finish
  - Reversible
  - Fits in 450mm base unit
- Accessories
- Waste kit
  - Plumbing pack
- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP1
- Available in
- Stainless steel





**KA21**  
Stainless steel single bowl sink

Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KA22**  
Stainless steel one and a half bowl sink

Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel



**KA30**  
Stainless steel compact single bowl sink

Features

- Polished finish
- Reversible
- Fits in 500mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KA32**  
Stainless steel one and a half bowl sink

Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel





**KA55**  
Stainless steel single bowl sink with mini drainer

Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KA50**  
Stainless steel compact single bowl sink

Features

- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KA52**  
Stainless steel one and a half bowl sink

Features

- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel





**KA71**  
Stainless steel large single bowl sink

#### Features

- Polished finish
- Reversible
- Extra large bowl
- Fits in 600mm base unit

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

#### Available in

- Stainless steel



**KA72**  
Stainless steel one and a half bowl sink

#### Features

- Polished finish
- Reversible
- Fits in 600mm base unit

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

#### Available in

- Stainless steel



**KA80**  
Stainless steel single bowl sink

#### Features

- Polished, satinised finish for an extra smooth, easy to clean surface
- Reversible
- Fits in 500mm base unit
- Larger bowl
- Recessed water-safe perimeter profile

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

#### Available in

- Stainless steel



**KA82**  
Stainless steel one and a half bowl sink

#### Features

- Polished, satinised finish for an extra smooth, easy to clean surface
- Reversible
- Fits in 600mm base unit
- Recessed water-safe perimeter profile

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

#### Available in

- Stainless steel



## Sleek Lines

This heavy grade, minimally styled sink is designed to fit flush with your worktops creating a stylish and contemporary look.



KVF21R



KVF22R



KVF21L



KVF22L

### KVF21 Single bowl flush-fit sink

#### Features

- Extra large bowl
- Flush-fit, slim top profile
- Fits in 600mm base unit
- 1mm heavy gauge stainless steel construction
- Noise deadening pads

#### Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

#### Available in

- Stainless steel - right hand drainer, KVF21R
- Stainless steel - left hand drainer, KVF21L



#### Features

- Flush-fit, slim top profile
- Fits in 600mm base unit
- 1mm heavy gauge stainless steel construction
- Noise deadening pads

#### Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

#### Available in

- Stainless steel - right hand drainer, KVF22R
- Stainless steel - left hand drainer, KVF22L



White



Cream

### AS1 Composite single bowl sink

#### Features

- Composite granite construction
- Scratch resistant
- Reversible
- Fits in 450mm base unit

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

#### Available in

- White
- Cream



White



Cream

### AS2 Composite one and a half bowl sink

#### Features

- Composite granite construction
- Scratch resistant
- Reversible
- Fits in 600mm base unit

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

#### Available in

- White
- Cream






KG43  
Composite single bowl sink

- Features
- Granite/quartz construction
  - Scratch resistant
  - Tough and hygienic
  - Super smooth metallic finish
  - Reversible
  - Fits in 600mm base unit
  - New and exclusive strainer design

- Accessories
- Concealed overflow
  - Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP1

- Available in
- Anthracite




KG44  
Composite one and a half bowl sink

- Features
- Granite/quartz construction
  - Scratch resistant
  - Tough and hygienic
  - Super smooth metallic finish
  - Reversible
  - Fits in 600mm base unit
  - New and exclusive strainer design

- Accessories
- Concealed overflow
  - Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP2

- Available in
- Anthracite



Anthracite

Anthracite



Graphite



Graphite


KG73  
Composite single bowl sink

- Features
- Granite/quartz construction
  - Scratch resistant
  - Tough and hygienic
  - Super smooth metallic finish
  - Reversible
  - Fits in 600mm base unit
  - New and exclusive strainer design

- Accessories
- Concealed overflow
  - Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP1

- Available in
- Anthracite
  - Graphite




KG74  
Composite one and a half bowl sink

- Features
- Granite/quartz construction
  - Scratch resistant
  - Tough and hygienic
  - Super smooth metallic finish
  - Reversible
  - Fits in 600mm base unit
  - New and exclusive strainer design

- Accessories
- Concealed overflow
  - Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer, AKD01/ AKD02
  - Space saver plumbing pack, PP2

- Available in
- Anthracite
  - Graphite



Did you know?  
Our composite sink range can withstand temperatures of up to 280°C and are produced from one of nature's hardest materials - quartz.

A built-in stainless steel trivet finishes off the design perfectly as well as offering a practical trivet for cookware.



Anthracite



Graphite

### KG81

Composite single bowl sink with stainless steel drainer bars

#### Features

- Granite/quartz construction
- Scratch resistant
- Tough and hygienic
- Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- New and exclusive strainer design
- Stainless steel drainer bars

#### Available in


- Anthracite
- Graphite

#### Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1



Anthracite



Graphite

### KG82

Composite one and a half bowl sink with stainless steel drainer bars

#### Features

- Granite/quartz construction
- Scratch resistant
- Tough and hygienic
- Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- New and exclusive strainer design
- Stainless steel drainer bars

#### Available in


- Anthracite
- Graphite

#### Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2





KC10  
Ceramic Belfast sink

#### Features

- Classic design
- Fireclay construction
- Suitable for over or under mounting

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Space saver plumbing pack, PP1

#### Available in

- White



*With a weir overflow located at the side of this model and a straight sided bowl, the KC10 is a true "Belfast" sink in design. Combine with a TTS6 bridge tap for definitive traditional style.*



KC11  
Ceramic Belfast style sink

#### Features

- Classic design
- Fireclay construction

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP1

#### Available in

- White



KC12  
Ceramic Belfast style double bowl sink

#### Features

- Classic design
- Fireclay construction

#### Accessories


- Waste kit
- Plumbing pack

#### Optional accessories

- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP2

#### Available in

- White



*A handmade fireclay sink is very hard wearing. It is traditionally made, and each one will have individual characteristics. The dimensions may vary slightly and there are likely to be natural marks under the glaze, giving real character.*




KC23  
Ceramic single bowl sink

- Features
- Classic design
  - Heavy duty
  - Reversible
  - Fits in 600mm base unit

- Accessories
- Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer and adaptor, AKD01/AKD02 and AKD03
  - Space saver plumbing pack, PP1

- Available in
- White



PLEASE NOTE: DIMENSIONS MAY DIFFER BY UP TO 5%




KC24  
Ceramic one and a half bowl sink

- Features
- Classic design
  - Heavy duty
  - Reversible
  - Fits in 600mm base unit

- Accessories
- Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer and adaptor, AKD01/AKD02 and AKD03
  - Space saver plumbing pack, PP2

- Available in
- White



PLEASE NOTE: DIMENSIONS MAY DIFFER BY UP TO 5%




KC73  
Ceramic single bowl sink

- Features
- Classic design
  - Heavy duty
  - Large bowl
  - Reversible
  - Fits in 600mm base unit

- Accessories
- Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer and adaptor, AKD01/AKD02 and AKD03
  - Space saver plumbing pack, PP1

- Available in
- White



PLEASE NOTE: DIMENSIONS MAY DIFFER BY UP TO 5%




KC74  
Ceramic one and a half bowl sink

- Features
- Classic design
  - Heavy duty
  - Reversible
  - Fits in 600mm base unit

- Accessories
- Waste kit
  - Plumbing pack

- Optional accessories
- Waste disposer and adaptor, AKD01/AKD02 and AKD03
  - Space saver plumbing pack, PP2

- Available in
- White



PLEASE NOTE: DIMENSIONS MAY DIFFER BY UP TO 5%

*A handmade fireclay sink is very hard wearing. It is traditionally made, and each one will have individual characteristics. The dimensions may vary slightly and there are likely to be natural marks under the glaze, giving real character.*

# Full undermount sinks range

CDA undermounts are available in a wide variety of sizes, styles and materials, to suit most kitchen designs.

## Stainless steel



- KCC21**
- 0.5 bowl undermount sink
  - Polished finish
  - Easy fixing system
- More details on p174



- KCC22**
- 3/4 bowl undermount sink
  - Polished finish
  - Easy fixing system
- More details on p174



- KCC23**
- 1 bowl undermount sink
  - Polished finish
  - Easy fixing system
- More details on p175



- KCC24**
- Rectangular 1 bowl undermount sink
  - Polished finish
  - Easy fixing system
- More details on p175



- KCC27**
- 1.5 bowl undermount sink
  - Noise deadening pads
  - Easy fixing system
- More details on p176



- KCC28**
- 1.5 bowl undermount sink
  - Noise deadening pads
  - Easy fixing system
- More details on p176

## Stainless steel



- KSC21**
- 0.5 bowl undermount sink
  - Noise deadening pads
- More details on p177



- KSC22**
- 3/4 bowl undermount sink
  - Noise deadening pads
- More details on p177



- KSC23**
- 1 bowl undermount sink
  - Noise deadening pads
- More details on p178



- KSC24**
- 1 bowl undermount sink
  - Noise deadening pads
- More details on p178



- KSC25**
- Large 1 bowl undermount sink
  - Noise deadening pads
- More details on p179

## Stainless steel



- KVC30R/KVC30L**
- 1.5 bowl undermount sink
  - Noise deadening pads
- More details on p180



- KVC35R/KVC35L**
- 1.5 bowl undermount sink
  - Noise deadening pads
- More details on p180

## Composite



- KMG24**
- 1 bowl undermount/inset sink
  - Tough and hygienic
  - Granite/quartz construction
  - Available in anthracite or graphite
- More details on p181



- KMG31**
- 1.5 bowl undermount/inset sink
  - Tough and hygienic
  - Granite/quartz construction
  - Reversible
  - Available in anthracite or graphite
- More details on p181

## Ceramic



- KC41**
- Ceramic undermount/inset 0.5 bowl sink
  - Fireclay construction
- More details on p182



- KC42**
- Ceramic undermount/inset 1 bowl sink
  - Fireclay construction
- More details on p182



**KCC21**  
Stainless steel undermount half bowl sink

Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KCC22**  
Stainless steel undermount three quarter bowl sink

Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KCC23**  
Stainless steel undermount single bowl sink

Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KCC24**  
Stainless steel undermount rectangular single bowl sink

Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories

- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Stainless steel





**KCC27**  
Stainless steel undermount right-hand one and a half bowl sink

Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel



**KCC28**  
Stainless steel undermount left-hand one and a half bowl sink

Features

- Polished finish
- Easy fixing system
- Noise deadening pads

Accessories


- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel



**KSC21**  
Stainless steel undermount half bowl sink

Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Space saver plumbing pack, PP1

Available in

- Stainless steel



**KSC22**  
Stainless steel undermount three quarter bowl sink

Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Space saver plumbing pack, PP1

Available in

- Stainless steel





**KSC23**  
Stainless steel undermount single bowl sink

#### Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

#### Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

#### Optional accessories

- Space saver plumbing pack, PP1

#### Available in

- Stainless steel



**KSC24**  
Stainless steel undermount single bowl sink

#### Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

#### Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

#### Optional accessories

- Space saver plumbing pack, PP1

#### Available in

- Stainless steel



**KSC25**  
Stainless steel undermount large single bowl sink

#### Features

- 1mm heavy gauge stainless steel construction
- Noise deadening pads
- Square strainer design

#### Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

#### Optional accessories

- Space saver plumbing pack, PP1

#### Available in

- Stainless steel





KVC30R



KVC35R



Anthracite



Anthracite



KVC30L



KVC35L



Graphite



Graphite

### KVC30

Stainless steel undermount one and a half bowl sink

Features

- Satin finish
- Noise deadening pads
- Exclusive strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel - right hand half bowl, KVC30R
- Stainless steel - left hand half bowl, KVC30L



### KVC35

Stainless steel undermount one and a half bowl sink

Features

- Satin finish
- Noise deadening pads
- Exclusive strainer design

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in

- Stainless steel - right hand half bowl, KVC35R
- Stainless steel - left hand half bowl, KVC35L



### KMG24

Composite undermount/inset single bowl sink

Features

- Granite/quartz construction
- Tough and hygeinic
- Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- Exclusive strainer design
- Both undermount and inset clips included
- Can be undermount or inset

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP1

Available in

- Anthracite
- Graphite



### KMG31

Composite undermount/inset one and a half bowl sink

Features

- Granite/quartz construction
- Tough and hygeinic
- Super smooth metallic finish
- Reversible
- Fits in 600mm base unit
- Exclusive strainer design
- Both undermount and inset clips included
- Can be undermount or inset

Accessories


- Concealed overflow
- Waste kit
- Plumbing pack

Optional accessories

- Waste disposer, AKD01/ AKD02
- Space saver plumbing pack, PP2

Available in


- Anthracite
- Graphite





KC41  
Ceramic undermount/inset half bowl sink

- Features
- Classic design
  - Fireclay construction
  - Can be undermount or inset
- Accessories
- Waste kit
  - Plumbing pack
- Optional accessories
- Waste disposer and adaptor, AKD01/AKD02 and AKD03
  - Space saver plumbing pack, PP1
- Available in
- White




A handmade fireclay sink is very hard wearing. It is traditionally made, and each one will have individual characteristics. The dimensions may vary slightly and there are likely to be natural marks under the glaze, giving real character.



KC42  
Ceramic undermount/inset half bowl sink

- Features
- Classic design
  - Fireclay construction
  - Can be undermount or inset
- Accessories
- Waste kit
  - Plumbing pack
- Optional accessories
- Waste disposer and adaptor, AKD01/AKD02 and AKD03
  - Space saver plumbing pack, PP1
- Available in
- White



Waste disposers

Code	Contents	Compatible with
AKD01	380W waste disposer	All sinks except KSC models and KC10
AKD02	550W waste disposer	All sinks except KSC models and KC10
AKD03	Waste disposer adaptor	All ceramic sinks (except KC10) using AKD01 or AKD02

- Easy to install
- Convenient
- Clean and hygienic
- Time saving
- Smell free
- Mess free
- Needs no regular maintenance
- Cheap to run



# Taps

Whether it is a simple lever tap, or something more sophisticated, choose a tap from our 2019 collection and you can be sure that it will be beautifully designed.



## Filter tap

Our TF55 tap filters mains tap water to improve its taste, clarity and odour. Mains water is passed through a cartridge concealed under the sink and is controlled through the tap by a simple lever action.

## Hot water on demand

Speed up cooking and making hot drinks by installing a TH101 instant hot water tap. With an under-counter heating tank, this useful kitchen appliance can produce around 1.8 litres of hot water per minute, supporting many culinary tasks.



## Professional chef style taps

A pull-out spray is a useful helping hand on some of our contemporary taps. Use the spray for thorough rinsing of fruit and vegetables, for fast defrosting, to fill large vases or buckets, or for countless other kitchen jobs.

# Quick guide to taps

The range of taps from CDA covers a wide spectrum of designs, from stylish, functional taps through to cutting-edge, contemporary designer taps to make a bold statement in your kitchen.

**Guidance on minimum operation pressure**  
Taps with a minimum operating pressure of 0.4Bar, or less, are compatible with low pressure hot water systems.

Check your supply pressure before purchasing taps requiring 0.5Bar or higher.

## Contemporary taps



**TC10**  
Details on p188



**TC15**  
details on p188



**TC20**  
Details on p188

## Contemporary taps



**TC61**  
Details on p191



**TC65**  
Details on p191



**TC66**  
Details on p191

## Traditional taps



**TT25**  
Details on p192



**TT41**  
• Available in chrome or nickel  
Details on p192



**TT50**  
Details on p193

## Pull-out taps



**TC56**  
Details on p190



**TM1**  
Details on p193



**TV11**  
Details on p195

## Contemporary taps



**TC28**  
Details on p189



**TC31**  
Details on p189



**TC41**  
Details on p189



**TC55**  
• Available in chrome or nickel  
Details on p190



**TC57**  
Details on p190

## Contemporary taps



**TC77**  
Details on p192



**TV5**  
Details on p194



**TV6**  
Details on p194



**TV7**  
Details on p194



**TV9**  
• Available in chrome or black  
Details on p195

## Traditional taps



**TT56**  
Details on p193

## Pull-out taps Filter tap



**TV14**  
• Available in black, white or grey  
Details on p195



**TF55**  
Details on p196



**TH101**  
• Available in chrome or brushed steel  
Details on p196



TC10  
Standard single lever tap

Features


- Single flow
- Minimum pressure: 0.5Bar
- 360°C spout rotation
- Ceramic disc valve

Accessories

- Supplied with flexible tail pipes

Available in

- Chrome



TC15  
Classic single lever tap

Features


- Single flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Ceramic single lever valve

Accessories

- Supplied with rigid copper tail pipes

Available in

- Chrome



TC20  
Standard quarter turn monobloc tap

Features


- Single flow
- Minimum pressure: 0.1Bar
- 360°C spout rotation
- Ceramic disc 1/4 turn valves

Accessories

- Supplied with flexible tail pipes

Available in

- Chrome



TC28  
Contemporary quarter turn monobloc tap

Features


- Single flow
- Minimum pressure: 0.4Bar
- Ceramic disc 1/4 turn valves
- 360°C spout rotation

Accessories

- Supplied with flexible tail pipes

Available in

- Chrome



TC31  
Single side lever tap with swan neck spout

Features


- Solid stainless steel
- Single flow
- Minimum pressure 0.5Bar
- Ceramic single lever valve
- 360°C spout rotation

Accessories

- Supplied with flexible tail pipes

Available in

- Stainless steel



TC41  
Quarter turn cross handle monobloc tap

Features


- Dual flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Ceramic disc 1/4 turn valves

Accessories

- Supplied with rigid copper tail pipes

Available in


- Chrome






Chrome Nickel  
TC55  
Monobloc tap with swan neck spout

- Features
- Dual flow
  - Minimum pressure: 0.3Bar
  - WRAS approved
  - Ceramic disc 1/4 turn valves
- Accessories
- Supplied with rigid copper tail pipes
- Available in
- Chrome
  - Nickel




TC56  
Monobloc tap with pull-out spout

- Features
- Single flow
  - Minimum pressure: 0.75Bar
  - Pull-out spout
  - Ceramic disc 1/4 turn valves
  - Hose extends up to 500mm
- Accessories
- Supplied with rigid copper tail pipes
- Available in
- Chrome




TC57  
Side single lever tap with swan neck spout

- Features
- Single flow
  - Minimum pressure: 0.5Bar
  - Ceramic single lever valve
- Accessories
- Supplied with flexible tail pipes
- Available in
- Chrome




TC61  
Side single lever tap with quad spout

- Features
- Single flow
  - Minimum pressure: 0.5Bar
  - 360° spout rotation
  - Ceramic disc valve
- Accessories
- Supplied with flexible tail pipes
- Available in
- Stainless steel




TC65  
Monobloc tap with quad spout

- Features
- Dual flow
  - Minimum pressure: 0.3Bar
  - Ceramic disc 1/4 turn valves
- Accessories
- Supplied with rigid copper tail pipes
- Available in
- Chrome



TC66  
Side single lever tap with quad spout

- Features
- Single flow
  - Minimum pressure: 0.5Bar
  - Ceramic single lever valve
- Accessories
- Supplied with flexible tail pipes
- Available in
- Chrome





**TC77**  
Contemporary slant  
monobloc tap

**Features**


- Single flow
- Minimum pressure: 0.5Bar
- WRAS approved
- 360°C spout rotation
- Ceramic disc 1/4 turn valves

**Accessories**

- Supplied with flexible tail pipes

**Available in**

- Chrome



**TT25**  
Traditional monobloc tap

**Features**


- Dual flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Compression valves

**Accessories**

- Supplied with rigid copper tail pipes

**Available in**

- Chrome



Choose white or black interchangeable handles as an optional accessory.



**TT41**  
Traditional quarter turn  
lever monobloc tap

**Features**

- Dual flow
- Minimum pressure: 0.2Bar
- WRAS approved
- Ceramic disc 1/4 turn valves

**Accessories**

- Supplied with rigid copper tail pipes

**Optional accessories**

- Interchangeable handles:
  - White/chrome, ATT01WH
  - White/nickel, ATT02WH
  - Black/chrome, ATT01BL
  - Black/nickel, ATT02BL


**Available in**

- Chrome
- Nickel



Black handles

White handles



**TT50**  
Traditional dual lever  
monobloc tap

**Features**


- Single flow
- Minimum pressure: 0.5Bar
- 360°C spout rotation
- Ceramic disc 1/4 turn valves

**Accessories**

- Supplied with flexible tail pipes

**Available in**

- Chrome



Choose white or black interchangeable handles as an optional accessory.



**TT56**  
Traditional quarter turn  
bridge mixer tap

**Features**

- Single flow
- Minimum pressure: 0.3Bar
- Ceramic disc 1/4 turn valves

**Accessories**

- Supplied with adjustable inlet pipes

**Optional accessories**

- Interchangeable handles:
  - White/chrome, ATT01WH
  - Black/chrome, ATT01BL


**Available in**

- Chrome



Black handles

White handles



**TM1**  
Contemporary single lever  
tap with pull-out spray

**Features**

- Single flow
- Minimum pressure: 1Bar
- Pull-out spray
- Ceramic disc valve

**Accessories**


- Supplied with flexible tail pipes

**Available in**

- Chrome

**Fitting note**

- Please ensure that your supply pressure is adequate.





**TV5**  
Contemporary side single lever tap

Features

- Single flow
- Minimum pressure: 0.5Bar
- 360°C spout rotation
- Ceramic disc single lever valve

Accessories

- Supplied with flexible tail pipes

Available in

- Chrome



**TV6**  
Round tower single lever tap

Features

- Single flow
- Minimum pressure: 0.5Bar
- 360°C spout rotation
- Ceramic disc single lever valve

Accessories

- Supplied with flexible tail pipes

Available in

- Chrome



**TV7**  
Contemporary side single lever tap with swivel spout

Features

- Single flow
- Minimum pressure: 0.75Bar
- 360°C spout rotation
- Swivel aerator for precise flow control
- Ceramic disc single lever valve

Accessories

- Supplied with flexible tail pipes

Available in

- Chrome



Swivel spout for precise flow control



Chrome

Matt black

**TV9**  
Contemporary square side single lever tap

Features

- Single flow
- Minimum pressure: 0.5Bar
- WRAS approved
- 360°C spout rotation
- Ceramic disc single lever valve

Accessories

- Supplied with flexible tail pipes

Available in

- Chrome
- Matt black



**TV11**  
Single lever tap with black pull-out spray

Features

- Solid stainless steel construction
- Single flow
- Minimum pressure: 1.5Bar
- Pull-out spray
- 360°C spout rotation
- Ceramic disc valve

Accessories

- Supplied with flexible tail pipes

Available in

- Stainless steel

Fitting note

- Please ensure that your supply pressure is adequate.



Black

Grey

White

**TV14**  
Single lever tap with pull-out spout

Features






- Single flow
- Minimum pressure: 0.7Bar
- 360° spout rotation
- Pull-out spray

Accessories

- Supplied with flexible tail pipes

Available in

- Brushed steel/Black
- Brushed steel/Grey
- Brushed steel/White





TF55  
Monobloc filter tap with  
swan neck spout

#### Features

- Dual flow
- Minimum pressure: 0.4Bar
- 2 way ceramic disc valve
- WRAS approved

#### Accessories

- Filter and installation kit
- Supplied with rigid copper tail pipes

#### Optional accessories



- Replacement filter, ATF001

#### Available in

- Chrome

#### Fitting note

- We recommend that you replace the filter every six months.



Chrome      Brushed steel finish

TH101  
3-in-1 Instant hot water tap

#### Features

- Non-pressurised tank for increased reliability
- Minimum pressure: 1.5Bar
- Maximum pressure: 5.5Bar
- 360°C spout rotation
- 2L tank
- Filter included
- Rapid 12 minutes initial heat up from cold supply
- Allows several cups of 98°C water to be dispensed
- Easy descaling

#### Accessories

- Supplied with flexible tail pipes

#### Optional accessories


- Replacement filter
- Descaling solution

#### Available in

- Chrome
- Brushed steel finish

#### Fitting note

- Please ensure that your supply pressure is adequate.
- Please ensure that the drain valve is set as high as possible and is absolutely level.
- We recommend changing the filter and descaling the boiler every 6 months.



## Instant hot water

Stop waiting for kettles and pans to boil. Make hot drinks instantly and speed up cooking with this useful TH101 3-in-1 instant hot water tap.

Extractor accessories

AED51 125mm x 1m flexible ducting kit

- White wall outlet
- 2 cable ties
- 1m flexible hose
- Fixing kit



AED53 125mm x 6m flexible ducting kit

- White wall outlet
- 2 cable ties
- 6m flexible hose
- Fixing kit



AED54 125mm x 3m rigid ducting kit

- White wall outlet
- 2 x 1m rigid ducting
- 500mm rigid ducting
- Wall plate
- Connector
- 125mm elbow bend
- 2 threaded hose connectors
- 1m flexible hose
- Horizontal bend
- Fixing kit



AED61 150mm x 1m flexible ducting kit

- White wall outlet
- 2 cable ties
- 1m flexible hose
- Fixing kit



AED63 150mm x 6m flexible ducting kit

- White wall outlet
- 2 cable ties
- 6m flexible hose
- Fixing kit



AED64 150mm x 3m rigid ducting kit

- White wall outlet
- 2 x 1m rigid ducting
- 350mm rigid round ducting
- Wall plate
- Connector
- 125mm elbow bend
- 2 threaded hose connectors
- 1m flexible hose
- Horizontal bend
- Round to rectangular adaptor
- Fixing kit




Extractor accessories


Filters

Code	Contents	Compatible with
CHA11	Charcoal filter (pack of 2)	EDD91
CHA12	Charcoal filter (pack of 1)	ECN62/72/92, ECNK90, ECP62/72/82/92/102/112, EKPK90
CHA14	Charcoal filter (pack of 2)	3D9, EXA60/80
CHA15	Charcoal filter (pack of 1)	EIN60, EVA60/70/90, ECA60
CHA17	Charcoal filter (pack of 2)	EKP60/70/90, EKN60/70/90
CHA18	Charcoal filter (pack of 2)	EVX101
CHA19	Charcoal filter (pack of 2)	EDD61
CHA20	Charcoal filter (pack of 2)	EVX110
CHA21	Charcoal filter (pack of 2)	EVG6/9, EVP61/91/101/121, EVPK90
CHA24	Charcoal filter (pack of 2)	ECH61/71/91/101
CHA25	Charcoal filter (pack of 2)	ECHK90, ECPK90, ECR90
CHA28	Charcoal filter (pack of 2)	HNE8
CHA29	Charcoal filter (pack of 2)	CCA51, CCA71
CHA33	Charcoal filter (pack of 2)	EVQ71
CHA34	Charcoal filter (pack of 2)	CTE61
CHA35	Charcoal filter (pack of 2)	CTE9
CHA36	Charcoal filter (pack of 1)	CST61
GRE1	Acrylic grease filter	EIN60
GRE3M	Metal grease filter	EIN60
RTP01	Re-circulating T-piece	EXA60/80


Beer dispenser accessories




**ABC001** keg connector  
(G-type)  
BVB4




**ABC002** CO<sub>2</sub> bottle  
BVB4




**ABC003** cleaning tablets  
BVB4



**ABC004** cleaning connector  
(G-type)  
BVB4



**ABC005** keg connector  
(A-type)  
BVB4



**ABC006** cleaning connector  
(A-type)  
BVB4

Please check product pages for compatibility.

Wine cooler accessories

Wine cooler glass shelves

Code	Contents	Compatible with
AFG31	Glass shelves (pack of 3)	FWC304, FWC624
AFG61	Glass shelves (pack of 3)	FWC604, FWC881

Our wine cooler glass shelves are perfect for storing smaller items such as bottles and cans.



AFG31

Dishwasher accessories

Dishwasher wine glass holder

Code	Contents	Compatible with
AWG100	Variospace wine glass holder	WC680, WC480, WC371



AWG100

Sink accessories



Plumbing packs

Code	Contents	Compatible with
PP1	Space saver plumbing pack	All single bowl sinks
PP2	Space saver plumbing pack	All one and a half bowl sinks

Splashbacks



Square metal splashbacks



		
Size	Stainless steel	Black
600W x 750H	CSB6SS	CSB6BL
700W x 750H	CSB7SS	CSB7BL
900W x 750H	CSB9SS	CSB9BL
1000W x 750H	CSB10SS	CSB10BL
1200W x 750H	CSB12SS	CSB12BL

Square toughened glass splashbacks





		
Size	Black	Grey
600W x 750H*	ASG6BL	ASG6GR
700W x 750H*	ASG7BL	ASG7GR
900W x 750H*	ASG9BL	ASG9GR
1000W x 750H*	ASG10BL	ASG10GR
1200W x 750H*	ASG12BL	ASG12GR

\*Our toughened glass splashbacks are handmade, so dimensions shown may vary by up to 5mm.

Curved glass splashbacks

Designed to match the (ECP and EKP) range of extractors.





			
Size	Black	Grey	Compatible with
600W x 750H*	ASG62CBL	ASG62CGR	ECP62, EKP60
700W x 750H*	ASG72CBL	ASG72CGR	ECP72, EKP70
800W x 750H*	ASG82CBL	ASG82CGR	ECP82
900W x 750H*	ASG92CBL	ASG92CGR	ECP92
900W x 750H*	ASG92KBL	ASG92KGR	EKP90
1000W x 750H*	ASG102CBL	ASG102CGR	ECP102
1100W x 750H*	ASG112CBL	ASG112CGR	ECP112

\*Our toughened glass splashbacks are handmade, so dimensions shown may vary by up to 5mm.

Curved metal splashbacks

Designed to match the (ECP and EKP) range of extractors.



			
Size	Stainless steel	Black	Compatible with
600W x 750H	CSB62CSS	CSB62CBL	ECP62, EKP60
700W x 750H	CSB72CSS	CSB72CBL	ECP72, EKP70
900W x 750H	CSB92CSS	CSB92CBL	ECP92
900W x 750H	CSB92KSS	CSB92KBL	EKP90

Hob, tap and heating accessories

Tap accessories

Product	Code	Compatible with
Black tap handles	ATT01BL	TT41CH, TT56CH
White tap handles	ATT01WH	TT41CH, TT56CH
Black tap handles	ATT02BL	TT41NI
White tap handles	ATT02WH	TT41NI



TT41 tap handles



TT56 tap handles




Heating accessories

APH01SS Plinth heater

- Stainless steel finish
  - 3 heat settings: cold (fan only), warm, hot
  - On-off switch with neon indicator
  - Automatic safety cut out
  - Rated electrical power: 2kW
  - Power supply required: 13A
- Our 2kW slimline plinth heater provides instant heat where space is at a premium and discreet yet effective heating is required.

Cleverly concealed in the ‘kick space’ beneath kitchen units, stairwells and fitted furniture, a plinth heater eliminates the need for a separate radiator, allowing better use of the kitchen space.



APH01

Hob accessories



AHJ30 joint kit  
Suitable for all stainless steel domino hobs (excludes HE3140)

Website

You'll find the latest news and product information at [www.cda.eu](http://www.cda.eu).

You can also locate your nearest CDA retailer, register your purchase or contact our customer care team.

From time to time our products are changed, specifications updated and new products launched. Visit our website for all up to date information and specifications.

[www.cda.eu](http://www.cda.eu)



Guarantee

Terms and conditions of guarantee

- Parts are defined as mechanical/electrical parts only.
- Products registered outside of the 30 day period will receive 12 months parts and labour.
- Proof of date of purchase must be supplied.
- To qualify for free parts they must be fitted by a CDA appointed engineer.
- Any attempts to modify or repair an appliance by an unauthorised person will render all guarantees invalid.
- A charge will be made for attending a reported fault that transpires to be due to misuse or mis-installation.
- CDA retains the right to invalidate the guarantee in the event of physical or verbal abuse towards any member of staff.
- CDA guarantees cover domestic use only - commercial use is not covered.
- Guarantees in whole or part are not transferable.
- Taps – During the first year, at our discretion we may pay for refitting (on receipt of the faulty part/tap, once inspected and deemed faulty) up to a maximum defined cost.
- The provision of services under the guarantee neither extends the term of the guarantee nor sets in motion a new guarantee period. The guarantee period for spare parts fitted ends with the expiry of the guarantee on the appliance as a whole. The guarantee remains effective from the date of purchase.
- On the occasion that a product is over 2 years old and is considered to be beyond repair, or uneconomical to repair, then we will offer a replacement appliance and charge an appropriate monetary offset in respect of the period of use already enjoyed.
- Guarantees apply in the UK and Southern Ireland only.

What is not covered

- Transport damage for which CDA is not responsible.
- Improper installation and assembly.
- Improper use including where an appliance has been used in a non-domestic environment, or poor maintenance, or failure to observe the operating instructions.
- Faults due to accidental damage or misuse.
- Damage caused by the appliance coming into contact with unsuitable materials.
- Claims in respect of compensation for consequential loss, except where such liability is legally mandatory.
- Consumables and cosmetic parts such as glass, bulbs, seals, fuses, filters, external hoses, cosmetic parts, baskets, trays, burner caps, burner bases etc.
- Damage to, or during, the replacement of any light bulbs or removable parts of glass and plastic.
- Gas leaks not related to a CDA appliance.
- TH101 3-in-1 instant hot water tap is guaranteed for 2 year parts and 2 year labour.

Details of extended warranties are available on request.

This table shows where the guarantee is restricted due to non-domestic conditions:

	5 year parts, 2 year labour	2 year parts, 2 year labour	1 year parts, 1 year labour
Normal domestic sale and use	✓		
Rental or service apartment (non-students)		✓	
Students (communal living and non-communal) not new build		✓	
Students (communal living and non-communal) new build		✓	
Students (non-communal) one student per kitchen	✓		
Semi-commercial e.g. school domestic science lab			✓

E & O E • ALL DIMENSIONS AND ILLUSTRATIONS ARE PROVIDED FOR GUIDANCE ONLY. CDA RESERVE THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT PRIOR NOTICE.

WEEE PRODUCER REGISTRATION NUMBER: WEE/FD0074UR.



For more information please contact:

The Sales Department on **01949 862010**

The Customer Care Department on **01949 862012**

[www.cda.eu](http://www.cda.eu)

**The CDA Group Ltd.** Harby Road, Langar, Nottinghamshire, NG13 9HY T: **01949 862 000** F: **01949 862 001** E: [sales@cda.eu](mailto:sales@cda.eu)

Distributed in Ireland by: **Bodel Distributors.** Hulls Lane, Lisburn, BT28 2SR T: **048 9267 2412** F: **048 9267 1873** W: [www.bodel.com](http://www.bodel.com)

Distributed in Pakistan by: **Chughtaiz.** Lahore, Pakistan T: **+92 42 3578 2891 2** W: [www.chughtaiz.com](http://www.chughtaiz.com)